CLEAR ANTI-ITCH- pramoxine hcl, zinc acetate lotion CDMA

Quality Choice 218.002/218AF Clear Anti-Itch Lotion

Active ingredients

Pramoxine HCl 1% Zinc acetate 0.1%

Purpose

External analgesic Skin protectant

Uses

- for the temporary relief of pain and itching associated with minor skin irritations and rashes due to poison ivy, poison oak, or poison sumac
- dries the oozing and weeping of poison: -ivy -oak -sumac

Warnings

For external use only

When using this product

do not get into eyes

Stop use and ask a doctor if

•condition worsens •symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well
- before applying wash affected area of skin

adults and children 2 years of age and older - apply to affected area no more than 3 to 4 times daily

children under 2 years - ask a doctor

Other information

store at room temperature (59° - 77° F)

Inactive ingredients

alcohol, benzoic acid, camphor, citric acid, fragrance, glycerin, hydroxypropyl methylcellulose, Lavandula angustifolia (lavender) oil, polysorbate 40, Rosmarinus officinalis (rosemary) leaf oil, sodium citrate, water

Disclaimer

*This product is not manufactured or distributed by Bausch Health US, LLC, distributor of Caladryl Clear Lotion.

ADVERSE REACTION

Distibuted by CDMA, Inc.

Novi, MI 48375

www.qualitychoice.com

Questions: 800-935-2362

SATISFACTION GUARANTEED

100% QC

PRINCIPAL DISPLAY PANEL

NDC 83324-245-06

OC

QUALITY CHOICE

*Compare to CALADRYL CLEAR

Clear

Anti-Itch

Lotion


External Analgesic/Skin Protectant

Relieves pain & itching caused by:

Poison Ivy, Poison Sumac, Poison Oak & Insect Bites

6 FL OZ (177 mL)





Directions

shake well before applying wash affected area of skin adults and children 2 years of age and older apply to affected area not more than 3 to 4 times daily children under 2 years

Other information store at room temperature (59°-77° F)

Inactive ingredients alcohol, benzoic acid, camphor, citric acid, fragrance, glycerin, hydroxypropyl methylcellulose, Lavandula angustifola (levender) oil, polysorbate 40, Rosmarinus officinalis (resemary) leaf oil, sodium citrate, water

*This product is not manufactured or distributed by Bausch Health US, LLC, distributor of Calady 19 Clear® Lotion.

ask a doctor



Distributed by CDMA, Inc. Novi, MI 48375 www.qualitychoice.com Questions: 800-935-2362



L0022068SA 6

CLEAR ANTI-ITCH

pramoxine hcl, zinc acetate lotion

Product Information

Product Type HUMAN OTC DRUG NDC:83324-245 Item Code (Source)

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE -**PRAMOXINE** 10 mg UNII:068X84E056) **HYDROCHLORIDE** in 1 mL 1 ma ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37) ZINC ACETATE in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
ALCOHOL (UNII: 3K9958V90M)		
BENZOIC ACID (UNII: 8SKN0B0MIM)		
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
GLYCERIN (UNII: PDC6A3C0OX)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
LAVENDER OIL (UNII: ZBP1YXW0H8)		
POLYSORBATE 40 (UNII: STI11B5A2X)		
ROSEMARY OIL (UNII: 8LGU7VM393)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
WATER (UNII: 059QF0KO0R)		

l	Packaging							
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
		NDC:83324- 245-06	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/26/2025				

Marketing Information						
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
M016	02/26/2025					
	Application Number or Monograph Citation	Application Number or Monograph Marketing Start Citation Date				

Labeler - CDMA (011920774)

Registrant - Consumer Product Partners, LLC (119091520)

Establishment						
Name	Address	ID/FEI	Business Operations			
Consumer Product Partners, LLC		119091514	manufacture(83324-245)			

Revised: 2/2025 CDMA