

**TYLENOL EXTRA STRENGTH- acetaminophen tablet, coated**  
**Kenvue Brands LLC**

-----  
**TYLENOL Extra Strength**

***Drug Facts***

**Active ingredient (in each gelcap)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

### **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>▪ take 2 gelcaps every 6 hours while symptoms last</li><li>▪ do not take more than 6 gelcaps in 24 hours, unless directed by a doctor</li><li>▪ do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	ask a doctor

### **Other information**

- store between 20-25°C (68-77°F). Avoid high humidity.
- **do not use if carton is opened. Do not use if foil inner seal imprinted with "TYLENOL" is broken or missing**

### **Inactive ingredients**

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, D&C yellow no. 10, edetate calcium disodium, FD&C blue no. 1, FD&C red no. 40, gelatin, hypromellose, iron oxide, magnesium stearate, methylparaben, modified starch, polyethylene glycol, polysorbate 80, powdered cellulose, pregelatinized starch, propylene glycol, propylparaben, red iron oxide, sodium lauryl sulfate, sodium propionate, sodium starch glycolate, titanium dioxide, yellow iron oxide

### **Questions or comments?**

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

### **PRINCIPAL DISPLAY PANEL**

NDC 50580-490-24

Extra Strength

TYLENOL<sup>®</sup>

FOR ADULTS

Acetaminophen

Pain Reliever

Fever Reducer

RAPID RELEASE

GELS

\*Gelatin-Coated Tablets

Actual Size

24 Gelcaps\*

500 mg each



Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg	
Inactive Ingredients				
Ingredient Name			Strength	
BUTYLPARABEN (UNII: 3QPI1U3FV8)				
BENZYL ALCOHOL (UNII: LKG8494WBH)				
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)				
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)				
EDETATE CALCIUM DISODIUM (UNII: 25IH6R4SGF)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
FERROSOFERRIC OXIDE (UNII: XM0M87F357)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POLYSORBATE 80 (UNII: 6OZP39ZG8H)				
POWDERED CELLULOSE (UNII: SMD1X3XO9M)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
SODIUM LAURYL SULFATE (UNII: 368GB5141J)				
SODIUM PROPIONATE (UNII: DK6Y9P42IN)				
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)				
Product Characteristics				
Color	red, blue, gray	Score	no score	
Shape	OVAL	Size	21mm	
Flavor		Imprint Code	TY;500	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-490-24	1 in 1 CARTON	04/30/2021	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		

2	NDC:50580-490-50	1 in 1 CARTON	04/30/2021	
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:50580-490-10	1 in 1 CARTON	04/30/2021	
3		100 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:50580-490-25	1 in 1 CARTON	04/30/2021	
4		225 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:50580-490-90	290 in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2021	
6	NDC:50580-490-20	2 in 1 CARTON	05/05/2025	
6		100 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/30/2021	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 5/2025

Kenvue Brands LLC