GAS RELIEF EXTRA STRENGTH- simethicone capsule, liquid filled Chain Drug Consortium, LLC

Drug Facts

Active ingredient (in each softgel)

Simethicone 125 mg

Purpose

Antigas

Uses

• for the relief of pressure, bloating, and fullness commonly referred to as gas

Warnings

If pregnant of breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime
- do not exceed 4 softgels in 24 hours unless directed by a doctor

Other information

- store between 15-30°C (59-86°F)
- do not refrigerate
- protect from light, heat, and moisture

Inactive ingredients

D&C yellow #10, edible ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, peppermint oil, purified water, sorbitan, sorbitol, titanium dioxide

*contain one or more of these ingredients

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

†COMPARE TO THE ACTIVE INGREDIENT IN GAS-X® EXTRA STRENGTH

Gas Relief

ANTIGAS, SIMETHICONE 125 mg

EXTRA STRENGTH

Relieves:

- Bloating
- Pressure
- Fullness
- Gas

SOFTGELS

†This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Gas-X® Extra Strength.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.


Distributed By:

Pharmacy Value Alliance, LLC

407 East Lancaster Avenue,

Wayne, PA 19087

Product Label





PLD-A47J FC004586

Wayne, PA 19087



TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot / Exp.: Product of:

PREMIER VALUE Gas Relief Softgels

GAS RELIEF EXTRA STRENGTH

simethicone capsule, liquid filled

If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-108
Route of Administration	ORAL		

Active Ingredient/Active Moiety Ingredient Name Basis of Strength DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10) DIMETHICONE 125 mg

Inactive Ingredients	
Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	

FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6092ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	green	Score	no score
Shape	OVAL	Size	9mm
Flavor		Imprint Code	PO;SCU;L125
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:68016- 108-30	2 in 1 CARTON	12/31/2017	12/27/2024
1	15 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	12/31/2017	12/27/2024

Labeler - Chain Drug Consortium, LLC (101668460)

Revised: 3/2024 Chain Drug Consortium, LLC