

**BANANA BOAT- avobenzone,homosalate,octisalate,octocrylene lotion**  
**Edgewell Personal Care Brands LLC**

-----

**Active Ingredients**

Avobenzone 2.0%, Homosalate 4.0% Octisalate 4.0%, Octocrylene 3.0

**Purpose**

Sunscreen

**Uses**

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**

May stain some fabrics.

**Do not use**

• on damaged or broken skin.

**When using this product**

• keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• Shake well • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.– 2 p.m. • wear long-sleeved shirts, pants,

hats, and sunglasses • children under 6 months: Ask a doctor

## **Inactive Ingredients**

Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

## **Other Information**

- protect the product in this container from excessive heat and direct sun

## **Questions or Comments?**

Call 1-800-SafeSun, Mon-Fri

## **Principal Display Panel**

BONUS  
25% MORE  
10.0  
VS  
8.0  
BANANA  
BOAT  
New &  
Improved  
SPORT  
SUNSCREEN LOTION  
BROAD SPECTRUM SPF 30  
30  
PROTECTS  
FROM UP TO 97%  
OF BURNING RAYS  
Oxybenzone Free  
Water Resistant  
(80 Minutes)  
10 FL OZ (295 mL)



BANANA  
 BOAT  
 New &  
 Improved  
 SPORT  
 SUNSCREEN LOTION  
 BROAD SPECTRUM SPF 30  
 30  
 PROTECTS  
 FROM UP TO 97%  
 OF BURNING RAYS  
 OXYBENZONE FREE  
 Sweat | Water Resistant  
 (80 Minutes)  
 0.4 FL OZ (11 mL)

**BONUS 25% MORE** 10 OZ VS 8 OZ

**SUN SAFETY DIRECTIONS**

Apply 1 oz. Liberally    Wait 15 min.    Reapply 2 HR.    Cover Up!

Fast rub-in. Blends in clear across skin tones.

**Drug Facts**

Active Ingredients	Purpose
Azobenzene 2.0%, Homosalate 4.0%, Octisalate 4.0%, Octylmethylene 3.0%	Sunscreen

**Uses** ■ Helps prevent sunburn ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

**Warnings**  
 For external use only.  
 Do not use ■ on damaged or broken skin.  
 When using this product ■ keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor ■ if rash occurs.  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.  
 May stain some fabrics.

**Directions** ■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. - 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive Ingredients:** Water, Glycerin, Silica, Dimethicone, Phenylethanol, Caprylyl Glycol, Acrylates/C10-22 Alkyl Methacrylate Copolymer, Cetyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-180 Stearate, Glyceryl Stearate, Xanthan Gum, Propylene Glycol, Disodium EDTA, Triphenyl Asenate, Aloe Barbadensis Leaf Juice

**Other information** ■ protect the product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call 1-800-SunBee, Mon-Fri

www.bananaboat.com  
 Distributed by  
**EDGEWELL PERSONAL CARE**  
 HANNAH, ILL  
 Shelton, CT 06484  
 © 2024 Edgewell

Edgewell

T LABEL 63044320



New & Improved

**SPORT™**

SUNSCREEN LOTION  
BROAD SPECTRUM SPF 30



**PROTECTS**  
**FROM** <sup>UP TO</sup> **97%**  
OF BURNING RAYS

**OXYBENZONE FREE**

Sweat | Water Resistant  
(80 Minutes)

**0.4 FL OZ (11 mL)**

SUN SAFETY DIRECTIONS



Apply Liberally



Wait 15 min.



Reapply



Cover Up!

Fast rub-in. Blends in clear across skin tones.

Drug Facts

Active Ingredients

Purpose

Avobenzone 2.0%, Homosalate 4.0% Octisalate 4.0%, Octocrylene 3.0% ..... Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use ■ on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions ■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients Water, Glycerin, Silica, Dimethicone, Phenylethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadosensis Leaf Juice.

Other Information

■ protect the product in this container from excessive heat and direct sun

Questions or Comments? Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484



www.bananaboat.com

© 2024Edgewell.

93045234

BANANA BOAT New & Improved SPORT SUNSCREEN LOTION BROAD SPECTRUM SPF 30 PROTECTS FROM UP TO 97%

OF BURNING RAYS  
 Oxybenzone Free  
 Sweat | Water Resistant  
 (80 Minutes)  
 8 FL OZ (236 mL)



SUNSCREEN LOTION  
 BROAD SPECTRUM SPF 30



PROTECTS  
 FROM UP TO 97%  
 OF BURNING RAYS

Oxybenzone Free  
 Sweat | Water Resistant  
 (80 Minutes)

8 FL. OZ. (236 mL)

**SUN SAFETY DIRECTIONS**

Apply 1 oz. Liberally	Wait 15 min.	Reapply 2 HR.	Cover Up!

Fast rub-in. Blends in clear across skin tones.

**Drug Facts**

Active Ingredients	Purpose
Avobenzone 2.0%, Homosalate 4.0%, Octisalate 4.0%, Octocrylene 3.0%	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by the sun.

**Warnings**  
 For external use only.  
 Do not use ■ on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

**Directions** ■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive Ingredients:** Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadosensis Leaf Juice.

**Other Information** ■ protect the product in this container from excessive heat and direct sun

**Questions or Comments?**  
 Call 1-800-SafeSun, Mon-Fri

Distributed by:  
 EDGEWELL PERSONAL CARE BRANDS, LLC  
 Shelton, CT 06484  
 www.bananaboat.com  
 © 2024 Edgewell




890 44525



BANANA  
 BOAT  
 New &  
 Improved  
 SPORT  
 SUNSCREEN LOTION  
 BROAD SPECTRUM SPF 30

30  
 PROTECTS  
 FROM UP TO 97%  
 OF BURNING RAYS  
 Oxybenzone Free  
 Sweat | Water Resistant  
 (80 Minutes)  
 1.0 FL OZ (29 mL)



**BANANA BOAT®**  
 New & Improved  
**SPORT**  
 SUNSCREEN LOTION  
 BROAD SPECTRUM SPF 30  
 30  
 PROTECTS FROM UP TO 97% OF BURNING RAYS  
 Oxybenzone Free  
 Sweat | Water Resistant  
 (80 Minutes)  
 1.0 FL. OZ. (29 mL)

**Drug Facts**

**Active Ingredients Purpose**

Avobenzone 2.0%, Homosalate 4.0%,  
 Octisalate 4.0%, Octocrylene 3.0% ..... Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*) decreases the risk of skin cancer and early aging caused by the sun.

**Warnings**

■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product ■ keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

**Directions** ■ Shake Well ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m.–2 p.m.  
 • wear long-sleeved shirts, pants, hats, and sunglasses  
 ■ children under 6 months: Ask a doctor

**Inactive ingredients:** Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

**Other information**

■ protect the product in this container from excessive heat and direct sun

**Questions or comments?**

Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484  
 www.bananaboat.com

© 2024 Edgewell.



BOAT  
 New &  
 Improved  
 SPORT  
 SUNSCREEN LOTION  
 BROAD SPECTRUM SPF 30  
 30  
 PROTECTS  
 FROM UP TO 97%  
 OF BURNING RAYS  
 Oxybenzone Free  
 Sweat | Water Resistant  
 (80 Minutes)  
 3 FL OZ (88 mL)

**BANANA BOAT**  
 New & Improved  
**SPORT**  
 SUNSCREEN LOTION  
 BROAD SPECTRUM SPF 30  
 30  
 PROTECTS FROM UP TO 97% OF BURNING RAYS  
 Oxybenzone Free  
 Sweat | Water Resistant (80 Minutes)  
 3 FL. OZ. (88 mL)

**Fast rub-in. Blends in clear across skin tones.**

Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Avo benzene 2.0%, Homosalate 4.0%, Octisalate 4.0%, Octocrylene 3.0%	Sunscreen
<b>Uses</b> ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.	
<b>Warnings</b>	
For external use only	
Do not use ■ on damaged or broken skin.	
When using this product ■ keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.	
<b>Directions</b> ■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor	
<b>Inactive Ingredients:</b> Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadosensis Leaf Juice.	
<b>Other Information</b> ■ protect the product in this container from excessive heat and direct sun	
<b>Questions or comments?</b> Call 1-800-SafeSun, Mon-Fri	

www.bananaboat.com  
 Distributed by:  
 EDGEWELL PERSONAL CARE BRANDS, LLC  
 Shelton, CT 06484  
 © 2024 Edgewell. 93044524

how2recycle.info  
 PLASTIC TUBE

0 79656 04512 3

**BANANA BOAT**

avobenzone,homosalate,octisalate,octocrylene lotion

**Product Information**



<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63354-131
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	4 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	3 g in 100 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM POLYACRYLATE (250000 MW)</b> (UNII: 05I15JN12J)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-131-01	11 g in 1 PACKET; Type 0: Not a Combination Product	02/01/2025	
2	NDC:63354-131-21	29 g in 1 TUBE; Type 0: Not a Combination Product	02/01/2025	
3	NDC:63354-131-22	88 g in 1 TUBE; Type 0: Not a Combination Product	02/01/2025	
4	NDC:63354-131-56	236 g in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2025	
5	NDC:63354-131-57	295 g in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2025	

**Labeler** - Edgewell Personal Care Brands LLC (151179769)

Revised: 8/2024

Edgewell Personal Care Brands LLC