

BANANA BOAT- avobenzone,homosalate,octisalate,octocrylene lotion
Edgewell Personal Care Brands LLC

Active Ingredients

Avobenzone 2.0%, Homosalate 4.0% Octisalate 4.0%, Octocrylene 3.0

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

May stain some fabrics.

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Shake well • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.– 2 p.m. • wear long-sleeved shirts, pants,

hats, and sunglasses • children under 6 months: Ask a doctor

Inactive Ingredients

Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

Other Information

- protect the product in this container from excessive heat and direct sun

Questions or Comments?

Call 1-800-SafeSun, Mon-Fri

Principal Display Panel

BANANA

BOAT

New &

Improved

SPORT

SUNSCREEN LOTION

BROAD SPECTRUM SPF 30

30

PROTECTS

FROM UP TO 97%

OF BURNING RAYS

OXYBENZONE FREE

Sweat | Water Resistant

(80 Minutes)

0.4 FL OZ (11 mL)



New & Improved

SPORT™

SUNSCREEN LOTION
BROAD SPECTRUM SPF 30



PROTECTS
FROM ^{UP TO} **97%**
OF BURNING RAYS

OXYBENZONE FREE

Sweat | Water Resistant
(80 Minutes)

0.4 FL OZ (11 mL)

SUN SAFETY DIRECTIONS



Apply Liberally



Wait 15 min.



Reapply



Cover Up!

Fast rub-in. Blends in clear across skin tones.

Drug Facts

Active Ingredients

Avobenzone 2.0%, Homosalate 4.0% Octisalate 4.0%, Octocrylene 3.0%

Purpose

Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use ■ on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions ■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.- 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients Water, Glycerin, Silica, Dimethicone, Phenoxethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadosensis Leaf Juice.

Other Information

■ protect the product in this container from excessive heat and direct sun

Questions or Comments? Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484



www.bananaboat.com

© 2024Edgewell.

93045234

BANANA BOAT New & Improved SPORT SUNSCREEN LOTION BROAD SPECTRUM SPF 30 30 PROTECTS FROM UP TO 97%

OF BURNING RAYS
 Oxybenzone Free
 Sweat | Water Resistant
 (80 Minutes)
 8 FL OZ (236 mL)



SUNSCREEN LOTION
 BROAD SPECTRUM SPF 30



PROTECTS
 FROM UP TO 97%
 OF BURNING RAYS

Oxybenzone Free
 Sweat | Water Resistant
 (80 Minutes)

8 FL. OZ. (236 mL)

SUN SAFETY DIRECTIONS

Apply 1 oz. Liberally	Wait 15 min.	Reapply 2 HR.	Cover Up!

Fast rub-in. Blends in clear across skin tones.

Drug Facts

Active Ingredients	Purpose
Avobenzone 2.0%, Homosalate 4.0%, Octisalate 4.0%, Octocrylene 3.0%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early aging caused by the sun.

Warnings
 For external use only.
 Do not use ■ on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions ■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients: Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadosensis Leaf Juice.

Other Information ■ protect the product in this container from excessive heat and direct sun

Questions or Comments?
 Call 1-800-SafeSun, Mon-Fri

Distributed by:
 EDGEWELL PERSONAL CARE BRANDS, LLC
 Shelton, CT 06484

www.bananaboat.com
 © 2024 Edgewell




890 44525



BANANA
 BOAT
 New &
 Improved
 SPORT
 SUNSCREEN LOTION
 BROAD SPECTRUM SPF 30

30
 PROTECTS
 FROM UP TO 97%
 OF BURNING RAYS
 Oxybenzone Free
 Sweat | Water Resistant
 (80 Minutes)
 1.0 FL OZ (29 mL)



BANANA BOAT®
 New & Improved
SPORT
 SUNSCREEN LOTION
 BROAD SPECTRUM SPF 30
 30
 PROTECTS FROM UP TO 97% OF BURNING RAYS
 Oxybenzone Free
 Sweat | Water Resistant
 (80 Minutes)
 1.0 FL. OZ. (29 mL)

Drug Facts

Active Ingredients	Purpose
Avobenzone 2.0%, Homosalate 4.0%, Octisalate 4.0%, Octocrylene 3.0%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*) decreases the risk of skin cancer and early aging caused by the sun.

Warnings
 ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product ■ keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions ■ Shake Well ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • limit time in the sun, especially from 10 a.m.–2 p.m.
 • wear long-sleeved shirts, pants, hats, and sunglasses
 ■ children under 6 months: Ask a doctor

Inactive ingredients: Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

Other information
 ■ protect the product in this container from excessive heat and direct sun

Questions or comments?
 Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484
 www.bananaboat.com
 © 2024 Edgewell.




79656 04532 1
 0

BOAT
 New &
 Improved
 SPORT
 SUNSCREEN LOTION
 BROAD SPECTRUM SPF 30
 30
 PROTECTS
 FROM UP TO 97%
 OF BURNING RAYS
 Oxybenzone Free
 Sweat | Water Resistant
 (80 Minutes)
 3 FL OZ (88 mL)

BANANA BOAT
 New & Improved
SPORT
 SUNSCREEN LOTION
 BROAD SPECTRUM SPF 30
 30
 PROTECTS FROM UP TO 97% OF BURNING RAYS
 Oxybenzone Free
 Sweat | Water Resistant (80 Minutes)
 3 FL. OZ. (88 mL)

Fast rub-in. Blends in clear across skin tones.

Drug Facts	
Active Ingredients	Purpose
Avo benzene 2.0%, Homosalate 4.0%, Octisalate 4.0%, Octocrylene 3.0%	Sunscreen
Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early aging caused by the sun.	
Warnings	
For external use only	
Do not use ■ on damaged or broken skin.	
When using this product ■ keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.	
Directions ■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor	
Inactive Ingredients: Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadosensis Leaf Juice.	
Other Information ■ protect the product in this container from excessive heat and direct sun	
Questions or comments? Call 1-800-SafeSun, Mon-Fri	

www.bananaboat.com
 Distributed by:
 EDGEWELL PERSONAL CARE BRANDS, LLC
 Shelton, CT 06484
 © 2024 Edgewell.
 93044524

how2recycle.info
 PLASTIC TUBE

0 79656 04512 3

BANANA BOAT

avobenzone,homosalate,octisalate,octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-131
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	4 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	3 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PEG-100 STEARATE (UNII: YD01N1999R)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
WATER (UNII: 059QF0KO0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
XANTHAN GUM (UNII: TTV12P4NEE)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-131-01	11 g in 1 PACKET; Type 0: Not a Combination Product	02/01/2025	
2	NDC:63354-131-21	29 g in 1 TUBE; Type 0: Not a Combination Product	02/01/2025	
3	NDC:63354-131-22	88 g in 1 TUBE; Type 0: Not a Combination Product	02/01/2025	
4	NDC:63354-131-56	236 g in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2025	
5	NDC:63354-131-57	295 g in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2025	10/01/2027

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2025	

Labeler - Edgewell Personal Care Brands LLC (151179769)

Revised: 11/2025

Edgewell Personal Care Brands LLC