

**ISOPROPYL ALCOHOL- isopropyl alcohol solution**  
**Hydrox Laboratories**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Isopropyl Rubbing Alcohol USP**

**Drug Facts**

**Active Ingredient**

Isopropyl Alcohol 70%

**Purpose:**

□First Aid Antiseptic

**Uses** first aid to help prevent the risk of infection in: minor cuts, scrapes, burns.

□**Warnings For external use only**

**Flammable**

- Keep away from fire or flame, heat, spark, electrical. Flash point 72°F.
- do not use with eletocautery procedures.

□**Ask a doctor before use if you have** □deep or puncture wounds, animal bites or serious burns.

**When using this product**

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than 1 week unless directed by a doctor

□**Stop use and ask a doctor** □if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

<**Directions** □clean the affected area. apply 1 to 3 times daily.

□**Other information** □does not contain, nor is intended as a substitute for grain or ethyl alcohol. will produce serious gastric disturbances if taken internally.

□**Inactive Ingredient** □purified water

**Principal Display Panel**

**Drug Facts**

| Active ingredient     | Purpose              |
|-----------------------|----------------------|
| Isopropyl alcohol 70% | First Aid Antiseptic |

**Uses** • first aid to help prevent the risk of infection in: • minor cuts • scrapes • burns

**Warnings For external use only**

**Flammable**

- keep away from fire or flame, heat, spark, electrical.
- Flash point 72°F.
- do not use with electrocautery procedures.

**Ask a doctor before use if you have** deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

**Stop use and ask a doctor if** condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • clean the affected area  
• apply 1 to 3 times daily

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredient** purified water

0 21599 12344 4  
1-07-D0022B



# Hydrox

NDC 10565-002-32

## ISOPROPYL RUBBING ALCOHOL, USP

A cooling and refreshing rubbing and massaging compound.

# 70%

### FIRST AID ANTISEPTIC

**TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.**

**WARNING: FLAMMABLE!**



**32 FL. OZ. (946 mL)**

**Hydrox Laboratories**  
Elgin, IL 60123  
1-07-D0024F

Hydrox

Isopropyl Rubbing Alcohol, USP

A cooling and refreshing and massaging compound

70%

First Aid Antiseptic

TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING-BAND IS DETACHED FROM CAP OR MISSING, DO NOT USE.

WARNING: FLAMMABLE!

Hydrox Laboratories

Elgin, IL 60123

**Drug Facts**

|                             |                      |
|-----------------------------|----------------------|
| <b>Active ingredient</b>    | <b>Purpose</b>       |
| Isopropyl alcohol 70% . . . | First Aid Antiseptic |

**Uses** • first aid to help prevent the risk of infection in: • minor cuts • scrapes • burns

**Warnings For external use only**

**Flammable**

- keep away from fire or flame, heat, spark, electrical.
- Flash point 72°F.
- do not use with electrocautery procedures.

**Ask a doctor before use if you have** deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

**Stop use and ask a doctor if** condition persists or gets worse


**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • clean the affected area

- apply 1 to 3 times daily

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredient** purified water



0 21599 12344 4  
1-07-D0022B



**Hydrox**

TRADE MARK SINCE 1913

NDC 10565-002-32

**ISOPROPYL RUBBING ALCOHOL, USP**

A cooling and refreshing rubbing and massaging compound.

**70%**

**FIRST AID ANTISEPTIC**

**WARNING: FLAMMABLE!**

TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.

**32 FL. OZ. (946 mL)**

**Hydrox Laboratories**  
Elgin, IL 60123

1-07-D0024F

## ISOPROPYL ALCOHOL

isopropyl alcohol solution

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:10565-002 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength           |
|--|-------------------|--------------------|
| ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302) | ISOPROPYL ALCOHOL | 70 mL<br>in 100 mL |

### Inactive Ingredients

| Ingredient Name          | Strength       |
|--------------------------|----------------|
| WATER (UNII: 059QF0KO0R) | 1 mL in 100 mL |

## Packaging

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:10565-002-04 | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product  | 05/05/2017           |                    |
| 2 | NDC:10565-002-08 | 237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product  | 06/05/2019           |                    |
| 3 | NDC:10565-002-16 | 473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product  | 05/05/2017           |                    |
| 4 | NDC:10565-002-32 | 946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product  | 05/05/2017           |                    |
| 5 | NDC:10565-002-99 | 3800 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 05/05/2017           |                    |

## Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part333A                                 | 05/05/2017           |                    |

**Labeler** - Hydrox Laboratories (025164302)

**Registrant** - Hydrox Laboratories (025164302)

## Establishment

| Name                | Address | ID/FEI    | Business Operations   |
|---------------------|---------|-----------|---|
| Hydrox Laboratories |         | 025164302 | manufacture(10565-002) , label(10565-002) , pack(10565-002) |

Revised: 11/2019

Hydrox Laboratories