

**FLORIDA GLOW SPF 30-
avobenzone, octocrylene, octisalate, homosalate spray
Southeast Holdings Corp.**

Active Ingredients

Homosalate 7%
Octisalate 5%
Octocrylene 5%
Avobenzone 3%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (***see Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask a doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product Keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure

- Reapply:
- After 80 minutes of swimming or sweating
- Immediately after towel drying
- at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum of 15 or higher and other sun protection measures, including:

- limit time in the sun, especially from 10 a.m.- 2 p.m.
- wear long sleeve shirts, pants, hats & sunglasses

Inactive Ingredients

SD Alcohol 40-8, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Fragrance, Coconut Oil, Palmitoyl Tetrapeptide-7, Palmitoyl Tripeptide-1 , Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Glycerin, Water, Carbomer, Butylene Glycol, Polysorbate 20

Other Information

- protect this product from heat and direct sun.
- may stain or damage some fabrics or surfaces.

Questions or Comments?

Call 1 (561) 503-6592

Product label

Drug Facts

Active Ingredients

Homosalate 7%
Octisalate 5%
Octocrylene 5%
Avobenzone 3%

} **Purpose**
Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (*see Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings: For external use only.

Stop use and ask a doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product Keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Apply liberally 15 minutes before sun exposure
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum of 15 or higher and other sun protection measures, including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long sleeve shirts, pants, hats & sunglasses

Inactive Ingredients

SD Alcohol 40-B, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Fragrance, Coconut Oil, Palmitoyl Tetrapeptide-7, Palmitoyl Tripeptide-1, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Glycerin, Water, Carbomer, Butylene Glycol, Polysorbate 20

Other Information

- protect this product from heat and direct sun.
- may stain or damage some fabrics or surfaces

Questions or Comments?

Call 1 (561) 503-6592



Official
Sunscreen of



100% Vegan
& Cruelty Free



Paraben &
Sulfate Free



BOV
Technology



Oxybenzone &
Octinoxate Free



PABA
Free



Coconut
Scent

FLORIDA
glow®

SPF
30

BROAD SPECTRUM SPF 30
WATER RESISTANT
(80 MINUTES)

PEPTIDES + VITAMIN C
CERTIFIED BENZENE-FREE

Our Sunscreen

No harmful aerosols used
thanks to BOV technology



Leading Brands

Can contain more harmful
aerosols than sunscreen

Continuous Spray
Dry Touch Clear Formula

5.5 FL OZ / 162 mL

Proudly made in South Florida, USA
Distributed by Southeast Holdings Corp.
dba Florida Glow, Boca Raton, FL 33433
www.FloridaGlow.com

FLORIDA GLOW SPF 30

avobenzone, octocrylene, octisalate, homosalate spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83862-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 mL

OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)		OCTISALATE	5 g in 100 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)		HOMOSALATE	7 g in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ALCOHOL (UNII: 3K9958V90M)				
COCONUT OIL (UNII: Q9L0O73W7L)				
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
DIBUTYL MALEATE (UNII: 4X371TMK9K)				
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)				
GLYCERIN (UNII: PDC6A3C0OX)				
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)				
CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)				
POLYSORBATE 20 (UNII: 7T1F30V5YH)				
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)				
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83862-002-01	162 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/19/2021	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M020	01/19/2021	

Labeler - Southeast Holdings Corp. (122400191)

Establishment

Name	Address	ID/FEI	Business Operations
Southeast Holdings Corp		080504027	label(83862-002) , pack(83862-002) , manufacture(83862-002)

Revised: 11/2025

Southeast Holdings Corp.