CETIRIZINE HYDROCHLORIDE- cetirizine hydrochloride solution Blacksmith Brands Inc.

Pedia Care[®] 2 Years & Older Children's

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away **(1-800-222-1222)**.

Directions

• use only with enclosed dosing cup

adults and children 6 years and over	1 teaspoonful (5 mL) or 2 teaspoonfuls (10 mL) once daily depending upon severity of symptoms; do not take more than 2 teaspoonfuls (10 mL) in 24 hours.
adults 65 years and older	1 teaspoonful (5 mL) once daily; do not take more than 1 teaspoonful (5 mL) in 24 hours.
children 2 to under 6 years of age	1/2 teaspoonful (2.5 mL) once daily. If needed, dose can be increased to a maximum of 1 teaspoonful (5 mL) once daily or 1/2 teaspoonful (2.5 mL) every 12 hours. Do not give more than 1 teaspoonful (5 mL) in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

• store between 20° to 25°C (68° to 77°F)

Inactive ingredients

artificial grape flavor, glacial acetic acid, glycerin, methylparaben, natural and artificial banana flavor, propylene glycol, propylparaben, purified water, sodium acetate (anhydrous), sucrose

Questions?

Call **1-888-474-3099**

©2011 Distributed by Medtech Products Inc. Irvington, NY 10533, a Prestige Brands Company

PRINCIPAL DISPLAY PANEL - 118 mL Carton

New

Pedia

Care®

2 Years & Older Children's

24 Hr Allergy

Cetirizine Hydrochloride

Oral Solution 1 mg/mL Antihistamine

Indoor / Outdoor


All Day Relief of:

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat or Nose

D<u>ye Free</u>

Grape flavor

4 FL OZ (118 mL)







Cetirizine Hydrochloride

PediaCare® medicines provide effective relief for your child's cough, cold or allergy symptoms. PediaCare® Children's products come in great-tasting flavors your kids will love!

Children's Products

T	Duration	Sneezing	Runny Nose	Itchy Watery Eyes	Cough
PediaCare* Allergy	4 hours	•	•	•	
PediaCare® Allergy & Cold	4 hours	•	•	•	•
PediaCare® 24 Hr Allergy	24 hours	•	•	•	





Cetirizine Hydrochloride

Oral Solution 1 mg/mL Antihistamine

Indoor Outdoor

All Day Relief of:

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat or Nose









Z09 L-0111-Z000Z



Drug Facts (continued)

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- · drowsiness may occur
- · avoid alcoholic drinks
- · alcohol, sedatives, and tranquilizers may increase drows iness
- . be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.


If pregnant or breast-feeding:

- · if breast-feeding: not recommended
- . if pregnant ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions •	use only with enclosed	dosing cup
a dulte and abildren	d tecomosoful IF mill	or O topos

6 years and over	(10 mL) once daily depending upon severity of symptoms; do not take more than 2 teaspoonfuls (10 mL) in 24 hours.		
adults 65 years and older	1 teaspoonful (5 mL) once daily; do not take more than 1 teaspoonful (5 mL) in 24 hours.		
children 2 to under	1/2 teaspoonful (2.5 mL) once daily. If		



CETIRIZINE HYDROCHLORIDE

cetirizine hydrochloride solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:52183-088

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthCetirizine Hydrochloride (UNII: 640047KTOA) (Cetirizine - UNII:YO7261ME24)Cetirizine Hydrochloride5 mg in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
acetic acid (UNII: Q40Q9N063P)	
glycerin (UNII: PDC6A3C0OX)	
methylparaben (UNII: A2I8C7HI9T)	
propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	

water (UNII: 059QF0KO0R)	
sodium acetate anhydrous (UNII: NVG71ZZ7P0)	
sucrose (UNII: C151H8 M554)	

Product Characteristics				
Color YELLOW (Colorless to slightly yellow) Score				
Shape		Size		
Flavor	GRAPE	Imprint Code		
Contains				

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:52183-088-08	1 in 1 CARTON			
1		118 mL in 1 BOTTLE			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA090182	04/22/2008		

Labeler - Blacksmith Brands Inc. (021411299)

Establishment				
Name	Address	ID/FEI	Business Operations	
Taro Pharmaceuticals Industries, Ltd.		600072078	MANUFACTURE	

Revised: 12/2010 Blacksmith Brands Inc.