

VALIANT SHIELD- lactic acid and heptanoic acid solution
ABS Global Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

WARNING

Causes eye irritation.

Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products - will cause chlorine gas. For external use on dairy cows.

DIRECTIONS FOR USE

Mix Directions: Add 3.5 ounces of Valiant Catalyst (US) to one gallon of Valiant Shield and mix. Inverting the container approximately 5-7 times will adequately mix the two solutions. This mixed solution will remain stable for 7 days. After 7 days, discard solution and mix a new solution.

IMPORTANT: Do not add mixed Valiant Shield ready-to-use to any other teat dip or other products. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labeling for Valiant Shield.

Use of a complete cow-care program including both pre and post dipping may aid in reducing the spread of organisms which may cause mastitis.

DIRECTIONS FOR TEAT DIPPING

Post-Milking: Immediately after milking, use the mixed Valiant Shield solution at full strength. Submerge the teat 2/3 of its length in the solution. Allow to air dry. Do not wipe. Always use mixed, uncontaminated, full strength solution. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not turn cows out in the freezing weather until Valiant Shield is completely dry. Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with a single-service towel. Use proper procedures for udder washing or pre-dipping.

NOTE: Valiant Shield is not intended to cure or help in the healing of chapped or irritated teats. In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Valiant

quality milk system

ABS

Shield

Barrier Teat Dip

Base - For use exclusively with Valiant Catalyst

An aid in reducing the spread of organisms which may cause mastitis

ACTIVE INGREDIENTS:

Lactic Acid.....1.4%

Heptanoic Acid.....0.3%

INERT INGREDIENTS:.....98.3%

(contains lanolin and propylene glycol)

TOTAL:.....100.0%

6300045

18.9 L (5 US GAL)

Distributed by:

ABS Global, Inc. · P.O. Box 459

DeForest, Wisconsin USA 53532

www.absglobal.com

Manufactured by:

Ecolab Inc. · 1 Ecolab Place ·

St. Paul, MN 55102 USA ·

tel: 1 800 392 3392

© 2018 Ecolab USA Inc · All rights reserved

Made in U.S.A.

www.ecolab.com · 729484/5302/1118

Shield

Valiant

quality milk system

ABS

Barrier Teat Dip

Base – For use exclusively with *Valiant Catalyst*
An aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENTS:

Lactic Acid.....1.4%

Heptanoic Acid.....0.3%

INERT INGREDIENTS:.....98.3%

(contains lanolin and propylene glycol)

TOTAL:.....100.0%

Barrier para sellar pezones

Base – Para usarse exclusivamente con *Valiant Catalyst*
Una ayuda para reducir la diseminación de organismos que pueden causar mastitis.

INGREDIENTES ACTIVOS:

Acido láctico.....1.4%

Acido heptanoico.....0.3%

INGREDIENTES INERTES.....98.3%

(contiene lanolina y glicol propileno)

TOTAL:.....100.0%

6300045

18.9 L (5 US GAL)

TEAT DIP

KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE
WARNING
Causes eye irritation.
Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products - will cause chlorine gas. For external use on dairy cows.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT
EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).
DIRECTIONS FOR USE
Mix Directions: Add 3.5 ounces of *Valiant Catalyst (US)* to one gallon of *Valiant Shield* and mix. Inverting the container approximately 5-7 times will adequately mix the two solutions. This mixed solution will remain stable for 7 days. After 7 days, discard solution and mix a new solution.
IMPORTANT: Do not add mixed *Valiant Shield* ready-to-use to any other teat dip or other products. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labeling for *Valiant Shield*.
Use of a complete cow-care program including both pre and post dipping may aid in reducing the spread of organisms which may cause mastitis.
DIRECTIONS FOR TEAT DIPPING
Post-Milking: Immediately after milking, use the mixed *Valiant Shield* solution at full strength. Submerge the teat 2/3 of its length in the solution. Allow to air dry. Do not wipe. Always use mixed, uncontaminated, full strength solution. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not turn cows out in the freezing weather until *Valiant Shield* is completely dry. Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with a single-service towel. Use proper procedures for udder washing or pre-dipping.
NOTE: *Valiant Shield* is not intended to cure or help in the healing of chapped or irritated teats. In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

MANTÉNGALO ALEJADO DEL ALCANCE DE LOS NIÑOS
NO ES PARA USO HUMANO
ATENCIÓN
Provoca irritación ocular.
Lave la piel minuciosamente después del manejo. No se mezcle con el blanqueo o otros productos tratados con cloro - causará el gas de cloro. Para uso externo en vacas lecheras.
EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico.
LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO
INFORMACIÓN DE EMERGENCIA SOBRE SALUD:
1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).
INSTRUCCIONES DE USO
Mezcla: Agregue 105 mL (3.5 onzas) de *Valiant Catalyst (US)* a 3.8 litros (1 gal) de *Valiant Shield* y mezcle. Para mezclar correctamente las dos soluciones, invierta el recipiente de 5 a 7 veces. Esta solución mezclada permanecerá estable por 7 días. Después de 7 días, tire la solución y mezcle otra nueva.
IMPORTANTE: No agregue *Valiant Shield* mezclado y listo para usar a ningún otro sellador de pezones o a otros productos. Si lo transfiere de este recipiente a otro, verifique que el otro esté minuciosamente limpio y que tenga la etiqueta de *Valiant Shield*.
El uso de un programa completo para el cuidado de vacas, incluyendo el pre y post sellado, puede reducir la diseminación de organismos que pueden causar mastitis.
INSTRUCCIONES PARA EL SELLADO DE PEZONES
Post ordeño: Inmediatamente después de la ordeña, use la solución mezclada de *Valiant Shield* sin diluir. Sumerja 2/3 partes del pecón en la solución. Deje secar al aire. No lo limpie. Siempre use solución mezclada, no contaminada y sin diluir. Si el producto en la copa de sellado se ve sucio, tire el contenido y vuelva a llenar con producto sin diluir. No saque las vacas a la intemperie helada hasta que *Valiant Shield* se haya secado completamente.
Lave bien los pezones inmediatamente antes de la siguiente ordeña con una solución para lavado de ubres o con sellador de pezones para la pre-ordeña. Sequé los pezones con una toalla desechable. Utilice los procedimientos adecuados para el lavado de ubres o para pre-sellado.
NOTA: *Valiant Shield* no intenta curar o ayudar a cicatrizar pezones irritados o agrietados. En caso de irritación o agrietamiento, consulte a su médico veterinario.

Distributed by:
ABS Global, Inc. - P.O. Box 459
DeForest, Wisconsin USA 53532
www.absglobal.com
Manufactured by:
Ecolab Inc. - 1 Ecolab Place -
St. Paul, MN 55102 USA -
tel: 1 800 392 3392
© 2018 Ecolab USA Inc. - All rights reserved
Made in USA.
www.ecolab.com - 729464/5302/1118

VALIANT SHIELD

lactic acid and heptanoic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:59282-112
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	14 mg in 1 mL
HEPTANOIC ACID (UNII: THE3YNP39D) (HEPTANOIC ACID - UNII:THE3YNP39D)	HEPTANOIC ACID	3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
LANOLIN (UNII: 7EV65EAW6H)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59282-112-16	18900 mL in 1 PAIL		
2	NDC:59282-112-17	56780 mL in 1 DRUM		
3	NDC:59282-112-21	208200 mL in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/13/2011	

Labeler - ABS Global Inc. (835053570)

Revised: 1/2019

ABS Global Inc.