CETAFEN EXTRA- acetaminophen tablet HART Health

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CETAFEN EXTRA

Active Ingredient (in each caplet): Acetaminophen 500mg

Purpose: Pain Reliever / Fever Reducer

Uses: Temporarily relieves minor aches and pains due to:

- headache
- muscular aches
- backache
- minor arthritis pain
- the common cold
- toothache
- menstrual cramps

Temporarily reduces fever

Warning: Liiver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use with any other drug containing acetaminophen (prescription or non-prescription)

Ask a doctor or pharmacist before use if

- you are taking the blood thinning drug warfarin
- you do not know if other drugs you are taking contain acetaminophen

Ask a doctor before use if you have liver disease

Stop use and ask a doctor if

- new symptms occur
- redness or swelling is present
- fever worsens or lasts more than 3 days
- pain worsens or lasts more than 10 days

These could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children


Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. In case of overdose, get medical help or contact a Poison Control Center right away. 1-800-222-1222.

Directions: do not take more than directed

- Adults and children 12 years of age and over:
- take 2 caplets every 4 to 6 hours while symptoms persist
- do not take more than 8 caplets in 24 hours unless directed by a doctor

Children under 12 years of age: do not use; this will provide more than the recommended dose (overdose) for children under 12 years of age and may cause liver damage.

Inactive Ingredients: Hydroxypropyl Methylcellulose, Maltodextrin, Microcrystalline Cellulose, Polyethylene Glycol, Povidone, Sodium Starch Glycolate, Starch, Stearic Acid



Product Information Product Type Route of Administration Active Ingredient/Act ACETAMINOPHEN (UNII: 30 Inactive Ingredients HYDRO XYPROPYL METH MALTO DEXTRIN (UNII: 7C GELLULO SE, MICRO CRYS PROPYLENE GLYCOL (UN PO VIDO NE (UNII: FZ989GE STEARIC ACID (UNII: 4ELV Product Characteristi Color Shape Flavor Contains	Ingredient Na 5209ITL9D) (ACETAMIN 5209ITL9D) (ACETAMIN Ingredient Na 5209ITL9D) (ACETAMIN Ingredient Na STALLUOSE E5 [II] VR7L4A2D) STALLINE (UNII: OP1R3) II: 6 DC9Q167V3) I94E) 7Z65AP) ics white	ame NOPHEN - UN edient Nam (UNII: R75537	e	Bi	ASIS OF Strength ETAMINOPHEN	
Route of Administration Active Ingredient/Act ACETAMINOPHEN (UNII: 36 Inactive Ingredients HYDROXYPROPYL METHY MALTODEXTRIN (UNII: 7C CELLULOSE, MICROCRYS PROPYLENE GLYCOL (UN POVIDONE (UNII: FZ989GH STEARIC ACID (UNII: 4ELV Product Characteristi Color Shape Flavor Contains	Image: Second secon	am e NO PHEN - UN e die nt Nam (UNII: R75537 32D6 1U)	II:36209ITL9D)	Bi	asis of Strength	Strengtl 500 mg
Active Ingredient/Act ACETAMINOPHEN (UNII: 30 Inactive Ingredients Hydroxypropyl METH MALTODEXTRIN (UNII: 7C CELLULOSE, MICROCRYS PROPYLENE GLYCOL (UN POVIDONE (UNII: FZ989GE STEARIC ACID (UNII: 4ELV Product Characterist Color Shape Flavor Contains	tive Moiety Ingredient Na 5209ITL9D) (ACETAMIN 5209ITL9D) (ACETAMIN 5209ITL9D) (ACETAMIN Ingre 1942 1942) 7265AP) ics white	NO PHEN - UN edient Nam (UNII: R75537 32D6 1U)	e		U	500 mg
ACETAMINOPHEN (UNII: 36 Inactive Ingredients HYDROXYPROPYL METH MALTODEXTRIN (UNII: 7C CELLULOSE, MICROCRYS PROPYLENE GLYCOL (UN POVIDONE (UNII: FZ989GH STEARIC ACID (UNII: 4ELV Product Characterist Color Shape Flavor Contains	Ingredient Na 5209ITL9D) (ACETAMIN 5209ITL9D) (ACETAMIN Ingredient Na 5209ITL9D) (ACETAMIN Ingredient Na STALLUOSE E5 [II] VR7L4A2D) STALLINE (UNII: OP1R3) II: 6 DC9Q167V3) I94E) 7Z65AP) ics white	NO PHEN - UN edient Nam (UNII: R75537 32D6 1U)	e		U	500 mg
ACETAMINOPHEN (UNII: 36 Inactive Ingredients HYDROXYPROPYL METHY MALTODEXTRIN (UNII: 7C CELLULOSE, MICROCRYS PROPYLENE GLYCOL (UN POVIDONE (UNII: FZ989GH STEARIC ACID (UNII: 4ELV Product Characterist Color Shape Flavor Contains	Ingredient Na 5209ITL9D) (ACETAMIN 5209ITL9D) (ACETAMIN Ingredient Na 5209ITL9D) (ACETAMIN Ingredient Na STALLUOSE E5 [II] VR7L4A2D) STALLINE (UNII: OP1R3) II: 6 DC9Q167V3) I94E) 7Z65AP) ics white	NO PHEN - UN edient Nam (UNII: R75537 32D6 1U)	e		U	500 mg
Inactive Ingredients Hydro Xypro Pyl Methy Malto Dextrin (UNII: 7C Cellulo se, Micro Crys PRO Pylene GlyCol (UN PO VIDO NE (UNII: FZ989 GH STEARIC ACID (UNII: 4ELV Product Characterist Color Shap e Flavor Contains	5209ITL9D) (ACETAMIN Ingre YLCELLULOSE E5 [II] VR7L4A2D) STALLINE (UNII: OP1R3 JII: 6 DC9Q167V3) ∰4E) 7Z65AP) iCS white	NO PHEN - UN edient Nam (UNII: R75537 32D6 1U)	e		U	500 mg
Inactive Ingredients Hydroxypropyl Methy Maltodextrin (UNII: 7C Cellulose, Microcrys propylene Glycol (UN POVIDONE (UNII: FZ989GH STEARIC ACID (UNII: 4ELV Product Characterist Color Shape Flavor Contains	Ing re YLCELLULOSE E5 [II] VR7L4A2D) STALLINE (UNII: OP1R3 NII: 6 DC9Q167V3) 194E) 7Z65AP) ics white	edient Nam (UNII: R75537 32D6 1U)	e	ACI	ETAMINOPHEN	
HYDROXYPROPYL METH MALTODEXTRIN (UNII: 7C CELLULOSE, MICROCRYS PROPYLENE GLYCOL (UN POVIDONE (UNII: FZ989GH STEARIC ACID (UNII: 4ELV Product Characteristi Color Shape Flavor Contains	YLCELLULOSE E5 [II] VR7L4A2D) STALLINE (UNII: OP1R3 NII: 6 DC9Q167V3) ₱4E) 7Z65AP) ics white	(UNII: R75537 2D61U)				Strength
MALTODEXTRIN (UNII: 7C CELLULOSE, MICROCRYS PROPYLENE GLYCOL (UN POVIDONE (UNII: FZ989GH STEARIC ACID (UNII: 4ELV Product Characteristi Color Shape Flavor Contains	YLCELLULOSE E5 [II] VR7L4A2D) STALLINE (UNII: OP1R3 NII: 6 DC9Q167V3) ₱4E) 7Z65AP) ics white	(UNII: R75537 2D61U)				Strength
MALTODEXTRIN (UNII: 7C CELLULOSE, MICROCRYS PROPYLENE GLYCOL (UN POVIDONE (UNII: FZ989GH STEARIC ACID (UNII: 4ELV Product Characteristi Color Shape Flavor Contains	VR7L4A2D) STALLINE (UNII: OP1R3 MI: 6DC9Q167V3) 494E) 7Z65AP) ics white	32D61U)	7074)			
CELLULOSE, MICROCRYS PROPYLENE GLYCOL (UN POVIDONE (UNII: FZ989GH STEARIC ACID (UNII: 4ELV Product Characteristi Color Shape Flavor Contains	STALLINE (UNII: OP1R3 MII: 6DC9Q167V3) ∰4E) 7Z65AP) ics white					
PROPYLENE GLYCOL (UN POVIDONE (UNII: FZ989GH STEARIC ACID (UNII: 4ELV Product Characterist Color Shape Flavor Contains	MI: 6DC9Q167V3) ₩94E) 7Z65AP) ics white					
POVIDONE (UNII: FZ989GH STEARIC ACID (UNII: 4ELV Product Characterist Color Shape Flavor Contains	494E) 7Z65AP) ics white	Score				
STEARIC ACID (UNII: 4ELV Product Characterist Color Shape Flavor Contains	7Z65AP) ics white	Score				
Product Characterist Color Shape Flavor Contains	ics white	Score				
Shape Flavor Contains		Score				
Flavor Contains	o	Score			no score	
Contains	OVAL	Size			18 mm	
		Imprint C	Code		CFNX	
Packaging						
Packaging						
# Item Code	Package Descri	iption	Marketing	Start Date	Marketing	End Date
I NDC:50332-0108-3	20 in 1 BOX, UNIT-DOS	SE				
1	2 in 1 PACKET					
2 NDC:50332-0108-4	50 in 1 BOX, UNIT-DOS	SE				
2	2 in 1 PACKET					
B NDC:50332-0108-7	125 in 1 BOX, UNIT-DO	DSE				
3	2 in 1 PACKET					
4 NDC:50332-0108-8	250 in 1 BOX, UNIT-DC	DSE				
4	2 in 1 PACKET					
5 NDC:50332-0108-1	400 in 1 BOX, UNIT-DO	OSE				
5	2 in 1 PACKET					
Marketing Inform	nation					
Marketing Category	Application Number	or Monogra	ph Citation	Marketing Sta	rt Date Marke	ting End Dat

Labeler - HART Health (069560969)

Revised: 11/2012

HART Health