

**CLE DE PEAU BEAUTE PROTECTIVE FORTIFYING N- avobenzone, octinoxate, octocrylene, and oxybenzone emulsion
SHISEIDO AMERICAS CORPORATION**

CLÉ DE PEAU BEAUTÉ PROTECTIVE FORTIFYING EMULSION n

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
AVOBENZONE 2.5%	Sunscreen
OCTINOXATE 7.4%	Sunscreen
OCTOCRYLENE 2.0%	Sunscreen
OXYBENZONE 1.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIPROPYLENE GLYCOL • SD ALCOHOL 40-B • GLYCERIN • HYDROGENATED POLYDECENE • XYLITOL □ DIMETHICONE • ISODODECANE • PEG/PPG-14/7 DIMETHYL ETHER • PEG-5 GLYCERYL STEARATE • SILICA • ISOSTEARIC ACID • DIPHENYLSILOXY PHENYL TRIMETHICONE • XANTHAN GUM • TREHALOSE • TOCOPHERYL ACETATE • PEG/PPG • 17/4 DIMETHYL ETHER • PHYTOSTERYL MACADAMIATE • GINKGO BILOBA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • PAEONIA ALBIFLORA ROOT EXTRACT • CRATAEGUS MONOGYNA FLOWER EXTRACT • PANAX GINSENG ROOT EXTRACT • GLYCINE • ONONIS SPINOSA ROOT EXTRACT • HYDROLYZED SILK • ROSA CANINA FRUIT EXTRACT • ZANTHOXYLUM PIPERITUM PEEL EXTRACT • HIBISCUS ESCULENTUS FRUIT EXTRACT • FAGUS SYLVATICA BUD EXTRACT • SODIUM ACETYLATED HYALURONATE • PERILLA OCYMOIDES LEAF EXTRACT • ROSA ROXBURGHII FRUIT EXTRACT • HYDROLYZED CONCHIOLIN PROTEIN • ISODONIS JAPONICUS LEAF/STALK EXTRACT • BUPLEURUM FALCATUM ROOT EXTRACT • PPG-17 • TRIETHANOLAMINE • GLYCERYL STEARATE SE • BEHENYL ALCOHOL • BEHENIC ACID • STEARIC ACID • BUTYLENE GLYCOL • BATYL ALCOHOL • THEANINE • PEG-30 PHYTOSTEROL • CARBOMER • DISODIUM EDTA □ ALCOHOL • CELLULOSE GUM • SODIUM METAPHOSPHATE • BHT • TOCOPHEROL • METHYL PARABEN • ETHYL PARABEN • PHENOXYETHANOL • BENZOIC ACID • FRAGRANCE • TITANIUM DIOXIDE • MICA • IRON OXIDES •

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 125 mL Container Carton

clé de peau
BEAUTÉ

PROTECTIVE FORTIFYING
EMULSION n

BROAD SPECTRUM
SPF 22
SUNSCREEN

125mL 4.2 FL. OZ.



CLÉ DE PEAU
BEAUTÉ

PROTECTIVE FORTIFYING EMULSION n

For skin with a radiance that evolves day by day.

A daytime emulsion to boost skin intelligence*, in order to activate the source of profound vitality and radiance.

Replenishing all-day moisture helps to revive skin's natural resilience and glow for a fresh, radiantly youthful look.

*Skin's innate ability to distinguish between good and bad stimuli, to achieve and maintain its ideal condition.

- Formulated with **Skin-Empowering Illuminator**, our exclusive ingredient to enhance skin intelligence.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
AVOBENZONE 2.5%	Sunscreen
OCTINOXATE 7.4%	Sunscreen
OCTOCRYLENE 2.0%	Sunscreen
OXYBENZONE 1.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
G.L.O. 15398
www.cledepeau-beaute.com

縮小サイズ0.85倍 10mm×16mm
16mm×33mm

7 30852 15398 1



Drug Facts (continued)

Directions

- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

WATER-DIPROPYLENE GLYCOL-SD ALCOHOL 40-B-GLYCERIN-HYDROGENATED POLYDECENE-XYLITOL-DIMETHICONE-ISODODECANE-PEG/PPG-14/7 DIMETHYL ETHER-PEG-5 GLYCERYL STEARATE-SILICA-ISOSTEARIC ACID-DIPHENYLSILOXY PHENYL TRIMETHICONE-XANTHAN GUM-TREHALOSE-TOCOPHERYL ACETATE-PEG/PPG-17/4 DIMETHYL ETHER-PHYTOSTERYL MACADAMIMATE-GINKGO BILOBA LEAF EXTRACT-ANGELICA ACUTILOBA ROOT EXTRACT-PAEONIA ALBIFLORA ROOT EXTRACT-CRATAEGUS MONOGYNA FLOWER EXTRACT-PANAX GINSENG ROOT EXTRACT-GLYCINE-ONONIS SPINOSA ROOT EXTRACT-HYDROLYZED SILK-ROSA CANINA FRUIT EXTRACT-ZANTHOXYLUM PIPERITUM PEEL EXTRACT-HIBISCUS ESCULENTUS FRUIT EXTRACT-FAGUS SYLVATICA BUD EXTRACT-SODIUM ACETYLATED HYALURONATE-PERILLA OCYMOIDES LEAF EXTRACT-ROSA ROXBURGHII FRUIT EXTRACT-HYDROLYZED CONCHOLIN PROTEIN-ISODONIS JAPONICUS LEAF/STALK EXTRACT-BUPLEURUM FALCATUM ROOT EXTRACT-PPG-17-TRIE THANOLAMINE-GLYCERYL STEARATE SE-BEHENYL ALCOHOL-BEHENIC ACID-STEARIC ACID-BUTYLENE GLYCOL-BATYL ALCOHOL-THEANINE-PEG-30 PHYTOSTEROL-CARBOMER-DISODIUM EDTA-ALCOHOL-CELLULOSE GUM-SODIUM METAPHOSPHATE-BHT-TOCOPHEROL-METHYLPARABEN-ETHYLPARABEN-PHENOXYETHANOL-BENZOIC ACID-FRAGRANCE-TITANIUM DIOXIDE-MICA-IRON OXIDES

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

PROTECTIVE FORTIFYING EMULSION n



clé de peau
BEAUTÉ

PROTECTIVE FORTIFYING
EMULSION n
BROAD SPECTRUM
SPF 22
SUNSCREEN

125mL 4.2 FL. OZ.

<http://cl872.com/15398AA>
See our website
for more information.

I5398-4I-5040
AAA

CLE DE PEAU BEAUTE PROTECTIVE FORTIFYING N

avobenzone, octinoxate, octocrylene, and oxybenzone emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-454
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3200 mg in 125 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	9472 mg in 125 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2560 mg in 125 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	1280 mg in 125 mL

Inactive Ingredients

Ingredient Name	Strength
PEG/PPG-17/4 DIMETHYL ETHER (UNII: 4ET18WJG5K)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
GINKGO (UNII: 19FUJ2C58T)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
CRATAEGUS MONOGYNA FLOWER (UNII: NT52AMP29J)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
GLYCINE (UNII: TE7660XO1C)	
ONONIS SPINOSA ROOT (UNII: FD2FMC53M1)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
WATER (UNII: 059QF0KO0R)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
XYLITOL (UNII: VCQ006KQ1E)	
DIMETHICONE (UNII: 92RU3N3Y10)	
ISODODECANE (UNII: A8289P68Y2)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
XANTHAN GUM (UNII: TTV12P4NEE)	

TREHALOSE (UNII: B8WCK70T7I)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)
PPG-17 (UNII: OV0Q322E0U)
TROLAMINE (UNII: 9O3K93S3TK)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
DOCOSANOL (UNII: 9G1OE216XY)
BEHENIC ACID (UNII: H390488X0A)
STEARIC ACID (UNII: 4ELV7Z65AP)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
BATILOL (UNII: 39YR661C4U)
THEANINE (UNII: 8021PR16QO)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ALCOHOL (UNII: 3K9958V90M)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
METHYLPARABEN (UNII: A2I8C7HI9T)
ETHYLPARABEN (UNII: 14255EXE39)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BENZOIC ACID (UNII: 8SKN0B0MIM)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-454-10	1 in 1 CARTON	02/01/2019	
1		125 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2019	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	analysis(58411-454) , manufacture(58411-454)

Revised: 1/2026

SHISEIDO AMERICAS CORPORATION