

**SYNOBARRIER- teat dip liquid**  
**Quat-Chem Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Synobarrier**

**Synobarrier**



**WARNING**

Causes serious eye irritation.

Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Shake well before use.

Store in ambient temperatures.

**DO NOT MIX WITH OTHER CHEMICALS**  
**FOR EXTERNAL USE ONLY**  
**FOR PROFESSIONAL COMMERCIAL USE ONLY.**  
**NOT FOR HUMAN USE.**  
**KEEP OUT OF THE REACH OF CHILDREN**

Quat-Chem Ltd.  
1-4 Sandfield Industrial Park,  
Dodgson Street,  
Rochdale, Greater Manchester  
United Kingdom  
OL16 5SJ

www.quatchem.com  
sales@quatchem.co.uk  
Tel: +44(0)1706 344 797  
EN ISO 9001:2008 QMS  
GMP ISO 22716:2007  
Manufactured in the UK

**DESCRIPTION**

- Formulation contains a specially balanced emollient blend
- Includes Lanolin, Glycerine and Sorbitol
- Reduces dehydration of the epidermis, enhancing the condition of the teat

- Extremely effective broad-spectrum disinfectant
- Formulation does not require dilution in preparation for dipping

#### DIRDIRECTIONS FOR USE

Preparation: Wash teats before milking. Dry thoroughly with paper towel or udder cloth. Apply product after milking by dipping.

Post-Milking: Use a clean teat-dipping cup after every milking. Fill dipping cup two thirds full.

Immerse teat in dipping cup for a few seconds.

#### ANTIMICROBIAL EFFICACY

Synobarrier passes EN 1656:2000 (phase 2/step 1) Quantitative Test for the evaluation of Bactericidal Activity of Chemical Disinfectants and Antiseptics used in the Veterinary and Agricultural Fields, giving > 99.999% kill for the following environmental organisms frequently implicated in common teat infections.

- Streptococcus dysgalactiae
- Streptococcus uberis
- Streptococcus agalactiae
- Staphylococcus epidermidis
- Staphylococcus aureus
- Escherichia coli
- Enterococcus hirae

See Packaging For:

Manufactured Date

Expiration Date

Batch Number

NDC Number:

**Synobarrier representative label**



**WARNING**  
Causes serious eye irritation.  
Wash hands thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

Shake well before use.

Store in ambient temperatures.

DO NOT MIX WITH OTHER CHEMICALS

FOR EXTERNAL USE ONLY

FOR PROFESSIONAL, COMMERCIAL USE ONLY.

NOT FOR HUMAN USE.  
KEEP OUT OF THE REACH OF CHILDREN.

**Quat-Chem Ltd.**  
1-4 Sandfield Industrial Park,  
Dodgson Street,  
Rochdale, Greater Manchester  
United Kingdom  
OL16 5SJ  
www.quatchem.com  
sales@quatchem.co.uk  
Tel: +44(0)1706 344 797

EN ISO 9001:2008 QMS  
GMP ISO 22716:2007

Manufactured in the UK

# SYNOBARRIER

## DESCRIPTION

- Formulation contains a specially balanced emollient blend
- Includes Lanolin, Glycerine and Sorbitol
- Reduces dehydration of the epidermis, enhancing the condition of the teat
- Extremely effective broad-spectrum disinfectant
- Formulation does not require dilution in preparation for dipping

## DIRECTIONS FOR USE

**Preparation:** Wash teats before milking. Dry thoroughly with paper towel or udder cloth. Apply product after milking by dipping.

**Post-Milking:** Use a clean teat-dipping cup after every milking. Fill dipping cup two thirds full. Immerse teat in dipping cup for a few seconds.

## ANTIMICROBIAL EFFICACY

Synobarrier passes EN 1656:2000 (phase 2/step 1) Quantitative Test for the evaluation of Bactericidal Activity of Chemical Disinfectants and Antiseptics used in the Veterinary and Agricultural Fields, giving > 99.999% kill for the following environmental organisms frequently implicated in common teat infections.

- Streptococcus dysgalactiae
- Streptococcus uberis
- Streptococcus agalactiae
- Staphylococcus epidermidis
- Staphylococcus aureus
- Escherichia coli
- Enterococcus hirae

**See Packaging For:**  
Manufactured Date  
Expiration Date  
Batch Number

**NDC Number:** 69260-010-05

**5L / 1.3 U.S. Gal**

## SYNOBARRIER

teat dip liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:69260-010
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	2 g in 1 L
<b>LACTIC ACID</b> (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	30 g in 1 L

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69260-010-05	5 L in 1 DRUM		
2	NDC:69260-010-25	25 L in 1 DRUM		
3	NDC:69260-010-20	200 L in 1 DRUM		
4	NDC:69260-010-10	1000 L in 1 CONTAINER		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/16/2016	

**Labeler** - Quat-Chem Ltd. (458052420)**Establishment**

Name	Address	ID/FEI	Business Operations
Quat-Chem Ltd.		458052420	manufacture, api manufacture, label, pack

Revised: 3/2016

Quat-Chem Ltd.