

HI VETIC- tolnaftate ointment
Sato Pharmaceutical Co., Ltd.

Hi Vetic Ointment

Active ingredient Tolnaftate 1%

Purpose Antifungal

Uses ■ for effective treatment of most athlete's foot, jock itch, and ringworm
■ prevents the recurrence of most athlete's foot with daily use

Warnings

For external use only

Do not use ■ on children under 2 years of age unless directed by a doctor

When using this product ■ avoid contact with the eyes

Stop use and ask a doctor if

■ irritation occurs ■ there is no improvement within 4 weeks for athlete's foot and ringworm, and within 2 weeks for jock itch

Keep out reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ for the treatment of athlete's foot, jock itch, and ringworm

■ cleanse the affected area with soap and water and dry thoroughly

■ apply a thin layer of the product over affected area twice daily (morning and night), or as directed by a doctor

■ to prevent athlete's foot

■ cleanse the feet with soap and water and dry thoroughly

■ apply a thin layer of the product to the feet once or twice daily (morning and/or night)

■ supervise children in the use of this product

■ for athlete's foot

■ pay special attention to spaces between the toes ■ wear well-fitting, ventilated shoes

■ change shoes and socks at least once daily

■ for athlete's foot and ringworm, use daily for 4 weeks. ■ for jock itch, use daily for 2

weeks. ■ if condition persists longer, consult a doctor ■ this product is not effective on the scalp or nails

Inactive ingredients Carboxymethylcellulose sodium, diethyl sebacate, fragrance, glyceryl monostearate, lauromacrogol 400, light mineral oil, polyoxyethylene cetyler, potassium stearate, propylene glycol, simethicone, sodium lauryl sulfate, stearyl alcohol, urea, water, white wax, zinc oxide.

hiveticointcart.jpg

<p>医薬品表示</p> <p>有効成分・分量 トルナフトート1% 配合目的 抗真菌剤</p> <p>効能・効果 ■水虫、いんきんたむし、ぜにたむしの治療。 ■日々の使用による水虫の予防。</p> <p>使用上の注意 外用にのみご使用ください。</p> <p>使用しないください。 ■医師の指示がない限り2才以下の小児には使用しないでください。</p> <p>使用の際、ご注意ください。 ■目に入れないようにしてください。</p> <p>使用を中止し、医師にご相談ください。</p> <p>副作用が生じた場合 ■水虫、ぜにたむしが4週間以内、いんきんたむしが2週間以内に改善されない場合</p> <p>全ての医薬品は小児の手の届かないところに保管してください。 誤って飲み込んでしまった場合には、直ちに専門医又はポイズンコントロールセンターにご相談ください。</p>	<p>医薬品表示 (続き)</p> <p>用法・用量 ■水虫、いんきんたむし、ぜにたむしの治療には ■患部を石鹸で洗ってよく乾かしてください。 ■1日2回本剤を患部に薄い層状に塗布してください。 または医師の指示に従ってご使用ください。</p> <p>■本薬を予防するには ■足を石鹸で洗ってよく乾かしてください。 ■1日1~2回本剤を患部に薄い層状に塗布してください。</p> <p>■本薬には ■指と指の間のスペースに特に注意を払ってください。 ■サイズの合った、通気のよい靴をはいてください。 ■少なくとも1日1回は靴の内側を拭き替えてください。</p> <p>■水虫、ぜにたむしの治療には4週間毎日続けてご使用ください。 ■いんきんたむしの治療には2週間毎日続けてご使用ください。 ■症状が長期間持続する場合は医師にご相談ください。</p> <p>■本剤は処方、爪には効果はありません。</p> <p>その他の成分 カルボキシメチルセルロースナトリウム、ジエチルセバケート、香料、モノステアリン酸グリセリン、ラウロマクロゴール400、軽質ミネラルオイル、ポリオキシエチレンセチルアルコール、ステアリン酸カリウム、プロピレングリコール、シメチコン、ラウリル硫酸ナトリウム、ステアリン酸アルコール、医薬用アルコール、尿素、水、サラン370、酸化亜鉛</p>	
<p>ANTIFUNGAL REMEDY (TOLNAFTATE) hi VETIC OINTMENT</p>	<p>sato</p> <p>ANTIFUNGAL REMEDY (TOLNAFTATE)</p> <p>hi VETIC OINTMENT</p> <p>水虫治療薬 (トルナフトート)</p> <p>ハイベチック 軟膏</p>	<p>NDC 49873-056-01</p>  <p>NET WT: 0.5 OZ (15g)</p>
<p>★Keep tightly closed ★ふたをしっかりと閉めてください。</p> <p>Manufactured by SATO PHARMACEUTICAL CO., LTD. 1-5-27 MOTOAKASAKA MINATO-KU TOKYO, JAPAN</p> <p>Reports of serious side effects associated with use of this product can be sent to: SATO PHARMACEUTICAL, INC 20501 Earl Street, Suite 3, Torrance, CA 90503</p>	 <p>3 49873 05601 2</p>	<p>EXP. DATE 使用期限 LOT 製造記号</p> <p>U.S.T</p>
<p>Drug Facts</p> <p>Active Ingredient Tolnaftate 1% Purpose Antifungal</p> <p>Uses ■ for effective treatment of most athlete's foot, jock itch, and ringworm ■ prevents the recurrence of most athlete's foot with daily use</p> <p>Warnings For external use only</p> <p>Do not use ■ on children under 2 years of age unless directed by a doctor</p> <p>When using this product ■ avoid contact with the eyes</p> <p>Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 4 weeks for athlete's foot and ringworm, and within 2 weeks for jock itch</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p>Drug Facts (continued)</p> <p>Directions</p> <p>■ for the treatment of athlete's foot, jock itch, and ringworm ■ cleanse the affected area with soap and water and dry thoroughly ■ apply a thin layer of the product over affected area twice daily (morning and night), or as directed by a doctor</p> <p>■ to prevent athlete's foot ■ cleanse the feet with soap and water and dry thoroughly ■ apply a thin layer of the product to the feet once or twice daily (morning and/or night)</p> <p>■ supervise children in the use of this product</p> <p>■ for athlete's foot ■ pay special attention to spaces between the toes ■ wear well-fitting, ventilated shoes ■ change shoes and socks at least once daily</p> <p>■ for athlete's foot and ringworm, use daily for 4 weeks. ■ for jock itch, use daily for 2 weeks. ■ if condition persists longer, consult a doctor ■ this product is not effective on the scalp or nails</p> <p>Inactive ingredients Carboxymethylcellulose sodium, diethyl sebacate, fragrance, glyceryl monostearate, laurmacrogol 400, light mineral oil, polyoxyethylene cetyl ether, potassium stearate, propylene glycol, dimethicone, sodium lauryl sulfate, stearyl alcohol, urea, water, white wax, zinc oxide.</p>	<p>水虫治療薬 (トルナフトート) ハイベチック 軟膏</p>

HI VETIC			
tolnaftate ointment			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49873-056
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)		TOLNAFTATE	1 g in 100 g
Inactive Ingredients			
Ingredient Name		Strength	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)			
DIETHYL SEBACATE (UNII: I41B9FJK6V)			
POTASSIUM STEARATE (UNII: 17V812XK50)			
CETETH-20 (UNII: I835H2IHHX)			
SODIUM LAURYL SULFATE (UNII: 368GB5141J)			
GLYCERYL MONOSTEARATE (UNII: 230OU9XE4)			

UREA (UNII: 8W8T17847W)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
WHITE WAX (UNII: 7G1J5DA97F)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
POLIDOCANOL (UNII: 0AWH8BFG9A)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SILICON (UNII: Z4152N8IUI)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49873-056-01	1 in 1 CARTON	10/25/1996	
1		15 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	10/25/1996	

Labeler - Sato Pharmaceutical Co., Ltd. (690575642)

Establishment

Name	Address	ID/FEI	Business Operations
Sato Pharmaceutical Co., Ltd.		715699133	manufacture(49873-056) , label(49873-056) , pack(49873-056)

Revised: 12/2023

Sato Pharmaceutical Co., Ltd.