

**KOPERTOX- copper naphthenate liquid**

**Zoetis**

-----

**KOPERTOX®**

**WATER-RESISTANT PROTECTION WITHOUT BANDAGING**

**RECOMMENDED as an aid in treating horses and ponies with thrush due to organisms susceptible to copper naphthenate.**

**Do not use in horses intended for human consumption.**

**CAUTION: COMBUSTIBLE MIXTURE**

**Ingredients:**

Copper Naphthenate..... 37.5% w/w

Inert Ingredients..... 62.5% w/w

Total..... 100%

**FOR EXTERNAL USE ONLY**

For Animal Use Only.

Keep Out of Reach of Children.

**Indicated in the treatment of thrush in horses and ponies**

**CAUTION:** Do not use in horses intended for human consumption.

**CAUTION: COMBUSTIBLE MIXTURE**

Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

**Keep out of reach of children and pets.**

**GENERAL DIRECTIONS:**

Clean the hoof thoroughly, removing debris and necrotic material prior to application of KOPERTOX®. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess KOPERTOX® onto hair since contact with KOPERTOX® may cause some hair loss. Do not contaminate feed.

Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.

**NOTE:** KOPERTOX® is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

**CONTAINS FOIL SEAL – REMOVE BEFORE USE.**

**SHAKE WELL BEFORE USE.**

To report suspected adverse reactions or to obtain technical assistance, call 1-800-1-888-963-8471.

236 mL (8 oz) Rev. 02-14 0754I 30175400

473 mL (16 oz) Rev. 02-14 0755J 30175500

ANADA 200-304, Approved by FDA



Distributed by:

Zoetis Inc.

Kalamazoo, MI 49007

Manufactured by:

First Priority, Inc.

Elgin, IL 60123

Image of 236 mL bottle/case label (rev. 02/14)

**KOPERTOX<sup>®</sup>**

WATER-RESISTANT PROTECTION  
WITHOUT BANDAGING

---

**RECOMMENDED**  
as an aid in treating horses and ponies with thrush due to organisms susceptible to copper naphthenate.

Do not use in horses intended for human consumption.

**CAUTION: COMBUSTIBLE MIXTURE**

**Ingredients**

Copper Naphthenate .....	37.5% w/w
Inert Ingredients.....	62.5% w/w
Total.....	100.0%

**FOR EXTERNAL USE ONLY**

For Animal Use Only. Keep Out of Reach of Children.

**236 mL (8 oz)**

ANADA 200-304, Approved by FDA

Manufactured by:  
First Priority, Inc.  
Elgin, IL 60123

**zoetis**  
Distributed by:  
Zoetis Inc.  
Kalamazoo, MI 49007

**KOPERTOX<sup>®</sup>**

Indicated in the treatment of thrush in horses and ponies

**CAUTION:** Do not use in horses intended for human consumption.

**CAUTION: COMBUSTIBLE MIXTURE**

Use in a well-ventilated place. Avoid fire, flame, sparks or heaters. If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

Keep out of reach of children and pets.

**GENERAL DIRECTIONS:** Clean the hoof thoroughly, removing debris and necrotic material prior to application of KOPERTOX<sup>®</sup>. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess KOPERTOX<sup>®</sup> onto hair since contact with KOPERTOX<sup>®</sup> may cause some hair loss. Do not contaminate feed.

Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.

**NOTE:** KOPERTOX<sup>®</sup> is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

**CONTAINS FOIL SEAL – REMOVE BEFORE USE**

**SHAKE WELL BEFORE USE**

To report suspected adverse reactions or to obtain technical assistance, call 1-888-863-8471.

Rev. 02-14  
07541  
30175400

TAKE TIME OBSERVE LABEL DIRECTIONS

Lot No.: \_\_\_\_\_ Exp. Date: \_\_\_\_\_

**IMPRINT AREA NO VARNISH**

7 26287 10752 1

Image of 473 mL bottle/case label (rev. 02-14)

# KOPERTO<sup>®</sup>X

**WATER-RESISTANT PROTECTION  
WITHOUT BANDAGING**

**RECOMMENDED  
as an aid in treating horses and  
ponies with thrush due to organisms  
susceptible to copper naphthenate.**

**Do not use in horses intended  
for human consumption.**

**CAUTION: COMBUSTIBLE MIXTURE**

**Ingredients**

Copper Naphthenate .....	37.5% w/w
Inert Ingredients.....	62.5% w/w
Total.....	100.0%

**FOR EXTERNAL USE ONLY**

For Animal Use Only.  
Keep Out of Reach of Children.

**473 mL (16 oz)**

ANADA 200-304, Approved by FDA

Manufactured by:  
First Priority, Inc.  
Elgin, IL 60123

**zoetis**  
Distributed by:  
Zoetis Inc.  
Kalamazoo, MI 49007

# KOPERTO<sup>®</sup>X

Indicated in the treatment of  
thrush in horses and ponies

**CAUTION:** Do not use in horses intended for human consumption.

**CAUTION: COMBUSTIBLE MIXTURE**

Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

**Keep out of reach of children and pets.**

**GENERAL DIRECTIONS:** Clean the hoof thoroughly, removing debris and necrotic material prior to application of KOPERTO<sup>®</sup>X. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess KOPERTO<sup>®</sup>X onto hair since contact with KOPERTO<sup>®</sup>X may cause some hair loss. Do not contaminate feed.

Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.

**NOTE:** KOPERTO<sup>®</sup>X is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

**CONTAINS FOIL SEAL – REMOVE BEFORE USE  
SHAKE WELL BEFORE USE**

To report suspected adverse reactions or to obtain technical assistance, call 1-888-963-8471.

Rev. 02-14  
0755J  
30175500



Lot No.:

Exp. Date:



## KOPERTO<sup>®</sup>X

copper naphthenate liquid

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:54771-1100
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
COPPER NAPHTHENATE (UNII: 9J2IBN2H70) (COPPER - UNII:789U1901C5)	COPPER NAPHTHENATE	0.825 g in 1 mL

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54771-1100-1	12 in 1 CASE		
1		236 mL in 1 BOTTLE, DISPENSING		
2	NDC:54771-1100-2	12 in 1 CASE		
2		473 mL in 1 BOTTLE, DISPENSING		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANADA	ANADA200304	09/18/2014	

**Labeler** - Zoetis (828851555)

## Establishment

Name	Address	ID/FEI	Business Operations
FIRST PRIORITY INCORPORATED		179925722	manufacture

Revised: 9/2018

Zoetis