

**SURVIVEX STING RELIEF WIPE- benzocaine, isopropyl alcohol patch**  
**Changzhou Maokang Medical Products Co., Ltd.**

**50MM**

**50MM**

**DRUG FACTS**

ACTIVE INGREDIENT	PURPOSE
BENZOCAINE, 6% W/V.....	TOPICAL ANTISEPTIC
ISOPROPYL ALCOHOL 60% W/V.....	ANTISEPTIC

**DIRECTIONS**  
 APPLY TO AFFECTED AREA 3-4 TIMES DAILY. FOR ADULTS AND CHILDREN 2 YEARS OF AGE AND OLDER. CHILDREN UNDER 2 YEARS, CONSULT PHYSICIAN.

**DO NOT USE** IN THE EYES. IF CONTACT OCCURS, RINSE THOROUGHLY WITH WATER.

**STOP USE** IF IRRITATION, REDNESS OR OTHER SYMPTOMS DEVELOP. CONSULT A DOCTOR IF THE CONDITION PERSISTS OR GETS WORSE.

**CAUTION** FLAMMABLE **KEEP OUT OF REACH OF CHILDREN.** IF SWALLOWED GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**INACTIVE INGREDIENT** PURIFIED WATER.

DISTRIBUTED BY: INTENT BRANDS  
 LLC DBA SURVIVEX 30 N GOULD ST  
 STE 35702 SHERIDAN, WY 82801

DESIGNED WITH CARE IN VIRGINIA

LOT 240730 2029-06 RESPONSIBLY MADE IN CHINA

**50MM**

**50MM**

**DRUG FACTS**

ACTIVE INGREDIENT	PURPOSE
BENZOCAINE, 6% W/V.....	TOPICAL ANTISEPTIC
ISOPROPYL ALCOHOL 60% W/V.....	ANTISEPTIC

**DIRECTIONS**  
 APPLY TO AFFECTED AREA 3-4 TIMES DAILY. FOR ADULTS AND CHILDREN 2 YEARS OF AGE AND OLDER. CHILDREN UNDER 2 YEARS, CONSULT PHYSICIAN.

**DO NOT USE** IN THE EYES. IF CONTACT OCCURS, RINSE THOROUGHLY WITH WATER.

**STOP USE** IF IRRITATION, REDNESS OR OTHER SYMPTOMS DEVELOP. CONSULT A DOCTOR IF THE CONDITION PERSISTS OR GETS WORSE.

**CAUTION** FLAMMABLE **KEEP OUT OF REACH OF CHILDREN.** IF SWALLOWED GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**INACTIVE INGREDIENT** PURIFIED WATER.

DISTRIBUTED BY: INTENT BRANDS  
 LLC DBA SURVIVEX 30 N GOULD ST  
 STE 35702 SHERIDAN, WY 82801

DESIGNED WITH CARE IN VIRGINIA

LOT 240730 2029-06 RESPONSIBLY MADE IN CHINA

50MM

50MM

**SurviveX**

**STING RELIEF**  
Fast relief from insect stings and bites.  
For external use only.



**HYGIENE**  

6% BENZOCAINE 2PLY

**SX-0030 6 X 3CM 2.36 X 1.18IN**

**DRUG FACTS**

ACTIVE INGREDIENT	PURPOSE
BENZOCAINE, 6% W/V.....	TOPICAL ANTISEPTIC
ISOPROPYL ALCOHOL 60% W/V.....	ANTI-SEPTIC

**DIRECTIONS**  
APPLY TO AFFECTED AREA 3-4 TIMES DAILY. FOR ADULTS AND CHILDREN 2 YEARS OF AGE AND OLDER. CHILDREN UNDER 2 YEARS, CONSULT PHYSICIAN.


**DO NOT USE** IN THE EYES. IF CONTACT OCCURS, RINSE THOROUGHLY WITH WATER.

**STOP USE** IF IRRITATION, REDNESS OR OTHER SYMPTOMS DEVELOP. CONSULT A DOCTOR IF THE CONDITION PERSISTS OR GETS WORSE.

**CAUTION** FLAMMABLE **KEEP OUT OF REACH OF CHILDREN.** IF SWALLOWED GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**INACTIVE INGREDIENT** PURIFIED WATER.

DISTRIBUTED BY: INTENT BRANDS  
LLC DBA SURVIVEX 30 N GOULD ST  
STE 35702 SHERIDAN, WY 82801

DESIGNED WITH CARE IN VIRGINIA 

LOT 240730 2029-06 RESPONSIBLY MADE IN CHINA

50MM

50MM

**SurviveX**

**STING RELIEF**  
Fast relief from insect stings and bites.  
For external use only.



**HYGIENE**  

6% BENZOCAINE 2PLY

**SX-0030 6 X 3CM 2.36 X 1.18IN**

**DRUG FACTS**

ACTIVE INGREDIENT	PURPOSE
BENZOCAINE, 6% W/V.....	TOPICAL ANTISEPTIC
ISOPROPYL ALCOHOL 60% W/V.....	ANTI-SEPTIC

**DIRECTIONS**  
APPLY TO AFFECTED AREA 3-4 TIMES DAILY. FOR ADULTS AND CHILDREN 2 YEARS OF AGE AND OLDER. CHILDREN UNDER 2 YEARS, CONSULT PHYSICIAN.


**DO NOT USE** IN THE EYES. IF CONTACT OCCURS, RINSE THOROUGHLY WITH WATER.

**STOP USE** IF IRRITATION, REDNESS OR OTHER SYMPTOMS DEVELOP. CONSULT A DOCTOR IF THE CONDITION PERSISTS OR GETS WORSE.

**CAUTION** FLAMMABLE **KEEP OUT OF REACH OF CHILDREN.** IF SWALLOWED GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**INACTIVE INGREDIENT** PURIFIED WATER.

DISTRIBUTED BY: INTENT BRANDS  
LLC DBA SURVIVEX 30 N GOULD ST  
STE 35702 SHERIDAN, WY 82801

DESIGNED WITH CARE IN VIRGINIA 

LOT 240730 2029-06 RESPONSIBLY MADE IN CHINA

50MM

50MM

**SurviveX**

**STING RELIEF**  
Fast relief from insect stings and bites.  
For external use only.




**HYGIENE**  

6% BENZOCAINE 2PLY

SX-0030 6 X 3CM 2.36 X 1.18IN

**DRUG FACTS**

<b>ACTIVE INGREDIENT</b>	<b>PURPOSE</b>
BENZOCAINE, 6% W/V.....	TOPICAL ANTISEPTIC
ISOPROPYL ALCOHOL 60% W/V.....	ANTISEPTIC
<b>DIRECTIONS</b>	
APPLY TO AFFECTED AREA 3-4 TIMES DAILY. FOR ADULTS AND CHILDREN 2 YEARS OF AGE AND OLDER. CHILDREN UNDER 2 YEARS, CONSULT PHYSICIAN.	
<b>DO NOT USE</b> IN THE EYES. IF CONTACT OCCURS, RINSE THOROUGHLY WITH WATER.	
<b>STOP USE</b> IF IRRITATION, REDNESS OR OTHER SYMPTOMS DEVELOP. CONSULT A DOCTOR IF THE CONDITION PERSISTS OR GETS WORSE.	
<b>CAUTION</b> FLAMMABLE <b>KEEP OUT OF REACH OF CHILDREN.</b> IF SWALLOWED GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.	
<b>INACTIVE INGREDIENT</b> PURIFIED WATER.	
DISTRIBUTED BY: INTENT BRANDS LLC DBA SURVIVEX 30 N GOULD ST STE 35702 SHERIDAN, WY 82801	DESIGNED WITH CARE IN VIRGINIA 
LOT 240730	2029-06 RESPONSIBLY MADE IN CHINA

50MM

50MM

**SurviveX**

**STING RELIEF**  
Fast relief from insect stings and bites.  
For external use only.




**HYGIENE**  

6% BENZOCAINE 2PLY

SX-0030 6 X 3CM 2.36 X 1.18IN

**DRUG FACTS**

<b>ACTIVE INGREDIENT</b>	<b>PURPOSE</b>
BENZOCAINE, 6% W/V.....	TOPICAL ANTISEPTIC
ISOPROPYL ALCOHOL 60% W/V.....	ANTISEPTIC
<b>DIRECTIONS</b>	
APPLY TO AFFECTED AREA 3-4 TIMES DAILY. FOR ADULTS AND CHILDREN 2 YEARS OF AGE AND OLDER. CHILDREN UNDER 2 YEARS, CONSULT PHYSICIAN.	
<b>DO NOT USE</b> IN THE EYES. IF CONTACT OCCURS, RINSE THOROUGHLY WITH WATER.	
<b>STOP USE</b> IF IRRITATION, REDNESS OR OTHER SYMPTOMS DEVELOP. CONSULT A DOCTOR IF THE CONDITION PERSISTS OR GETS WORSE.	
<b>CAUTION</b> FLAMMABLE <b>KEEP OUT OF REACH OF CHILDREN.</b> IF SWALLOWED GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.	
<b>INACTIVE INGREDIENT</b> PURIFIED WATER.	
DISTRIBUTED BY: INTENT BRANDS LLC DBA SURVIVEX 30 N GOULD ST STE 35702 SHERIDAN, WY 82801	DESIGNED WITH CARE IN VIRGINIA 
LOT 240730	2029-06 RESPONSIBLY MADE IN CHINA

50MM

50MM

**SurviveX**

**STING RELIEF**  
Fast relief from insect stings and bites.  
For external use only.




**HYGIENE**  

6% BENZOCAINE 2PLY

SX-0030 6 X 3CM 2.36 X 1.18IN

**DRUG FACTS**

<b>ACTIVE INGREDIENT</b>	<b>PURPOSE</b>
BENZOCAINE, 6% W/V.....	.....TOPICAL ANTISEPTIC
ISOPROPYL ALCOHOL 60% W/V.....	.....ANTISEPTIC
<b>DIRECTIONS</b>	
APPLY TO AFFECTED AREA 3-4 TIMES DAILY. FOR ADULTS AND CHILDREN 2 YEARS OF AGE AND OLDER. CHILDREN UNDER 2 YEARS, CONSULT PHYSICIAN.	
<b>DO NOT USE</b> IN THE EYES. IF CONTACT OCCURS, RINSE THOROUGHLY WITH WATER.	
<b>STOP USE</b> IF IRRITATION, REDNESS OR OTHER SYMPTOMS DEVELOP. CONSULT A DOCTOR IF THE CONDITION PERSISTS OR GETS WORSE.	
<b>CAUTION</b> FLAMMABLE <b>KEEP OUT OF REACH OF CHILDREN.</b> IF SWALLOWED GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.	
<b>INACTIVE INGREDIENT</b> PURIFIED WATER.	
DISTRIBUTED BY: INTENT BRANDS LLC DBA SURVIVEX 30 N GOULD ST STE 35702 SHERIDAN, WY 82801	DESIGNED WITH CARE IN VIRGINIA 
LOT 240730	2029-06
RESPONSIBLY MADE IN CHINA	

**SURVIVEX STING RELIEF WIPE**

benzocaine, isopropyl alcohol patch

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59050-102
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	60 mg in 1 mL
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	600 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	50mm
<b>Flavor</b>		<b>Imprint Code</b>	

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59050-102-01	4 mL in 1 POUCH; Type 0: Not a Combination Product	08/27/2024	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	08/27/2024	

**Labeler** - Changzhou Maokang Medical Products Co., Ltd. (421317073)**Registrant** - Changzhou Maokang Medical Products Co., Ltd. (421317073)**Establishment**

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical Products Co., Ltd.		421317073	manufacture(59050-102)

Revised: 8/2024

Changzhou Maokang Medical Products Co., Ltd.