# FUNGAL NAIL TREATMENT MAXIMUM STRENGTH LIQUID- tolnaftate liquid Guangzhou Ruijiu Electronic Technology Co., Ltd.

-----

# **FUNGAL NAIL TREATMENT MAXIMUM STRENGTH Liquid**

FUNGAL NAIL TREATMENT MAXIMUM STRENGTH Liquid

Tolnaftate 1% Undecylenic Acid 25%

Anti-fungal and Nail Renewal

Antifungal use on fingemails, toenails, and the immediately adjacent skin. Prevents the recurence of most athlete's foot with daily use For all caused by nail fungus, nail discoloration, nail thickening, nailsplitting, nail crumbling.

For external use only.

on children under 2 years of age unless directed by a doctor avoid contact with the eyes.

Imitation occurs
There is no improvement within 4 weeks

If accidental ingestion occurs, get medical help or contact a PoisonControl Center right away.

Apply once daily, preferably at bedtime or at least eight hours beforewashing. Clean and thoroughly dry the affected area, then use theapplicator brush provided to cover all affected nails. Ensure that theapplication is evenly distributed across the entire nail plate

Store at room temperature 15--30°C(59°-86°F)
Protect from freezing; if freezingoccurs, wamm to room temperature
Keep tightly closed when not in use

ALCOHOL
DIMETHICONE
C12-15 ALKYL LACTATE
ETHYLHEXYLGLYCERIN
SOPHORA FLAVESCENS ROOT
TOCOPHEROL
PHENOXYETHANOL
WATER

#### DO NOT USE IF NECKBAND IS BROKEN

#### ACTIVE INGREDIENT

PURPOSE

Tolnaftate1% Undecvlenic Acid 25% Anti-fungal and Nail Renewal

#### USES

Antifungal use on fingernails, toenails, and the immediately adjacent skin.

 Prevents the recurrence of most athlete's foot with daily use. • For all caused by nail fungus, nail discoloration, nail thickening, nail splitting, nail crumbling

#### WARNINGS

For external use only

#### Do not use

on children under 2 years of age unless directed by a doctor

### When using this product

avoid contact with the eves.

### Stop use and consult a doctor if

Irritation occurs

## Keep out of reach of children

If accidental ingestion occurs, get medical help or contact a Poison Control Center right away

#### DIRECTIONS

Apply once daily, preferably at bedtime or at least eight hours before washing. Clean and thoroughly dry the affected area, then use the applicator brush provided to cover all affected nails. Ensure that the application is evenly distributed across the entire nail plate.

### DRAWZONE®

# OTHER INFORMATION

SHAKE WELL BEFORE USE

Store at room temperature 15°-30°C (59° - 86°F) Protect from freezing: if freezing

occurs, warm to room temperature •Keep tightly closed when not in use

#### INACTIVE INGREDIENT

ALCOHOL, DIMETHICONE, C12-15 ALKYLLACTATE. ETHYLHEXYLGL-YCERIN, SOPHORA FLAVESCENS ROOT, TOCOPHEROL. PHENOXYETHANOL, WATER

#### Questions?

If you're not satisfied, we provide a full refund. Our 100% Satisfaction Guarantee backs every purchase.

TWO 1 FL OZ (30mL) BOTTLES DEEP & POWERFUL FORMULA

Distributor: Guangzhou Ruijiu Electronic Technology Co., Ltd

Made IN PRO

# **DRAWZONE®**

# **FUNGAL NAIL** TREATMENT

**DEEP & POWERFUL FORMULA** 

### MAXIMUM STRENGTH

- √ 25% UNDECYLENIC ACID
- √ CLINICALLY PROVEN INGREDIENTS
- √ RESTORE HEALTHY TOENAILS & TOF AREA

TWO 1 FL OZ (30mL)

### DRAWZONE®

ANTIFUNGAL AND NAIL RENEWAL DEEP & POWERFUL FORMULA



MFD: 2024.08.30 EXP: 2027.08.30

#### **Drug Facts**

Tolnaftate1% Undecylenic Acid 25% Anti-fungal and Nail Renewa

#### USES

Antifungal use on fingernalls, toenalls, and the immediately adjacent

 Prevents the recurrence of most athlete's foot with daily us Frevenis the recurrence of most affiliates short will daily use.
 For all caused by nail fungus, nail discoloration, nail thickening, nail splitting, nail crumbling.

### Do not use

on children under 2 years of age unless directed by a doctor.

### When using this product

# Stop use and consult a doctor if

Irritation occurs
 There is no improvement within 4 week

#### Keep out of reach of children

If accidental ingestion occurs, get medical help or contact a Poison Control Center right away.

#### DIRECTIONS

DIREC I TOMS
Apply once daily, preferably at bedtime or at least eight hours before washing. Clean and thoroughly dry the affected area, then use the applicator brush provided to cover all affected nails. Ensure that the application is evenly distributed across the entire nail plate.

#### **DRAWZONE®**

# <mark>OTHER INFORMATION</mark> SHAKE WELL BEFORE USE

Store at room temperature 15°-30°C

Protect from freezing; if freezing occurs, warm to room temperature

Keep tightly closed when not in use

#### INACTIVE INGREDIENT

INACTIVE INGEDIENT ALCOHOL, DIMETHICONE, C12-15 ALKYL LACTATE, ETHYLHEXYLGLYCERIN, SOPHORA FLAVESCENS ROOT, TOCOPHEROL, PHENOXYETHANOL, WATER

#### Questions?

If you're not satisfied, we provide a full refund. Our 100% Satisfaction Guarantee backs every purchase.

4 × 30ml (1FL OZ) BOTTLES

Distributor: Guangzhou Ruijiu Electronic Technology Co., Ltd.

# **DRAWZONE®**

# **FUNGAL NAIL** TREATMENT

**DEEP & POWERFUL FORMULA** 

### **MAXIMUM STRENGTH**

- √ 25% UNDECYLENIC ACID
- ✓ CLINICALLY PROVEN INGREDIENTS
- ✓ RESTORE HEALTHY TOENAILS & TOE AREA

4 × 30ml (1FL OZ) BOTTLES TOTAL 120 ml (4 FL OZ)

#### DRAWZONE®

ANTIFUNGAL AND NAIL RENEWAL **DEEP & POWERFUL FORMULA** 



4 × 30ml (1FL 0Z) BOTTLES TOTAL 120 ml (4 FL OZ)

# **FUNGAL NAIL TREATMENT MAXIMUM STRENGTH LIQUID**

tolnaftate liquid

# **Product Information**

**Product Type** 

HUMAN OTC DRUG

Item Code (Source)

NDC:83767-501

**Route of Administration** 

**TOPICAL** 

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1 g in 100 mL	
UNDECYLENIC ACID (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)	UNDECYLENIC ACID	25 g in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)		
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
TOCOPHEROL (UNII: ROZB2556P8)		
ALCOHOL (UNII: 3K9958V90M)		
WATER (UNII: 059QF0KO0R)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83767-501- 01	2 in 1 PACKAGE	08/28/2024	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:83767-501- 02	4 in 1 PACKAGE	08/28/2024	
2		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	08/28/2024	

# **Labeler -** Guangzhou Ruijiu Electronic Technology Co., Ltd. (631973699)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Guangzhou Ruijiu Electronic Technology Co., Ltd.		631973699	manufacture(83767-501)	