

**ARTISTRY IDEAL RADIANCE ILLUMINATING CC SPF 50 BROAD SPECTRUM
MED/DEEP- ensulizole, octinoxate, oxybenzone, titanium dioxide, zinc
oxide cream
Amway Corp**

Artistry Ideal Radiance Illuminating CC SPF 50 Broad Spectrum Med/Deep

Drug Facts

Active Ingredients

Ensulizole 2.0% (W/W P/P) Octinoxate 5.5% (W/W P/P) Oxybenzone 0.5% (WW P/P)
Titanium Dioxide 0.84% (W/W P/P) Zinc Oxide 9.8% (W/W P/P)

Purpose

Sunscreen

Uses

- Helps prevent sunburn

Warnings

For external use only

Do not use

on broken or damaged skin

When using this product

keep out of eyes. Rinse with water to remove.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Other Information

- Protect this product from excessive heat and direct sun

Inactive ingredients

WATER/EAU/AQUA, DIMETHICONE, CYCLOPENTASILOXANE, METHYL TRIMETHICONE,

BUTYLENE GLYCOL, GLYCERIN, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, TALC, DIMETHICONE/ VINYL DIMETHICONE CROSSPOLYMER, TRIMETHYLOLPROPANE TRICAPRYLATE/TRICAPRATE, TRIETHANOLAMINE, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, POLYGLYCERYL-6 POLYRICINOLEATE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, PHENOXYETHANOL, SODIUM CHLORIDE, SODIUM CITRATE, PEG/PPG-18/18 DIMETHICONE, ALUMINA, POLYGLYCERYL-3, POLYDIMETHYLSILOXYETHYL DIMETHICONE, TRISILOXANE, HYDROGEN DIMETHICONE, ALUMINUM HYDROXIDE, STEARIC ACID, TRIETHOXYCAPRYLYLSILANE, METHYLPARABEN, DISODIUM EDTA, FRAGRANCE/PARFUM, SILICA, PROPYLPARABEN, BELLIS PERENNIS (DAISY) FLOWER EXTRACT, MALTODEXTRIN, ETHYLPARABEN,, IODOPROPYNYL BUTYLCARBAMATE, JASMINUM OFFICINALE (JASMINE) FLOWER EXTRACT, LECITHIN, SOPHORA JAPONICA FLOWER POWDER, GERANIUM ROBERTIANUM EXTRACT, OENOTHERA BIENNIS (EVENING PRIMROSE) SEED EXTRACT, LACTOBACILLUS/ACEROLA CHERRY FERMENT, GLYCYRRHIZA GLABRA (LICORICE) ROOT EXTRACT, HYDROLYZED CONCHIOLIN PROTEIN, TOCOPHERYL ACETATE, CERAMIDE-3, BETA-SITOSTEROL, TETRAHEXYLDECYL ASCORBATE, MAY CONTAIN/ PEUT CONTEINIR: IRON OXIDES (CI 77491, CI 77492, CI 77499), MICA (CI 77019), TITANIUM DIOXIDE (CI 77891).

Directions

For sunscreen use

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating or washing
- Reapply at least every 2 hours
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: **Sun Protection Measures.**
- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: ask a doctor

Package Labeling:

Exclusively from **Amway**

**Drug Facts (continued)/
Faits sur le produit
(continué)/Datos del
Producto (continuación)**

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses/Mesures de protection solaire. Passer du temps au soleil augmente votre risque de cancer de la peau et de vieillissement prématuré de la peau. Pour diminuer ce risque, utiliser régulièrement un écran solaire avec un FPS de 15 ou plus à large spectre et d'autres mesures de protection solaire, notamment: • limiter le temps passé au soleil, en particulier entre 10 h 00 et 14 h 00 • porter une chemise à manches longues, un pantalon, un chapeau et des lunettes de soleil./Medidas de Protección Solar. Exponerse por periodos largos al sol aumenta su riesgo de cáncer en la piel y envejecimiento prematuro de la piel. Para reducir el riesgo, debe usar filtro solar de amplia gama con FPS 15 o más regularmente y otras medidas de protección contra el sol, incluyendo: ■ limite el tiempo expuesto al sol, especialmente entre las 10 a.m. – 2 p.m. ■ use camisas de manga larga, pantalones, sombreros y lentes de sol

■ Children under 6 months: ask a doctor/ enfants de moins de 6 mois: consulter un médecin/ Menores de 6 meses: consultar con un médico



**ARTISTRY
IDEAL RADIANCE**

ILLuminating CC Cream
SPF 50 Broad Spectrum
Sunscreen Cream
CC Crème Luminance
Crème solaire à large
spectre SPF 50

DIN 02434873

30 ml / 1.0 FL OZ

***TRADEMARK LICENSED BY ALTICOR INC./MARQUE DE COMMERCE UTILISÉE SOUS LICENCE PAR ALTICOR INC. MADE IN U.S.A./HECHO EN E.U.A.
DIST. BY/PAR AMWAY CORP., 7575 FULTON, ADA, MI 48855 USA/E-U • AMWAY CANADA CORPORATION, LONDON, ON N6Y 5V6 • IMP. Y/O DIST. POR. AMWAY DOMINICAN REPUBLIC LLC, FABRICADO EN E.U.A. POR ACCESS BUSINESS GROUP LLC, 7575 FULTON STREET EAST, ADA, MI 48855 1043014d

ARTISTRY IDEAL RADIANCE™

Crema Iluminadora CC con
FPS 50 de Amplio Espectro

USE INSTRUCTIONS APPLY AS A FOUNDATION TO FACE WITH FINGERTIPS AND BLEND. MAY BE WORN ALONE OR UNDER FOUNDATION FOR FLAWLESS SKIN PERFECTION./APPLIQUEZ UNIFORMÉMENT SUR LE VISAGE OU SOUTS DES DOIGTS, TEL UN FOND DE TENTE. PEUT ÊTRE PORTÉE SEULE OU EN DESSOUS D'UN FOND DE TENTE POUR UNE PEAU LISSE ET PARFAITE./APLICA COMO UNA BASE AL ROSTRO CON LAS PUNTAS DE LOS DEDOS. PUEDE SER USADA, SOLA O DEBAJO DE UNA BASE PARA UNA PIEL IMPECABLEMENTE PERFECTA.

**Drug Facts/Faits sur le produit/
Datos sobre el producto**

**Active Ingredients /
Ingrédients Actifs /
Ingredientes Activos**

Ensilizole 2.0% (W/W P/P)
Octinoxate 5.5% (W/W P/P)
Oxybenzone 0.5% (W/W P/P)
Titanium Dioxide 0.84% (W/W P/P)
Zinc Oxide 9.8% (W/W P/P)..... Sunscreen/
Ecran solaire/Protector Solar

Uses/Utilisations/Usos

■ Helps prevent sunburn/Aide à prévenir les coups de soleil/Ayuda a prevenir las quemaduras de sol

**Warnings/Avertissements/
Precauciones**

For external use only/Usage externe seulement/Para uso externo solamente

Do not use on broken or damaged skin/Ne pas utiliser sur une peau éraillée ou abîmée./No aplicar sobre piel lacerada o con daños

When using this product keep out of eyes. Rinse with water to remove./En utilisant ce produit, le tenir à l'écart des yeux. Rincer avec de l'eau pour l'enlever./Al usar este producto, evite el contacto con los ojos. Enjuague con agua para remover.

Stop use and ask a doctor if rash occurs/Cesser l'utilisation et consulter un médecin en cas d'irritation./Deje de usar y consulte con un médico si ocurre irritación

Drug Facts (continued)/Faits sur le produit (continué)/Datos del Producto (continuación)

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away./Tenir hors de la portée des enfants. En cas d'ingestion du produit, obtenir immédiatement un avis médical ou contacter un centre anti-poison./Mantener fuera del alcance de los niños. Si se ingiere el producto, debe obtener ayuda médica o comunicarse con un Centro de Control de Envenenamientos de inmediato.

**Other Information/Autre information/
Otra Información**

■ Protect this product from excessive heat and direct sun/Protéger ce produit de la chaleur excessive et d'une exposition directe au soleil/Proteja este producto de calor excesivo y exposición directa al sol

**Inactive ingredients/Ingrédients inactifs/
Ingredientes inactivos :**

WATER/EAU/AQUA, DIMETHICONE, CYCLOPENTASILOXANE, METHYL TRIMETHICONE, BUTYLENE GLYCOL, GLYCERIN, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, TALC, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TRIMETHYLOLPROPANE TRICAPRYLATE/TRICAPRATE, TRIETHANOLAMINE, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, POLYGLYCERYL-6 POLYRICINOLEATE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, PHENOXYETHANOL, SODIUM CHLORIDE, SODIUM CITRATE, PEG/PPG-18/18 DIMETHICONE, ALUMINA, POLYGLYCERYL-3, POLYDIMETHYLSILOXYETHYL DIMETHICONE, TRISILOXANE, HYDROGEN DIMETHICONE, ALUMINIUM HYDROXIDE, STEARIC ACID, TRIETHOXYCAPRYLYLSILANE, METHYL PARABEN, DISODIUM EDTA, FRAGRANCE/PARFUM, SILICA, PROPYL PARABEN, BELLIS PERENNIS (DAISY) FLOWER EXTRACT, MALTODEXTRIN, ETHYL PARABEN, IODO-PROPYNYL BUTYLCARBAMATE, JASMINUM OFFICINALE (JASMINE) FLOWER EXTRACT, LEGHEMIN, SOPHORA JAPONICA FLOWER POWDER, GERANIUM ROBERTIANUM EXTRACT, OENOTHERA BIENNIS (EVENING PRIMROSE) SEED EXTRACT, LACTOBACILLUS/ACEROLA CHERRY FERMENT, GLYCYPHRHIZA GLABRA (LICORICE) ROOT EXTRACT, HYDROLYZED CONCHOLIN PROTEIN, TOCOPHERYL ACETATE, CERAMIDE-3, BETA-SITOSTEROL, TETRAHEXYLDECYL ASCORBATE, MAY CONTAIN/ PEUT CONTENIR: IRON OXIDES (CI 77491, CI 77492, CI 77499), MICA (CI 77019), TITANIUM DIOXIDE (CI 77891).

Directions/Mode d'emploi/Instrucciones

For sunscreen use/Pour une utilisation comme écran solaire/ Uso del protector solar

■ Apply liberally 15 minutes before sun exposure/Appliquez généreusement 15 minutes avant de s'exposer au soleil/ Aplicar abundantemente 15 minutos antes de exponerse al sol

■ Use a water resistant sunscreen if swimming or sweating or washing/Utiliser un écran solaire résistant à l'eau pour nager ou si vous transpirez ou vous lavez/Use un filtro solar resistente al agua si va a nadar o sudar

■ Reapply at least every 2 hours/Réappliquez au moins toutes les 2 heures/Vuelva a aplicar cada dos horas.

■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.



12-0560 MED DEEP



1043014d

ARTISTRY IDEAL RADIANCE ILLUMINATING CC SPF 50 BROAD SPECTRUM MED/DEEP

ensulizole, octinoxate, oxybenzone, titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50390-011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	20 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	55 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	5 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	84 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	98 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
TALC (UNII: 7SEV7J4R1U)	
TRIMETHYLOLPROPANE TRICAPRYLATE/TRICAPRATE (UNII: N1TRQ06KVJ)	
TROLAMINE (UNII: 9O3K93S3TK)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
BELLIS PERENNIS FLOWER (UNII: 26I94X9A1K)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
ETHYLPARABEN (UNII: 14255EXE39)	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	
JASMINUM OFFICINALE FLOWER (UNII: 0Q8K841432)	
GERANIUM ROBERTIANUM (UNII: R5I1HK0UBL)	
EVENING PRIMROSE OIL (UNII: 3Q9L08K71N)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CERAMIDE NP (UNII: 4370DF050B)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	

Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50390-011-00	1 in 1 CARTON	09/23/2017	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/23/2017	

Labeler - Amway Corp (083416854)

Revised: 10/2023

Amway Corp