

**NEUTROGENA HEALTHY SKIN INVISIBLY RADIANT UV PRIMER SPF 30- titanium dioxide, zinc oxide lotion**  
Kenvue Brands LLC

-----  
**Neutrogena Healthy Skin Invisibly Radiant UV Primer SPF 30**

***Drug Facts***

**Active ingredient**

Titanium Dioxide (4.9%), Zinc Oxide (21.6%)

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Do not use on** damaged or broken skin
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away

**Directions**

For sunscreen use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- **children under 6 months of age: Ask a doctor**

## **Other Information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

## **Inactive ingredients**

Water, Isononyl Isononanoate, Dicaprylyl Ether, C12-15 Alkyl Benzoate, Polyglyceryl-2 Dipolyhydroxystearate, Propylene Glycol, Dimethicone, Calcium Sodium Borosilicate, Polyhydroxystearic Acid, Triethoxycaprylylsilane, Sorbitan Sesquioleate, Sodium Chloride, Aluminum Hydroxide, Triacontanyl PVP, Phenoxyethanol, Ethylhexylglycerin, Stearic Acid, Zingiber Officinale (Ginger) Root Extract, Tocopheryl Acetate, Mica, Titanium Dioxide, Iron Oxides

## **Questions?**

Call toll-free **800-480-4812** or **215-273-8755** (collect).

[www.neutrogena.com](http://www.neutrogena.com)

Distributed by:

**Kenvue Brands LLC**

Summit, NJ 07901

## **PRINCIPAL DISPLAY PANEL - 29 mL Tube Label**

**INVISIBLY**

**RADIANT**

**UV PRIMER**

**HEALTHY SKIN**

A radiant, mineral SPF

primer that sets invisibly

under makeup

BROAD SPECTRUM SPF 30

**SUNSCREEN**

**Neutrogena**®

NET WT. 1.0 FL OZ (29 mL)



30056308

# INVISIBLY RADIANT UV PRIMER

HEALTHY SKIN

A radiant, mineral SPF primer that sets invisibly under makeup

**BROAD SPECTRUM SPF 30**  
SUNSCREEN

## Neutrogena®

NET WT. 1.0 FL OZ (29 mL)



30059626

This antioxidant containing primer evens skin's texture and boosts radiance. It wears well under makeup while providing SPF protection. This innovative formula is suitable for all skin tones.

Shake well before use. Apply a thin layer onto your entire face. Blend into skin with your fingertips. Wait for 30 seconds to allow formula to set before makeup application.

### Drug Facts

#### Active ingredients

Titanium Dioxide (4.9%), Zinc Oxide (21.6%)

**Purpose** Sunscreen ▶



0 86800 16114 1

### Drug Facts (cont.)

**Uses:** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings:

• For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

### Directions:

• For sunscreen use: • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ▶

### Drug Facts (cont.)

• limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other Information** • protect this product from excessive heat and direct sun • may stain some fabrics

### Inactive ingredients

Water, Isononyl Isononanoate, Dicaprylyl Ether, C12-15 Alkyl Benzoate, Polyglyceryl-2 Dipolyhydroxystearate, Propylene Glycol, Dimethicone, Calcium Sodium Borosilicate, Polyhydroxystearic Acid, Triethoxycaprylylsilane, Sorbitan Sesquioleate, Sodium Chloride, Aluminum Hydroxide, Tricantonyl PVP, Phenoxyethanol, Ethylhexylglycerin, Stearic Acid, Zingiber Officinale (Ginger) Root Extract, Tocopheryl Acetate, Mica, Titanium Dioxide, Iron Oxides

**Questions?** Call toll-free 800-480-4812 or 215-273-8755 (collect). [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:  
Kenvue Brands LLC Summit, NJ 07901  
© Kenvue Brands LLC 2025  
Pat. [www.kenvuepats.com](http://www.kenvuepats.com).

# 30

titanium dioxide, zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0900
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	216 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	49 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>DICAPRYLYL ETHER</b> (UNII: 77JZM5516Z)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU00)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y10)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>GINGER</b> (UNII: C5529G5JPQ)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>TRICONTANYL POVIDONE</b> (UNII: N0SS3Q238D)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)	
<b>CALCIUM SODIUM BOROSILICATE</b> (UNII: 4MM76N4WMMY)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0900-1	29 mL in 1 TUBE; Type 0: Not a Combination Product	11/08/2024	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M020	11/08/2024	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 2/2025

Kenvue Brands LLC