

**LANIMPRESS 5%MINOXIDIL TOPICAL SOLUTION- lanimpres 5%minoxidil
topical solution liquid
Shenzhen Zhumeng Times Technology Co., Ltd.**

Active ingredients

Minoxidil 5% Hair regrowth treatment

Purpose

to regrow hair on the top of the scalp

Uses

apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
using more or more often will not improve results

continued use is necessary to increase and keep your hair regrowth, or hair loss
will begin again

Warnings

For external use only.

Flammable: Keep away from fire or flame

Dosage and administration

For external use only.

Do not use

you have no family history of hair loss
your hair loss is sudden and/or patchy
you do not know the reason for your hair loss
you are under 18 years of age.

Do not use on babies and children.

your scalp is red, inflamed, infected, irritated, or painful you use other medicines on the
scalp

When using section

do not apply on other parts of the body

avoid contact with the eyes. in case of accidental contact, rinse eyes with large amounts of cool tap water.

some people have experienced changes in hair color and/or texture

it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.

the amount of hair regrowth is different for each person. This product will not work for all men.

stop use

chest pain, rapid heartbeat, faintness, or dizziness occurs

sudden, unexplained weight gain occurs

your hands or feet swell

scalp irritation or redness occurs

unwanted facial hair growth occurs


you do not see hair regrowth in 4 months

Keep out of reach of children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Inactive ingredients

alcohol, propylene glycol, purified water



LANIMPRESS 5%MINOXIDIL TOPICAL SOLUTION

lanimpres 5%minoxidil topical solution liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84372-032
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 60 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0K00R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84372-032-01	60 mL in 1 BOX, UNIT-DOSE; Type 0: Not a Combination Product	08/29/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M032	08/29/2024	

Labeler - Shenzhen Zhumeng Times Technology Co., Ltd. (631852731)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Zhumeng Times Technology Co., Ltd.		631852731	manufacture(84372-032)

Revised: 8/2024

Shenzhen Zhumeng Times Technology Co., Ltd.