

OXYGEN- oxygen gas
Roadrunner Oxygen Service, Inc.


Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen

Principal for Oxygen Product

OXYGEN, COMPRESSED USP

UN 1072



DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
CONTAINS GAS UNDER PRESSURE;
MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Required**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. © Applied Home Healthcare Equipment 2025

CAS NO: 7782-44-7

Contents	Size
170 Liters	<input type="checkbox"/> M6
248 Liters	<input type="checkbox"/> C
415 Liters	<input type="checkbox"/> D
682 Liters	<input type="checkbox"/> E
6910 Liters	<input type="checkbox"/> J
____ Liters	<input type="checkbox"/> Other



**NO SMOKING
NO VAPING**

ROADRUNNER OXYGEN SERVICE, INC.

5234 W. MISSOURI AVENUE

GLENDALE, AZ 85301

800-261-7785

OXYGEN

COMPRESSED

USP

UN 1072

DANGER:

MAY CAUSE OR INTENSIFY FIRE;
OXIDIZER. CONTAINS GAS UNDER
PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °c (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

CAS NO: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.


WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. Applied Home Healthcare Equipment 2025

NO SMOKING

NO VAPING

**OXYGEN,
REFRIGERATED
LIQUID USP**

UN 1073



CONTENTS: _____ LITERS

CAS NO: 7782-44-7

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Required**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

©Applied Home Healthcare Equipment 2025



**NO SMOKING
NO VAPING**

Representative Labeling

pursuant to 21 CFR 207.3 (10)

Company name and contact

information are printed in this box.

OXYGEN,
REFRIGERATED
LIQUID USP
UN 1073

CONTENTS _____ LITERS

CAS NO: 7782-44-7

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood.

Keep and store away from clothing and other combustible materials.

Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills.

Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: No smoking or vaping. For emergency use only when administered by properly trained

personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction. Applied Home Healthcare Equipment 2025

NO SMOKING

NO VAPING

~~LOT~~
~~EXPIRATION DATE~~

Representative Labeling
pursuant to 21 CFR 207.3 (10)

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:67795-033
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67795-033-23	230 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
2	NDC:67795-033-24	40 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
3	NDC:67795-033-25	20 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
4	NDC:67795-033-26	30 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
5	NDC:67795-033-27	37 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
6	NDC:67795-033-28	40 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
7	NDC:67795-033-29	45 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
8	NDC:67795-033-30	55 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	

9	NDC:67795-033-31	60 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
10	NDC:67795-033-02	113 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
11	NDC:67795-033-03	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
12	NDC:67795-033-04	248 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
13	NDC:67795-033-05	415 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
14	NDC:67795-033-06	682 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
15	NDC:67795-033-07	830 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
16	NDC:67795-033-08	3231 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
17	NDC:67795-033-09	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
18	NDC:67795-033-10	6910 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
19	NDC:67795-033-12	46 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
20	NDC:67795-033-15	31 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
21	NDC:67795-033-16	41 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
22	NDC:67795-033-18	180 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
23	NDC:67795-033-19	230 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
24	NDC:67795-033-22	1755 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
25	NDC:67795-033-13	36 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
26	NDC:67795-033-14	21 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
27	NDC:67795-033-17	160 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
28	NDC:67795-033-20	450 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
29	NDC:67795-033-21	730 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
30	NDC:67795-033-32	255 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
31	NDC:67795-033-33	623 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
32	NDC:67795-033-34	1133 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
33	NDC:67795-033-35	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
34	NDC:67795-033-36	2265 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
35	NDC:67795-033-37	56 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
36	NDC:67795-033-38	165 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
37	NDC:67795-033-39	5660 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/10/2000	

Labeler - Roadrunner Oxygen Service, Inc. (030320621)

Establishment

Name	Address	ID/FEI	Business Operations
Roadrunner Oxygen Service, Inc.		030320621	manufacture(67795-033)

Revised: 12/2025

Roadrunner Oxygen Service, Inc.