

ANACOCCINUM- cairina mos chata heart/liver autolysate pellet
HomeoCare Laboratories

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

ANACOCCINUM

Active ingredient

Anas Barbariae, Hepatis & Cordis Extractum 200Ck.

Directions

Turn tube upside down, twist cap to break seal & dispense pellets. At first symptoms: 5 pellets every 6 hours for 2 to 3 doses. If symptoms persist: one dose morning and night for 3 days. Take apart from food and drinks. To preserve purity, avoid touching pellets with fingers. Use the cap or a clean spoon.

INDICATIONS & USAGE

At first symptoms: 5 pellets every 6 hours for 2 to 3 doses. If symptoms persist: one dose morning and night for 3 days.

ake apart from food and drinks. To preserve purity, avoid touching pellets with fingers. Use the cap or a clean spoon.

Inactive ingredients

Sucrose, lactose

Purpose

Flu-like symptoms

OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

Warnings

If pregnant, breast-feeding or have a known medical condition, ask a physician before use

Keep out of the reach of children. Do not use if cap seal is broken or missing.

OTC - PREGNANCY OR BREAST FEEDING SECTION

If pregnant, breast-feeding or have a known medical condition, ask a physician before use.

Anacoccinum 200 Ck label

Homeopathic remedies or dilutions are based on chemical and botanical substances of natural origin. They have not been reviewed by the FDA.

Drug Facts
Active Ingredients (HPUS)
 Anas Barbariae, Hepatis &
 Cordis Extractum 200Ck.....Flu-like symptoms
Purpose:
 Flu-like symptoms

Inactive ingredients: Sucrose/lactose

80 Pellets
Anacoccinum
 16 homeopathic doses **200Ck**

Warnings: If pregnant, breast-feeding or have a known medical condition, ask a physician before use.
 Keep out of reach of children. Do not use if cap seal is broken or missing. **Directions:** Turn tube upside down, twist cap to break seal & dispense pellets. At first symptoms: 5 pellets every 6 hours for 2 to 3 doses. If symptoms persist: one dose morning and night for 3 days. Take apart from food and drinks. To preserve purity, avoid touching pellets with fingers. Use the cap or a clean spoon.

Questions, Comments?
 Call 1-800-HOMECARE
www.homecare.com
 Dist. By HomeCare Labs
 New York, USA

Product of HomeCare Labs

HOME CARE
 THE USA
 WWW.HOMECARE.COM

3 617271 34521 9

HCL_label_Anacoccinum 200ck.jpg

ANACOCCINUM

cairina moschata heart/liver autolysate pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61727-345
Route of Administration	SUBLINGUAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE (UNII: RN2HC612GY) (CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE - UNII:RN2HC612GY)	CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
LACTOSE (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61727-345-21	80 in 1 VIAL, DISPENSING; Type 0: Not a Combination Product	09/30/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/30/2015	

Labeler - HomeoCare Laboratories (088248828)

Registrant - HomeoCare Laboratories (088248828)

Establishment

Name	Address	ID/FEI	Business Operations
HomeoCare Laboratories Inc		088248828	manufacture(61727-345)

Revised: 3/2019

HomeoCare Laboratories