

MUCUS RELIEF DM- guaifenesin, dextromethorphan hbr tablet

Strategic Sourcing Services LLC

Drug Facts

Active ingredients (in each extended-release tablet)

Dextromethorphan HBr 30 mg

Guaifenesin 600 mg

Purpose

Cough Suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product,

do not use more than directed.

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent

headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regards for timing of meals
- adults and children 12 years of age and older: 1 or 2 tablet every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to active ingredients in Mucinex® DM*

Mucus Relief DM

Guaifenesin 600 mg Expectorant

Dextromethorphan HBr 30 mg, Cough Suppressant

12-Hour Relief

- Controls cough
- Thins & loosen mucus

Extended-release tablets

*This product is not manufactured or distributed Reckitt Benckiser LLC, distributor of Mucinex® DM.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS

ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by McKesson Corp.,
via Strategic Sourcing Services LLC,
Memphis, TN 38141
www.healthmart.com


Package Label

Drug Facts Active ingredients (in each extended-release tablet) Dextromethorphan HBr 30 mg Guaifenesin 600 mg	Purposes Cough Suppressant Expectorant
Uses <ul style="list-style-type: none">helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productivetemporarily relieves<ul style="list-style-type: none">cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritantsthe intensity of coughingthe impulse to cough to help you get to sleep	
Warnings <p>Do not use ■ for children under 12 years of age ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have<ul style="list-style-type: none">persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysemacough accompanied by too much phlegm (mucus)</p> <p>When using this product, do not use more than directed.</p> <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p>	
Directions <ul style="list-style-type: none">do not crush, chew, or break tablettake with a full glass of waterthis product can be administered without regard for timing of mealsadults and children 12 years of age and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hourschildren under 12 years of age: do not use	
Other information ■ store between 20° to 25°C (68° to 77°F)	
Inactive ingredients carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc	
Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	

*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex® DM.

Distributed by McKesson Corp.,
via Strategic Sourcing Services LLC,
Memphis, TN 38141
Money Back Guarantee
www.healthmart.com
© 2011 McKesson Corporation

PLD-B519A FC008116 Rev 12/21



0 52569 14293 6

PARENTS:
Learn about your medicine online
www.StopMedicineAbuse.org

Health Mart.

NDC 62011-0424-1

Mucus Relief DM

Compare to the active ingredients in Mucinex®DM*

Mucus Relief DM

Guaifenesin 600 mg
Expectorant

Dextromethorphan HBr 30 mg
Cough Suppressant

12-Hour Relief • Controls Cough
• Thins and Loosens Mucus

20 Extended-release tablets

ACTUAL SIZE

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

HEALTH MART Mucus Relief DM

MUCUS RELIEF DM

guaifenesin, dextromethorphan hbr tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0424	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg	
	DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg	
Inactive Ingredients				
	Ingredient Name		Strength	
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
	MAGNESIUM STEARATE (UNII: 70097M6I30)			
	CARBOMER 934 (UNII: Z135WT9208)			
	CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
	POVIDONE (UNII: FZ989GH94E)			
	D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)			
	HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
	LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
	TALC (UNII: 7SEV7J4R1U)			
Product Characteristics				
Color	yellow	Score	no score	
Shape	OVAL	Size	16mm	
Flavor		Imprint Code	AN038	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0424-1	20 in 1 CARTON	11/29/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA209692	11/29/2019		

Labeler - Strategic Sourcing Services LLC (116956644)

