

**SINUS AND HEADACHE- acetaminophen, phenylephrine hcl tablet, film coated  
Walgreen Company**

-----  
**Walgreens 44-466C-SH**

***Active ingredients (in each caplet)***

Acetaminophen 325 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/fever reducer  
Nasal decongestant

***Uses***

- temporarily relieves these symptoms associated with hay fever or other respiratory allergies, and the common cold:
  - minor aches and pains
  - headache
  - nasal congestion
  - sinus congestion and pressure
- helps decongest sinus openings and passages
- promotes sinus drainage
- helps clear nasal passages
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease
- difficulty in urination due to enlargement of the prostate gland
- heart disease
- diabetes
- thyroid disease
- high blood pressure

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not take more than directed**
- adults and children 12 years and over
  - take 2 caplets every 4 hours
  - swallow whole - do not crush, chew, or dissolve
  - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

corn starch, crospovidone, D&C yellow #10 aluminum lake, FD&C blue #1 aluminum lake, FD&C red #40 aluminum lake, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

**Questions or comments?**

**1-800-426-9391**

**Principal display panel****Walgreens**

Compare to the active ingredients  
in Tylenol® SINUS + HEADACHE<sup>††</sup>

WALGREENS  
PHARMACIST RECOMMENDED<sup>†</sup>

NDC 0363-4066-08

DAYTIME • NON-DROWSY

**Sinus & Headache**

**ACETAMINOPHEN** / PAIN RELIEVER / FEVER REDUCER  
**PHENYLEPRHINE HCl** / NASAL DECONGESTANT

- Relieves hay fever symptoms, minor aches & pains, headache, nasal congestion, sinus congestion & pressure
- Pseudoephedrine free

**24 CAPLETS**

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS  
OPENED OR IF BLISTER UNIT IS TORN, BROKEN  
OR SHOWS ANY SIGNS OF TAMPERING**

<sup>†</sup>Our pharmacists recommend the Walgreens brand.  
We invite you to compare to national brands.

<sup>††</sup>This product is not manufactured or distributed by  
Johnson & Johnson Corporation, owner of the  
registered trademark Tylenol® SINUS + HEADACHE.

50844 ORG072146608

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com  
©2022 Walgreen Co.

**Do not print**  
Lot & Exp

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**Drug Facts (continued)**

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- hives
- rash
- skin redness

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

■ You have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- thyroid disease
- heart disease
- liver disease
- high blood pressure

**Drug Facts (continued)**

**Inactive ingredients** corn starch, croscollon, D&G yellow #10, aluminum lake, FD&C blue #1, aluminum lake, FD&C red #40, aluminum lake, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, polydioxanone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, tlc, titanium dioxide

**Drug Facts (continued)**

**Other information** ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN

■ Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

■ See end flap for expiration date and lot number

**Drug Facts (continued)**

**Questions or comments?** 1-800-424-8391

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if:**

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- new symptoms occur
- fever, gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ **do not take more than directed**

- adults and children 12 years and over
- take 2 caplets every 4 hours
- swallow whole - do not crush, chew, or dissolve
- do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

**ITEM 885143 W00000-0000-0**

**3 11917 20000 2**

**DISTRIBUTED BY: WALGREEN CO.**  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com  
©2022 Walgreen Co.  
50844 ORG072146608

**B-2201-466C-08SHVR**  
ORG072146608

**Walgreens**

Compare to the active ingredients in Tylenol® SINUS + HEADACHE™

**DAYTIME • NON-DROWSY**

**Sinus & Headache**

**ACETAMINOPHEN / PAIN RELIEVER / FEVER REDUCER**  
**PHENYLEPHRINE HCl / NASAL DECONGESTANT**

- Relieves hay fever symptoms, minor aches & pains, headache, nasal congestion, sinus congestion & pressure
- Pseudoephedrine free

**24 CAPLETS**

**ACTUAL SIZE**

**Drug Facts (continued)**

**Active ingredients** (in each caplet)

- Acetaminophen 325 mg
- Phenylephrine HCl 5 mg

**Purpose**

- Pain reliever/fever reducer
- Nasal decongestant

**Drug Facts (continued)**

**Uses**

- temporarily relieves these symptoms associated with hay fever or other respiratory allergies, and the common cold:
- minor aches and pains
- headache
- nasal congestion
- sinus congestion and pressure

Walgreens 44-466

## SINUS AND HEADACHE

acetaminophen, phenylephrine hcl tablet, film coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-4066
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	325 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	5 mg	
Inactive Ingredients				
Ingredient Name			Strength	
STARCH, CORN (UNII: O8232NY3SJ)				
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)				
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)				
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)				
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Product Characteristics				
Color	green	Score	no score	
Shape	OVAL	Size	17mm	
Flavor	MENTHOL	Imprint Code	44;466	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4066-08	2 in 1 CARTON	07/26/2005	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	07/26/2005		

**Labeler** - Walgreen Company (008965063)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-4066) , pack(0363-4066)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-4066)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-4066)

Revised: 1/2025

Walgreen Company