

**SINUS CONGESTION- phenylephrine hcl tablet, film coated  
L.N.K. International, Inc.**

-----  
**Convenience Valet 44-453-Sinus Congestion-Delisted**

***Active ingredient (in each tablet)***

Phenylephrine HCl 10 mg

***Purpose***

Nasal decongestant

***Uses***

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- symptoms do not improve within 7 days or occur with fever
- nervousness, dizziness, or sleeplessness occur

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: ask a doctor

### ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

### ***Questions or comments?***

**1-844-428-2538**

### ***Principal display panel***

**24/7 Life  
by 7-ELEVEN™**

**Non-Drowsy  
Maximum Strength  
Sinus Congestion  
Phenylephrine HCl 10 mg/Nasal Decongestant**

**Relieves:**  
Sinus Pressure  
Sinus Congestion

18 TABLETS  
Actual Size

compare to  
**Sudafed PE® Sinus Congestion**  
active ingredient\*

Quality  
Guaranteed

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of

the registered trademark Sudafed PE® Sinus Congestion.

50844 REV0820A45344

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

DISTRIBUTED BY 7-ELEVEN, INC.  
IRVING, TX 75063 WWW.7-ELEVEN.COM

Satisfaction Guaranteed 1-800-255-0711

24/7life  
BY 7-ELEVEN™

Non-Drowsy  
**Maximum Strength**  
**Sinus Congestion**

24/7life  
BY 7-ELEVEN™

Non-Drowsy  
**Maximum Strength**  
**Sinus Congestion**

Phenylephrine HCl 10 mg/Nasal Decongestant

**Relieves:**  
Sinus Pressure,  
Sinus Congestion

compare to  
**Sudafed PE® Sinus Congestion**  
active ingredient\*

**18**  
TABLETS



Actual  
Size



0 52548 68993 3

No Print / No Varnish  
Lot no. & Exp. date

TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNITS IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING

DISTRIBUTED BY 7-ELEVEN, INC.  
IRVING, TX 75063 WWW.7-ELEVEN.COM  
Satisfaction Guaranteed 1-800-235-0711

B-1205-453-44  
REV0820A45344

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed PE® Sinus Congestion.  
50844 REV0820A45344

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

<b>Drug Facts</b>	<b>Drug Facts (continued)</b>
<b>Active ingredient (in each tablet)</b> Phenylephrine HCl 10 mg.....Nasal decongestant	
<b>Uses</b> temporarily relieves sinus congestion and pressure temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies	
<b>Warnings</b> Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.	
<b>Ask a doctor before use if you have</b> heart disease ■ diabetes thyroid disease ■ high blood pressure difficulty in urination due to enlargement of the prostate gland	
<b>When using this product do not exceed recommended dosage.</b>	
<b>Stop use and ask a doctor if</b> ■ symptoms do not improve within 7 days or occur with fever ■ nervousness, dizziness, or sleeplessness occur	
<b>Other information</b> TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) see end flap for expiration date and lot number	<b>Directions</b> adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours. children under 12 years: ask a doctor
<b>Inactive ingredients</b> croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maledextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide	<b>Questions or comments?</b> 1-844-428-2538

C Valet 44-453 SC

**SINUS CONGESTION**

phenylephrine hcl tablet, film coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50844-244
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DEXTROSE MONOHYDRATE</b> (UNII: LX22YL083G)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	44;453
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:50844-244-44	1 in 1 CARTON	02/18/2022	06/03/2026
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	02/18/2022	06/03/2026

**Labeler** - L.N.K. International, Inc. (038154464)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(50844-244) , pack(50844-244)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(50844-244)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(50844-244)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(50844-244)

Revised: 8/2024

L.N.K. International, Inc.