

AROAMAS COT NICOTINE TRANSDERMAL PATCHES- nicotine transdermal patches patch
Shenzhen Situya Trading Co., Ltd.

82739-026

Active Ingredient

Nicotine 6%
menthol 0.3%

Purpose

Stop smoking aid

Use

reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking

Warnings

If you are pregnant or breast-feeding, only use this medicine on the advice of your healthcare provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Do not use

- *do not wear more than one patch at a time
- *do not cut patch in half or into smaller pieces
- *do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours

When Using

When using this product
*if you have vivid dreams or other sleep disturbances remove this patch at bedtime

Stop Use

Stop use and ask a doctor if
*skin redness caused by the patch does not go away after four days, or if your skin itches, or you get a rash
*irregular heartbeat or palpitations occur
*you get symptoms of nicotine overdose, such as nausea, vomiting, dizziness,

weakness and rapid heartbeat

*you have symptoms of an allergic reaction(such as difficulty breathing or rash)

Ask Doctor

Ask a doctor before use if you have

*heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.

*high blood pressure not controlled with medication. Nicotine can increase your blood pressure.

*an allergy to adhesive tape or have skin problems, because you are more likely to get rashes.

*stomach ulcer or diabetes.

*history of seizures.

Ask a doctor or pharmacist before use if you are

*using an on-nicotine stop smoking drug

*taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted

Keep Out Of Reach Of Children

Keep out of reach of children and pets.

Used patches have enough nicotine to poison children and pets. If swallowed, get medical help or contact a Poison Control Center right away. Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch.

Directions

Directions

*if you are under 18 years of age, ask a doctor before use. *before using this product, read the enclosed self-help guide for complete directions and other information

*begin using the patch on your quit day

*if you smoke more than 10 cigarettes per day, use the following schedule below

STEP 1 STEP 2 STEP 3

Use one 21mg patch/day Use one 14mg patch/day Use one 7mg patch/day

Weeks 1-6 Weeks 7-8 Weeks 9-10

*If you smoke 10 or less cigarettes per day, do not use Step 1(21mg) .Start with Step 2(14mg) for 6 weeks, then Step 3(7mg) for 2 weeks and then stop.

*apply one new patch every 24 hours on skin that is dry, clean and hairless.

*remove backing from patch and immediately press on to skin. Hold for 10 seconds..wash hands after applying or removing patch.

Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch.

*the used patch should be removed and a new one applied to a different skin site at the same time each day.

*if you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.

- *you may wear the patch for 18 to 24 hours
- *do not wear more than one patch at a time
- *do not cut patch in half or into smaller pieces
- *do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours
- *to avoid possible burns, remove patch before undergoing and MR(magnetic resonance imaging) procedures
- *it is important to complete treatment.If you feel you need to use the patch for a longer period to keep from smoking, talk to your healthcare provider.

Other information

If you smoke more than 10 cigarettes per day, start with Step 1.
If you smoke 10 or less cigarettes per day, Start with Step 2.

Inactive ingredients

CODONOPSIS PILOSULA ROOT, CHRYSANTHEMUM INDICUM FLOWER, CLOVE LEAF OIL, TOBACCO LEAF, CAMPHOR OIL

Questions

Comments or Questions?
Call toll-free: 833-276-2627
Or visit us at aroamascot.com

PRINCIPAL DISPLAY PANEL

Brand:
Aroamas

Product:
Anti Smoking Patch

Size:
100x15x150 mm

- PATCHES 21 Patches 21 Patches 21 Patches 21 Patches
- PATCHES 14 Patches 14 Patches 14 Patches 14 Patches
- PATCHES 7 Patches 7 Patches 7 Patches 7 Patches
- PATCHES 3 Patches 3 Patches 3 Patches 3 Patches




Inner Pack Size: 90x 75mm

Front



Back



AROAMAS COT NICOTINE TRANSDERMAL PATCHES

nicotine transdermal patches patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82739-026
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)	NICOTINE	6 g in 100
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.3 g in 100

Inactive Ingredients

Ingredient Name	Strength
TOBACCO LEAF (UNII: 6YR2608RSU)	
CODONOPSIS PILOSULA ROOT (UNII: 02VJ3CEY9G)	
CAMPHOR OIL (UNII: 75IZZ8Y727)	
CLOVE LEAF OIL (UNII: VCA5491KVF)	
CHRYSANTHEMUM INDICUM FLOWER (UNII: I6OER6U04L)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82739-026-01	21 in 1 BOX; Type 0: Not a Combination Product	09/02/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/02/2024	

Labeler - Shenzhen Situya Trading Co., Ltd. (706154255)

Establishment			
Name	Address	ID/FEI	Business Operations
Shenzhen Situya Trading Co., Ltd.		706154255	manufacture(82739-026) , label(82739-026)

Revised: 9/2024

Shenzhen Situya Trading Co., Ltd.