MADECASSOL- centella asiatica gel Lydia Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Titrated Ext. of Centella Asiatica

temporary relief of itching associated with minor skin irritations and rashes due to eczema, insect bites, poison ivy, poison oak, or poison sumac soaps detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis, external genital and anal itching

Keep out of reach of children

Adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily

Warnings

For external use only.

Do not use in the eyes by putting this product into the rectum by using fingers or any mechanical device or applicator.

Ask a doctor before use if you have a vaginal discharge, rectal bleeding, diaper rash.

When using this product consult a doctor before exceeding recommended dosage.

Stop use and ask a doctor if condition gets worse, condition persists for more than 7 days, condition clears up and occurs again with within a few days. Do not begin to use any other hydrocortisone product unless you have consulted a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Lavender oil, anhydrous ethanol, sodium hydroxide, purified water, propylene glycol.

for topical use

MADECASSOL Gel

Drug Facts

Active Ingredients (in 1g)

Titrated Ext. of Centella Asiatica 10mg

Purpose Anti-itch

Uses

■ temporary relief of itching associated with minor skin irritations and rashes due to eczema, insect bites, poison ivy, poison oak, or poison sumac soaps detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis, external genital and anal itching

Warnings

For external use only.

Do not use in the eyes by putting this product into the rectum by using fingers or any mechanical device or applicator.

Ask a doctor before use if you have a vaginal discharge, rectal bleeding, diaper rash.

When using this product consult a doctor before exceeding recommended dosage.

Stop use and ask a doctor if condition gets worse, condition persists for more than 7 days, condition clears up and occurs again with within a few days. Do not begin to use any other hydrocortisone product unless you have consulted a doctor. **Keep out of reach of children.** If swallowed, get medical help or

contact a Poison Control Center right away.

Directions

■ Adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily

Other Information

■ Store at room temperature

Inactive Ingredient

Lavender oil, anhydrous ethanol, sodium hydroxide, purified water, propylene glycol.

Distributed By: Bio Mission Group, Inc.

9925 Painter Ave #O, Whittier, CA 90605 USA

Made in South Korea

centella asiatica gel

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:72988-0039

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CENTELLA ASIATICA (UNII: 7M867G6T1U) (CENTELLA ASIATICA - UNII:7M867G6T1U)	CENTELLA ASIATICA	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength

SODIUM HYDROXIDE (UNII: 55X04QC32I)

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:72988- 0039-1	10 g in 1 TUBE; Type 0: Not a Combination Product	09/01/2024	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
unapproved drug other		09/01/2024	

Labeler - Lydia Co., Ltd. (695735569)

Registrant - Lydia Co., Ltd. (695735569)

EstablishmentNameAddressID/FEIBusiness OperationsLydia Co., Ltd.695735569manufacture(72988-0039)

Revised: 9/2024 Lydia Co., Ltd.