## SKIN WHITENING- ojw hydrating brightening spray emulsion Guangzhou Meiya Cosmetics Co., Ltd.

-----

ASCORBYL GLUCOSIDE 6% CI 77891 1.96%

Function: Lightweight and non greasy texture, deep into the skin to replenish moisture, instantly whitening with just a spray, brightening the whole body without false whitening, evenly brightening the skin tone, and creating a water sensitive and smooth skin.

How to use: Squeeze it out of the palm of your hand and apply it evenly to the skin surface of your shoulders, neck, limbs, and body. Spray it directly on any part of your body.

## **Precautions:**

- 1. This product is for external use only and is not edible;
- 2. Avoid eye contact, if accidentally into the eyes, please rinse with water immediately;
- 3. Do not use it if you have dermatitis or skin damage;
- 4. Depending on the individual's physical condition, before use, It is recommended to have an allergy test behind the ear and stop using it immediately if you feel unwell.
- 5. Please keep it out of reach of children, Beware of Children's Mis-eating, and children under the age of 3 should not use it.
- 6.Please note: Do not spray into the mouth, eyes, nose.High pressure content, explosive at temperatures above 50°C do not puncture, do not be heated.

Depending on the individual's physical condition, before use, It is recommended to have an allergy test behind the ear and stop using it immediately if you feel unwell.

- 1. Avoid eye contact, if accidentally into the eyes, please rinse with water immediately;
- 2. Do not use it if you have dermatitis or skin damage;
- 3.Depending on the individual's physical condition, before use, It is recommended to have an allergy test behind the ear and stop using it immediately if you feel unwell.

Please keep it out of reach of children, Beware of Children's Mis-eating, and children under the age of 3 should not use it.

- 1. This product is for external use only and is not edible
- 2. Avoid eye contact, if accidentally into the eyes, please rinse with water immediately;
- 3. Do not use it if you have dermatitis or skin damage;
- 4. Depending on the individual's physical condition, before use, It is recommended to have an allergy test behind the ear and stop using it immediately if you feel unwell.
- 5. Please keep it out of reach of children, Beware of Children's Mis-eating, and children under the age of 3 should not use it.
- 6.Please note: Do not spray into the mouth, eyes, nose.High pressure content, explosive at temperatures above 50°C do not puncture, do not be heated.

WATER 7732-18-5 73.86

GLYCERIN 56-81-5 8

MINERAL OIL 64742-54-7 5.1

ETHYLHEXYL PALMITATE 29806-73-3 4

WATER 7732-18-5 2.5

ACRYLATES COPOLYMER 25133-97-5 / 25035-69-2 2.5

LAURETH-7 3055-97-8 / 68439-50-9 / 9002-92-0 2.5

AMMONIUM LAURETH SULFATE 32612-48-9 / 67762-19-0 2.5

SODIUM BENZOATE 532-32-1 2.5

CI 77891 13463-67-7 2

TRIETHOXYCAPRYLYLSILANE 2943-75-1 2

ALUMINA 1344-28-1 2

CAPRYLIC/CAPRIC TRIGLYCERIDE 73398-61-5/ 65381-09-1 1

DIMETHICONE 63148-62-9 / 9006-65-9 / 9016-00-6 1

TITANIUM DIOXIDE 13463-67-7 0.7

TRIETHOXYCAPRYLYLSILANE 2943-75-1 0.7

LACTAMIDE Lactamide 2043-43-8 0.4

WATER 7732-18-5 0.4

1.2-HEXANEDIOL 6920-22-5 0.4

ARGININE ASPARTATE 7675-83-4 0.4

PROPYLENE GLYCOL 57-55-6 0.4

CAPRYLHYDROXAMIC ACID 7377/3/9 0.4

MACADAMIA SEED OIL POLYGLYCERYL-6 ESTERS BEHENATE / 0.4

OCTYLDODECYL STEAROYL STEARATE 90052-75-8 0.4

PARAFFINUM LIQUIDUM 8012-95-1 / 8042-47-5 0.4

PHENOXYETHANOL 122-99-6 0.3

IODOPROPYNYL BUTYLCARBAMATE 55406-53-6 0.3

TRIETHANOLAMINE 102-71-6 0.3

METHYLPARABEN 99-76-3 0.2

ALLANTOIN 97-59-6 0.1

PROPYLPARABEN 94-13-3 0.1

FRAGRANCE - 0.04



## **SKIN WHITENING**

ojw hydrating brightening spray emulsion

Product Information	duct Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84673- 002	
Route of Administration	CONJUNCTIVAL, EXTRACORPOREAL, BUCCAL, CUTANEOUS, AURICULAR (OTIC)			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW) (ASCORBYL GLUCOSIDE - UNII: 2V52R0NHXW)	ASCORBYL GLUCOSIDE	1.5 g in 1 mg	

Inactive Ingredients			
Ingredient Name	Strength		
LAURETH-7 (UNII: Z95S6G8201)	0.05 g in 1 mg		
DIMETHICONE (UNII: 92RU3N3Y1O)	1 g in 1 mg		
OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C)	8 g in 1 mg		
GLYCERIN (UNII: PDC6A3C0OX)	8 g in 1 mg		
MINERAL OIL (UNII: T5L8T28FGP)	5.1 g in 1 mg		
ETHYLHEXYL PALMITATE (UNII: 2865993309)	4 g in 1 mg		
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	1 g in 1 mg		
ARGININE ASPARTATE (UNII: LZB1G2I725)	0.5 g in 1 mg		
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	0.2 g in 1 mg		
PHENOXYETHANOL (UNII: HIE492ZZ3T)	0.3 g in 1 mg		
METHYLPARABEN (UNII: A2I8C7HI9T)	0.2 g in 1 mg		
PROPYLPARABEN (UNII: Z8IX2SC1OH)	0.1 g in 1 mg		
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	2 g in 1 mg		
SODIUM BENZOATE (UNII: OJ245FE5EU)	0.5 g in 1 mg		
WATER (UNII: 059QF0KO0R)	73.86 g in 1 mg		
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	1.4 g in 1 mg		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	0.67 g in 1 mg		
LACTAMIDE (UNII: 4JZ P7XJN3O)	0.2 g in 1 mg		
ALLANTOIN (UNII: 344S277G0Z)	0.1 g in 1 mg		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		150 mg in 1 BOTTLE; Type 0: Not a Combination Product	04/16/2024	04/16/2027

Marketing In	Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	505G(a)(3)	04/16/2024	04/16/2027	

## **Labeler -** Guangzhou Meiya Cosmetics Co., Ltd. (553030421)

Revised: 9/2024