ESSENTIAL SHEER SPF 50- zinc oxide titanium dioxide lotion Topiderm, Inc.

Essential Sheer SPF 50

Drug Facts

Active ingredients

Zinc Oxide 14.5%

Octinoxate 7.5%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

When using this product keep out of eyes, rinse with water to remove.

Stop use if signs of irritation or rash appear. If irritation or rash persists consult a doctor.

Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sunscreen measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

Directions

- Apply liberally to face and neck and spread evenly 15 minutes before sun exposure
- Re-apply after swimming, excessive perspiring, or anytime after towel drying
- Use a water resistant sunscreen if swimming or sweating

• Use on children under 6 months of age: consult a doctor.

Inactive ingredients

Purified Water, Niacinamide, Oleth-3 Phosphate, Neopentyl Glycol Diheptanoate, Polyisobutene, Octyldodecyl, Neopentanoate, Butylene Glycol, Tocopheryl Acetate, Sodium Hyaluronate, Caffeine, Panthenol, Dimethicone, Sucrose, Lactic Acid, Glycerin, Ethylhexyl Stearate, Triethoxycaprylylsilan, Xanthan Gum, Lauryl PEG Polydimethylsiloxyethyl Dimethicone, PEG-7 Trimethylolpropane Coconut Ether, Hydroxyethyl Acrylate/Sodium Acryloydimethyl Taurate Copolymer, Phenoxyethanol, Disodium EDTA.

PRINCIPAL DISPLAY PANEL - 63 g Bottle Label

COMPLIMENTS OF TOPIX PHARMACEUTICALS, INC

DAILY

Sheer Lightweight Brightening Sunscreen SPF 50

Broad Spectrum SPF 50 Sunscreen

FOR PATIENTS WITH ACNE, ROSACEA PRONE AND HYPERPIGMENTED SKIN

Net wt. 2.22 oz. (63 g)

Available Custom Branded 800.445.2595 c.service@topixpharm.com

COMPLIMENTS OF

TOPIX

DAILY

Sheer Lightweight Brightening Sunscreen SPF 50

Broad Spectrum SPF 50 Sunscreen

FOR PATIENTS WITH ACNE, ROSACEA PRONE AND HYPERPIGMENTED SKIN

Net wt. 2.22 oz. (63 q)

Available
Custom Branded
800.445.2595
c.service@topixpharm.com

Drug Facts

Active ingredients Zinc Oxide 14.5% Octinoxate 7.5%

Purpose

Uses Helps prevent sunburn I fused as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

When using this product keep out of eyes, rinse with water to remove.

Stop use if signs of irritation or rash appear. If irritation or rash persists consult a doctor.

Keep out of reach of

Drug Facts (continued)

Warnings (continued)

Sun Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sunscreen measures including:


- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

Directions Apply liberally to face and neck and spread evenly 15 minutes before sun exposure Re-apply after swimming, excessive perspiring, or anytime

Drug Facts (continued)

Inactive ingredients

Niacinamide, Oleth-3 Phosphate, Neopentyl Glycol Diheptanoate, Polyisobutene. Octyldodecyl, Neopentanoate, Butylene Glycol, Tocopheryl Acetate, Sodium Hyaluronate, Caffeine, Panthenol, Dimethicone, Sucrose Lactic Acid, Glycerin, Ethylhexyl Stearate, Triethoxycaprylylsilan, Xanthan Gum, Lauryl PEG Polydimethylsiloxyethyl Dimethicone, PEG-7 Trimethylolpropane Coconut Ether, Hydroxyethy Acrylate/Sodium Acryloydimethyl Taurate Copolymer, Phenoxyethanol. Disodium EDTA.



ESSENTIAL SHEER SPF 50

zinc oxide titanium dioxide lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:51326-200

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) TITANIUM DIOXIDE (UNII: 15FIX9V2JP) TITANIUM DIOXIDE 75 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
NIACINAMIDE (UNII: 25X5118RD4)	
OLETH-3 PHOSPHATE (UNII: 8Q0Z18J1VL)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
CAFFEINE (UNII: 3G6A5W338E)	
PANTHENOL (UNII: WW9CM0067Z)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SUCROSE (UNII: C151H8M554)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PEG-7 TRIMETHYLOLPROPANE COCONUT ETHER (UNII: MVJ3AD73GG)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:51326- 200-01	63 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/29/2019			

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
1020	07/29/2019				
	Citation	Citation Date			

Labeler - Topiderm, Inc. (049121643)

Registrant - Topiderm, Inc. (049121643)

Establishment						
Name	Address	ID/FEI	Business Operations			
Topiderm, Inc.		049121643	MANUFACTURE(51326-200)			

Revised: 7/2024 Topiderm, Inc.