

**NITROUS OXIDE - nitrous oxide gas**  
**Holston Gases, Inc**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

**NITROUS OXIDE COMPRESSED LABEL**

NITROUS OXIDE, COMPRESSED - NON-FLAMMABLE GAS - 2 - OXIDIZER USP UN 1070

WARNING SECURE ALL CYLINDERS WHILE IN STORAGE AND IN USE.

CAUTION: FEDERAL LAW PROHIBITS DISPENSING WITHOUT A PRESCRIPTION

WARNING: ADMINISTRATION OF NITROUS OXIDE MAY BE HAZARDOUS OR CONTRAINDICATED. FOR USE ONLY BY OR UNDER THE SUPERVISION OF A LICENSED PRACTITIONER WHO IS EXPERIENCED IN THE USE AND ADMINISTRATION OF NITROUS OXIDE AND IS FAMILIAR WITH THE INDICATIONS, EFFECTS, DOSAGES, METHODS, AND FREQUENCY AND DURATION OF ADMINISTRATION, AND WITH THE HAZARDS CONTRAINDICATIONS AND SIDE EFFECTS AND THE PRECAUTIONS TO BE TAKEN.



**GENERAL WARNINGS AND PRECAUTIONS**

WARNING: HIGH PRESSURE OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE. AVOID BREATHING GAS. STORE AND USE WITH ADEQUATE VENTILATION. KEEP OIL AND GREASE AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR NITROUS OXIDE AND RATED FOR CYLINDER PRESSURE. DO NOT GET LIQUID IN

EYES ON SKIN OR CLOTHING. CYLINDER TEMPERATURE SHOULD NOT EXCEED 125 F (52 C) OPEN VALVE SLOWLY CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS) NOTE: SUCK-BACK INTO CYLINDER MAY CAUSE RUPTURE. ALWAYS USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. FIRST AID: IF INHALED REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING DIFFICULT GIVE OXYGEN. CALL A PHYSICIAN. IN CASE OF FROSTBITE OBTAIN MEDICAL TREATMENT IMMEDIATELY.

DO NOT REMOVE THIS PRODUCT LABEL

## NITROUS OXIDE

nitrous oxide gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:55050-0008
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROUS OXIDE (UNII: K50XQU1029) (NITROUS OXIDE - UNII:K50XQU1029)	NITROUS OXIDE	99 kg in 100 kg

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55050-0008-1	2.90 kg in 1 CYLINDER		
2	NDC:55050-0008-2	9.07 kg in 1 CYLINDER		
3	NDC:55050-0008-3	25.4 kg in 1 CYLINDER		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1958	

**Labeler** - Holston Gases, Inc (034697276)

**Registrant** - Holston Gases, Inc (034697276)

### Establishment

Name	Address	ID/FEI	Business Operations
Holston Gases, Inc		034697276	manufacture

### Establishment

Name	Address	ID/FEI	Business Operations
Holston Gases, Inc		829338115	manufacture

