

**DAYTIME AND NIGHTTIME KIDS MULTI-SYMPATOM COLD AND FLU COMBO PACK- acetaminophen, dextromethorphan hbr, diphenhydramine hcl
Genexa Inc.**

**Daytime and Nighttime Kids' Multi-Symptom Cold & Flu Combo pack
Kids' Nighttime Multi-Symptom Cold & Flu**

Drug Facts

Active ingredients

(in each 10 mL)

Acetaminophen 325 mg

Diphenhydramine HCl 12.5 mg

Purposes

Pain reliever/fever reducer

Antihistamine/Cough Suppressant

Uses

temporarily reduces fever and relieves these common cold/flu symptoms:

minor aches and pains

headache

cough due to minor throat and bronchial irritation

sore throat

runny nose

sneezing

controls the impulse to cough to help your child get to sleep

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if the child has

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as chronic bronchitis
- persistent or chronic cough such as occurs with asthma or if cough is accompanied by excessive phlegm (mucus).

Ask a doctor or pharmacist before use if the child is

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- do not use more than directed
- marked drowsiness may occur
- sedatives and tranquilizers may increase the drowsiness effect
- excitability may occur, especially in children

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed (see Overdose warning)**
- **SHAKE WELL BEFORE EACH USE**
- for accurate dosing, use measuring cup provided. Do not use with any other dosing device.
- children 6 to under 12 years of age: 10 mL in dosing cup provided every 4 hours while symptoms last, do not give more than 5 times in 24 hours
- children under 6 years of age: do not use unless directed by a doctor

Other information

store between 20-25°C (68-77°F)

Inactive ingredients

organic agave syrup, organic blueberry flavor, natural flavors, purified water

Questions? 1-855-436-3921

SHAKE WELL BEFORE EACH USE

Keep outer package for complete product information

Tamper evident: Do not use if perforated band around the bottle is disturbed or missing.

Kids' Multi-Symptom Cold & Flu - Daytime Relief

Drug Facts

Active ingredients

(in each 10 mL)

Acetaminophen 320 mg

Dextromethorphan HBr, USP 5 mg

Purposes

Pain reliever/fever reducer

Cough Suppressant

Uses

- temporarily reduces fever and relieves these common cold/flu symptoms:
 - minor aches & pains
 - headache
 - cough due to minor throat and bronchial irritation
 - sore throat
- controls the impulse to cough to help your child get to sleep

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- liver disease
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma or if cough is accompanied by excessive phlegm (mucus).

Ask a doctor or pharmacist before use if the child is taking the blood thinning drug warfarin**When using this product do not use more than directed**

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed (see Overdose warning)**
- **SHAKE WELL BEFORE EACH USE**
- find right dose on chart below
- for accurate dosing, use measuring cup provided. Do not use with any other dosing device.
- give dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

children 6 to under 12 years

10 mL every 4 hours

children 4 to under 6 years

7.5 mL every 4 hours

children under 4 years

do not use

Other information

- store between 20-25°C (68-77°F)
- do not refrigerate

Inactive ingredients

organic agave syrup, organic blueberry flavor, natural flavors, purified water

Questions? 1-855-436-3921

Distributed by: Genexa Inc., Atlanta, GA 30324 |

genexa.com | U.S. Patent No. 11,617,795

Made in the USA with globally sourced ingredients

NDC 69676-0092-3

COMBO PACK

Genexa®

MEDICINE MADE CLEAN**Kids' Multi-Symptom Cold & Flu**

Ages 4+

Acetaminophen - Pain Reliever/Fever Reducer

Dextromethorphan HBr - Cough Suppressant

Fever

Headache

Sore Throat

Cough

Body Aches & Pains

Kids' Nighttime Cold & Flu

Ages 6+

Acetaminophen - Pain Reliever/Fever Reducer

Diphenhydramine HCl - Antihistamine/Cough Suppressant

Fever

Sore Throat

Body Pain

Cough

Runny Nose

Sneezing

Same active ingredients as **leading brands**

0% Artificial Additives

Always free of common allergens, artificial preservatives, flavors, & dyes

TWO - 4 FL OZ (118 mL) BOTTLES

TOTAL - 8 FL OZ (236 mL)

Organic Blueberry Flavor

Genexa
MEDICINE MADE CLEAN

COMBO PACK

Genexa
MEDICINE MADE CLEAN

Kids' Multi-Symptom Cold & Flu (in each 10 mL)
Acetaminophen 320mg, Dextromethorphan Hbr, USP 5 mg, Cough Suppressant

Kids' Nighttime Multi-Symptom Cold & Flu (in each 10 mL)
Acetaminophen 320mg, Diphenhydramine Hcl 12.5mg, Antihistamine/Cough Suppressant

Drug Facts (continued)

When using this product

- do not use more than directed
- if redness or swelling is present
- if rash or headache that lasts
- if these could be signs of a serious condition

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- if redness or swelling is present
- cough comes back or occurs with rash or headache that lasts

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

Directions

- For accurate dosing, use measuring cup provided. Do not use with any other dosing device.**
- children 6 to under 12 years of age: 10 mL in dosing cup provided every 4 hours while symptoms last, do not give more than 5 times in 24 hours
- children under 6 years of age: do not use unless directed by a doctor

Other information

store between 20-25°C (68-77°F)

Inactive ingredients organic agave syrup, organic blueberry flavor, natural flavors, purified water

Questions? 1-855-436-9321

SHAKE WELL BEFORE EACH USE

Keep outer package for complete product information

PARENTS: Tamper evident: do not use if perforated band around the bottle is disturbed or missing.

Drug Facts (continued)

Ask a doctor or pharmacist before use if the child is taking the blood thinning drug warfarin

When using this product do not use more than directed

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- if redness or swelling is present
- cough comes back or occurs with rash or headache that lasts

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

Directions

- For accurate dosing, use measuring cup provided. Do not use with any other dosing device.**
- children 6 to under 12 years: 10 mL every 4 hours
- children 4 to under 6 years: 7.5 mL every 4 hours
- children under 4 years: do not use

Other information

store between 20-25°C (68-77°F)

do not refrigerate

Inactive ingredients organic agave syrup, organic blueberry flavor, natural flavors, purified water

Questions? 1-855-436-9321

Distributed by: Genexa Inc., Atlanta, GA 30324 | genexa.com | U.S. Patent No. 11,677,962

Kids' Multi-Symptom Cold & Flu Ages 4+

Kids' Nighttime Cold & Flu Ages 6+

Acetaminophen - pain reliever/fever reducer
Dextromethorphan Hbr - cough suppressant

Acetaminophen - pain reliever/fever reducer
Diphenhydramine Hcl - Antihistamine/Cough Suppressant

Fever Headache Sore Throat Cough Body Aches & Pains

Fever Sore Throat Body Pain Cough Runny Nose Sneezing

Same active ingredients as leading brands

0% Artificial Additives

Always free of common allergens, artificial preservatives, flavors, & dyes

TWO - 4 FL OZ (118 mL) BOTTLES
TOTAL - 8 FL OZ (236 mL)

Made in the USA with globally sourced ingredients

8 50015 73680 3

DAYTIME AND NIGHTTIME KIDS MULTI-SYMPOTOM COLD AND FLU COMBO PACK

acetaminophen, dextromethorphan hbr, diphenhydramine hcl kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69676-0092
---------------------	----------------	---------------------------	----------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69676-0092-3	2 in 1 KIT	06/25/2024	
1		1 in 1 BOTTLE; Type 0: Not a Combination Product		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
--------	------------------	------------------------

Part 1	1 BOTTLE	118 mL
Part 2	1 BOTTLE	118 mL

Part 1 of 2

KIDS MULTI SYMPTOM COLD AND FLU

acetaminophen, dextromethorphan hbr suspension

Product Information

Item Code (Source)	NDC:69676-0096
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 10 mL
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	320 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
AGAVE TEQUILANA JUICE (UNII: GVG8G02070)	
BLUEBERRY (UNII: 253RUG1X1A)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	brown (Light)	Score	
Shape		Size	
Flavor	BLUEBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		

Part 2 of 2

KIDS NIGHTTIME MULTI SYMPTOM COLD AND FLU

acetaminophen, diphenhydramine hcl suspension

Product Information

Item Code (Source) NDC:69676-0091

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg in 10 mL
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
BLUEBERRY (UNII: 253RUG1X1A)	
WATER (UNII: 059QF0KO0R)	
AGAVE TEQUILANA JUICE (UNII: GVG8G02070)	

Product Characteristics

Color	brown (Light)	Score	
Shape		Size	
Flavor	BLUEBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/25/2024	

Labeler - Genexa Inc. (079751024)

Revised: 12/2025

Genexa Inc.