

DR.ORACLE AIR FIT DEFENSE SOOTHING SUNSCREEN- homosalate, octyl salicylate, titanium dioxide, zinc oxide cream
Oracle Cosmetic Co., Ltd.

Dr.Oracle AIR FIT DEFENSE SOOTHING SUNSCREEN

Active ingredients

Homosalate 7.5 %

Octyl salicylate 4.5 %

Titanium dioxide 2.2 %

Zinc oxide 12.7 %

Purpose

sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (**see *Directions***) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

• on damaged skin or broken skin

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

• rash occurs

Keep out of reach of children

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating

Other information

- protect the product from excessive heat and direct sun
- Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

Water, Cyclopentasiloxane, Coco-Caprylate/Caprates, Dipropylene Glycol, Lauryl PEG-10 Tris(trimethylsiloxy)silylethyl Dimethicone, Glycerin, Niacinamide, Butyloctyl Salicylate, Methyl Methacrylate Crosspolymer, Dist- eardimonium Hectorite, Magnesium Sulfate, Vinyl Dimethicone/Methicone Silsesquioxane Cross- polymer, Dimethicone, 1,2-Hexanediol, Triethoxycaprylylsilane, Stearic Acid, Aluminum Hydroxide, Sorbitan Caprylate, Dimethicone/PEG- 10/15 Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Glyceryl Caprylate, Ethylhexylglycerin, Sodium Citrate, Tocopherol

Dr.Oracle

Dr.Oracle

Dr.Oracle
AIR FIT DEFENSE SOOTHING
SUNSCREEN

Drug Facts

Active ingredients	Purpose
Homosalate 7.5 % Octyl salicylate 4.5 % Titanium dioxide 2.2 % Zinc oxide 12.7 %	} sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged skin or broken skin
When using this product • keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure.
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. - 2 p.m.
• wear long-sleeved shirts, pants, hats, and sunglasses
• children under 6 months of age: Ask a doctor
• reapply at least every 2 hours
• use a water-resistant sunscreen if swimming or sweating

Other information • protect the product from excessive heat and direct sun • Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients Water, Cyclopentasiloxane, Coco-Caprylate/Caprate, Dipropylene Glycol, Lauryl PEG-10 Tri(trimethylsiloxy)Silyl Ether, Dimethicone, Glycerin, Niacinamide, Butyltolyl Salicylate, Methyl Methacrylate Crosspolymer, Distearidimonium Hectorite, Magnesium Sulfate, Vinyl Dimethicone/Methicone Silsesquioxane Cross-polymer, Dimethicone, 1,2-Hexanediol, Triethoxycaprylylsilane, Stearic Acid, Aluminum Hydroxide, Sorbitan Caprylate, Dimethicone/PEG-10/15 Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Glyceryl Caprylate, Ethylhexylglycerin, Sodium Citrate, Tocopherol

**닥터오라클
에어 피트 디펜스 수딩 선크림**

전성분 정제수, 사이클로펜타실록세인, 징크옥사이드, 호모살레이트, 에틸헥실살리실레이트, 코코-카프릴레이트/카프레이트, 디프로필렌글리콜, 라우릴피이자-10트리스(트리메틸실록시)에틸에터, 티타늄디옥사이드, 글리세린, 나이아시나이드, 부틸톨릴살리실레이트, 메틸메타크릴레이트 크로스폴리머, 디에스테아르디모늄헥토라이트, 비닐디메치콘/메치콘실세스퀴오잔 크로스폴리머, 디메치콘, 1,2-헥산디올, 트리에톡시카프릴실란, 스테아릭산, 알루미늄하이드록사이드, 소르비탄카프릴레이트, 다이에틸렌피이자-10/15크로스폴리머, 디메치콘/PEG-10/15 크로스폴리머, 디메치콘/비닐디메치콘 크로스폴리머, 글리세릴 카프릴레이트, 에틸헥실글리세린, 소듐시트레이트, 토크페롤

효능효과 자외선으로부터 피부를 보호한다. (SPF 40+ PA++++) 피부의 미세에 도움을 준다. 피부의 주름개선에 도움을 준다.

용법용량 분품 적당량을 취해 피부에 골고루 펴 바른다.
사용방법 스킨케어 마지막 단계에서 얼굴과 자외선에 노출되기 쉬운 피부에 골고루 펴 발라 준다.

본 제품에 이상이 있을 경우 공정거래위원회 고시 품목별 소비자 분쟁해결 기준에 의해 보상해드립니다. 소비자상담실 : 1544-8976



Dr.Oracle
AIR FIT DEFENSE SOOTHING Sunscreen
Broad Spectrum SPF 40 +
Day-light Protection
Vitamin E Vitalizing
Airy Silky Texture
IT'S THE SOLUTION
50ml / 1.69 fl. oz.

사용할 때의 주의사항 1. 화장품 사용 시 또는 사용 후 직사광선에 의하여 사용부위가 붉은 반점, 부어오름 또는 가려움증 등의 이상 증상이나 부작용이 있는 경우 예는 전문의 등과 상담할 것 2. 상처가 있는 부위 등에는 사용을 자제할 것 3. 보관 및 취급 시 주의사항 1) 어린이의 손이 닿지 않는 곳에 보관할 것 2) 직사광선을 피해서 보관할 것 * 사용 전에 반드시 사용방법 및 사용할 때의 주의사항을 숙지하십시오.

화장품책임판매업자
오라클코스메틱(주)
서울특별시 강남구 선릉로 612, 4층 (삼성동, 한일빌딩)

화장품제조업자
한국콜마(주)
세종특별자치시 진의면 산단길 22-17

제조번호 및 사용기한
별도표기

DIRECTIONS
Apply it evenly as the last step of skincare routine, especially to areas easily exposed to UV rays.

Distributed by
Oracle Cosmetic Co., Ltd.
4F, 612, Seolleung-ro, Gangnam-gu, Seoul, 06097, Republic of Korea

www.droracle.co.kr

MADE IN KOREA



DR.ORACLE AIR FIT DEFENSE SOOTHING SUNSCREEN
homosalate, octyl salicylate, titanium dioxide, zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71883-050
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.35 g in 50 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.25 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.1 g in 50 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	3.75 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SORBITAN MONOCAPRYLATE (UNII: 1VTA8DCP5Q)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H)	
GLYCERIN (UNII: PDC6A3C0OX)	
NIACINAMIDE (UNII: 25X51I8RD4)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71883-050-02	1 in 1 BOX	09/26/2024	
1	NDC:71883-050-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/26/2024	

Labeler - Oracle Cosmetic Co., Ltd. (688258270)

Establishment

Name	Address	ID/FEI	Business Operations
Kolmar Korea Co., Ltd		963271745	manufacture(71883-050)

Revised: 9/2024

Oracle Cosmetic Co., Ltd.