# ASPIRN- aspirin tablet, film coated HF Acquisition Co LLC, DBA HealthFirst

-----

#### **DRUG FACTS**

Active ingredient (in each tablet)

Aspirin (NSAID\*) 325 mg

\*nonsteroidal anti-inflammatory drug

Pain reliever/fever reducer

#### **USES**

Temporarily relieves minor aches and pains associated with

- headache
- minor arthritis pain
- common cold
- menstrual cramps
- muscular aches
- backache
- toothache

Temporarily reduces fever.

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- skin reddening
- facial swelling
- rash
- asthma (wheezing)
- blisters
- shock

If an allergic reaction occurs, stop use and seek medical help right away.

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcohol drinks every day while using this product
- take more or for a longer time than directed
- if you have ever had an allergic reaction to any other pain reliever/ fever reducer
- right before or after heart surgery
- if you are taking prescription drugs for gout, diabetes or arthritis
- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma
- under a doctor's care for any serious condition
- taking any other drug

take with food or milk if stomach upset occurs

- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- you have difficulty swallowing
- if ringing in the ears or loss of hearing occurs
- redness or swelling is present in the painful area
- any new symptoms appear

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

In case of overdose, get medical help or contact a Poison Control Center right away.

do not take more than directed

- the smallest effective dose should be used
- do not take longer than 10 days, unless directed by a doctor (see Warnings)
- drink a full glass of water with each dose

Adults and children: Take 1 or 2 tablets with water every 4 hours as needed. Do not (12 years and older) take more than 12 tablets in 24 hours, or as directed by a doctor.

Children under 12 years: Do not give to children under 12 years of age.

corn starch, croscarmellose sodium, hypromellose, microcrystalline cellulose, mineral oil, titanium dioxide

do not take more than directed

- the smallest effective dose should be used
- do not take longer than 10 days, unless directed by a doctor (see Warnings)
- drink a full glass of water with each dose

Adults and children: Take 1 or 2 tablets with water every 4 hours as needed. Do not (12 years and older) take more than 12 tablets in 24 hours, or as directed by a doctor.

Children under 12 years: Do not give to children under 12 years of age.

1 (2 Pack) 325 NSAID





### **ASPIRN**

aspirin tablet, film coated

Drodi	Inform	STIAN
PIUU		alivii

Product Type HUMAN OTC DRUG Item Code (Source) NDC:51662-1583(NDC:0924-0105)

Route of Administration ORAL

# Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)
ASPIRIN (UNII: R16CO5Y76E) ASPIRIN 325 mg

### **Inactive Ingredients**

<b>5</b>			
Ingredient Name	Strength		
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)			
MINERAL OIL (UNII: T5L8T28FGP)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
STARCH, CORN (UNII: 08232NY3SJ)			

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	10mm	
Flavor		Imprint Code	As pirin;44;157	
Contains				

F	Packaging			
#	# Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51662- 1583-1	2 in 1 PACKET; Type 0: Not a Combination Product	02/24/2015	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	02/24/2015		

# **Labeler -** HF Acquisition Co LLC, DBA HealthFirst (045657305)

# **Registrant -** HF Acquisition Co LLC, DBA HealthFirst (045657305)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
HF Acquisition Co LLC, DBA HealthFirst		045657305	relabel(51662-1583)	

Revised: 9/2024 HF Acquisition Co LLC, DBA HealthFirst