

CITROMA- magesium citrate liquid
Better Living Brands LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Signature Care 667

Active Ingredient

Magnesium citrate 1.745g per fl oz

Purpose

Saline laxative

use

for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

Warnings for this product

Do Not use

if you are on a low salt diet

Ask A Doctor

- kidney disease
- a magnesium or sodium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist

taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be

signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz maximum in 24 hours

children under 2 years of age - ask a doctor

discard unused product within 24 hours of opening bottle

other information

- magnesium content 290 mg per 1 fl oz (30 mL)
- sodium content 48 mg per 1 fl oz (30 mL)
- store at temperatures between 46° and 86° F (8° and 30° C)

Inactive ingredients

citric acid, lemon oil, polyethylene glycol, purified water, sodium bicarbonate, sodium saccharin, sucrose

Adverse Reaction

Distributed by

Better Living Brands LLC

P.O. Box 99 Pleasanton, CA 94566-0009

1-888-723-3929

www.betterlivingbrandsLLC.com

principal display panel

Signature

Care

Quality

Guaranteed

Oral Solution

Magnesium

Citrate

EFFERVESCENT SALINE

LAXATIVE

LEMON FLAVOR

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

10 FL OZ (296 mL)

Signature Care
Quality Guaranteed

Oral Solution
Magnesium Citrate
EFFERVESCENT SALINE LAXATIVE
LEMON FLAVOR

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING
10 FL OZ (296 mL)

Drug Facts

Active ingredient Magnesium citrate 1.745 g per fl oz	Purpose Saline laxative
Use for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours	
Warnings Do not use if you are on a low salt diet	
Ask a doctor before use if you have ■ kidney disease ■ a magnesium or sodium-restricted diet ■ abdominal pain, nausea, or vomiting ■ noticed a sudden change in bowel habits that persists over a period of two weeks ■ already used a laxative for a period longer than 1 week	
Ask a doctor or pharmacist before use if you are taking any other drug. Laxatives may affect how other drugs work.	
Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Directions ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses	
adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor
discard unused product within 24 hours of opening bottle	
Other information ■ magnesium content 290 mg per 1 fl oz (30 mL) ■ sodium content 45 mg per 1 fl oz (30 mL) ■ store at temperatures between 46° and 86° F (8° and 30° C)	
Inactive ingredients citric acid, lemon oil, polyethylene glycol, purified water, sodium bicarbonate, sodium saccharin, sucrose	

DISTRIBUTED BY
BETTER LIVING BRANDS LLC
P.O. BOX 99, PLEASANTON, CA 94566-0099
1-888-723-3929
www.betterlivingbrandsllc.com

RD 15156 S2174 L0001721SD

3 - 21130-7915 - 5

CITROMA

magesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-667
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)			MAGNESIUM CITRATE	1.745 g in 29.6 mL
Inactive Ingredients				
Ingredient Name				Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
LEMON OIL (UNII: I9GRO824LL)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
WATER (UNII: 059QF0K00R)				
SODIUM BICARBONATE (UNII: 8MDF5V39QO)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
SUCROSE (UNII: C151H8M554)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-667-38	296 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/06/2003	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC monograph not final	part334		02/06/2003	

Labeler - Better Living Brands LLC (009137209)

Registrant - Vi-Jon, LLC (790752542)

Establishment

Name	Address	ID/FEI	Business Operations
Vi-Jon, LLC		790752542	manufacture(21130-667)