SIGNATURE CARE MEDICATED PAIN RELIEF PATCH- lidocaine patch Safeway, Inc.

Signature Care Medicated Pain Relief Patch

Active Ingredient

Lidocaine

Purpose

Topical anesthetic

Use

For temporary relief of pain

Warning

For external use

Do not use

■ More than one patch on your body at a time ■On cut, irritated or swollen skin ■On puncture wounds ■Over raw surfaces or blistered areas ■ For more than one week without consulting a doctor ■ If you are allergic to any active or inactive ingredients ■ If pouch is damaged or opened.

When using this product

■Use only as directed Read and follow all directions and warnings on this carton ■Do not allow contact with the eyes ■Do not use at the same time as other topical analgesics ■Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Do not microwave ■Dispose of used patch in manner that always keeps product away from children and pets.

Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor if

■ Condition worsens ■ Redness is present ■ Irritation develops ■ Symptoms persist for more than 7 days or clear up and occur again within a few days ■ You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding

ask a health professional before use.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■Adults and children 12 years of age and over: Clean and dry affected area, free of lotions, ointments and creams. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Do not use more than one patch in a 12 hour period. Maximum 2 patches per day. Discard patch after single use ■Children under 12 years of age: consult a physician.

Other information

Other information Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive ingredients

aluminum glycinate, carboxymethylcellulose sodium, glycerin, iodopropynyl butylcarbamate, kaolin, petrolatum, phenoxyethanol, polyacrylic acid, polysorbate 80, povidone, propylene glycol, sodium polyacrylate, tartaric acid, titanium dioxide, water, 3-(2-ethylhexyloxy)propane-1,2-diol



SIGNATURE CARE MEDICATED PAIN RELIEF PATCH

lidocaine patch

Product Information								
Product Type	HUMAN OTC DRUG	Item Code	e (Source)	NDC:	21130-988			
Route of Administration	TOPICAL							
Active Ingredient/Active Moiety								
Ingred	ient Name		Basis of Streng	gth	Strength			
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) LIDOCAINE					4 g in 100 g			
Inactive Ingredients								
	Ingredient Name				Strength			
GLYCERIN (UNII: PDC6A3C0OX)								
KAOLIN (UNII: 24H4NWX5CO)								
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)								
POVIDONE (UNII: FZ 989GH94E)								

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PETROLATUM (UNII: 4T6H12BN9U)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TARTARIC ACID (UNII: W48881119H)	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	

Packaging

	5 5						
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:21130-988- 05	5 in 1 CARTON	01/01/2025				
1		9 g in 1 PATCH; Type 0: Not a Combination Product					
2	NDC:21130-988- 01	1 in 1 POUCH	01/01/2025				
2		9 g in 1 PATCH; Type 0: Not a Combination Product					
Marketing Information							
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
ОТ	C Monograph Drug	9 M017	01/01/2025				

Labeler - Safeway, Inc. (009137209)

Revised: 2/2025

Safeway, Inc.