

VALUMEDS NASAL DECONGESTANT PHENYLEPHRINE HCL- phenylephrine hydrochloride tablet
Cabinet Health P.B.C.

ValuMeds Nasal Decongestant, Phenylephrine HCl

Drug Facts

Active Ingredient (in each tablet)

Phenylephrine HCl 10 mg

Purpose

Nasal decongestant

Uses

• temporarily relieves sinus congestion and pressure • temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

• heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland

When using this product

do not exceed recommended dose

Stop use and ask a doctor if

• nervousness, dizziness, or sleeplessness occur
• symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 12 years and over	<ul style="list-style-type: none">• take 1 tablet every 4 hours• do not take more than 6 tablets in 24 hours
children under 12 years	ask a doctor

Other information

store between 20°-25°C (68°-77°F)

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate, FD&C red no. 40, hypromellose, indigo carmine lake, magnesium stearate, methacrylic acid polymer, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments?

Call **1-908-242-6108** Mon-Fri 8:00 AM to 5:00PM EST

Package Labeling:

MaxiMeds
 NDC 82725-1111-1
 Non-Drowsy
NASAL DECONGESTANT
 Maximum Strength
 Phenylephrine HCl 10 mg

Relieves
 ✓ Nasal & Sinus Congestion
 ✓ Sinus Pressure

Does Not Contain Pseudoephedrine

300 Tablets

Compare to the active ingredient in Sudafed PE[†] Sinus Congestion[†]

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING
IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE

Drug Facts
Active ingredient (in each tablet) Purpose
 Phenylephrine HCl 10 mg.....Nasal decongestant

Uses ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

[†]This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Sudafed PE[®] Sinus Congestion (Continued on back of the label)

ITEM# 10011-02
 Distributed By:
 Cabinet Health P.B.C
 Brooklyn, NY 11222
 REV 06/25
 Made in India



LOT:
 EXP:
 PEEL HERE

4.75" Width

FRONT

Drug Facts (continued)

Ask a doctor before use if you have
 ■ heart disease ■ high blood pressure
 ■ thyroid disease ■ diabetes
 ■ trouble urinating due to an enlarged prostate gland

When using this product do not exceed recommended dose

Stop use and ask a doctor if
 ■ nervousness, dizziness, or sleeplessness occur
 ■ symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 12 years and over	■ take 1 tablet every 4 hours ■ do not take more than 6 tablets in 24 hours
children under 12 years	ask a doctor

Other information
 store between 20°–25°C (68°–77°F)

Inactive ingredients
 croscarmellose sodium, dibasic calcium phosphate, FD&C red no. 40, hypromellose, indigo carmine lake, magnesium stearate, methacrylic acid polymer, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions?
 Call 1-908-242-6108 Mon-Fri 8:00 AM to 5:00 PM EST

4.75" Width

BACK

Package Labeling:

ValuMedics
Non-Drowsy
NASAL DECONGESTANT PE
Phenylephrine HCl 10 mg
Nasal Decongestant
Maximum Strength
Nasal & Sinus Congestion
Sinus Pressure
Does NOT Contain Pseudoephedrine
100 Tablets
NDC 82725-1111-2

Compare to the active ingredient in Sudafed PE® Sinus Congestion

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.
IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE

Drug Facts				
<table border="1"> <thead> <tr> <th>Active ingredient (in each tablet)</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>PhenylephrineNasal decongestant HCl 10 mg</td> <td></td> </tr> </tbody> </table> <p>Uses</p> <ul style="list-style-type: none"> temporarily relieves sinus congestion and pressure temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies 	Active ingredient (in each tablet)	Purpose	PhenylephrineNasal decongestant HCl 10 mg	
Active ingredient (in each tablet)	Purpose			
PhenylephrineNasal decongestant HCl 10 mg				

(Continued on back of the label)

*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Sudafed PE® Sinus Congestion. Distributed By: Cabinet Health P.B.C Brooklyn, NY 11222 ITEM# 10011-03 ORG 09/25 Made in India

LOT: _____
EXP: _____

50069 92806

Drug Facts (continued)

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product do not exceed recommended dose

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 12 years and over	<ul style="list-style-type: none"> take 1 tablet every 4 hours do not take more than 6 tablets in 24 hours
---------------------------------------	--

4.5" width
BACK1

BACK2

Drug Facts (continued)

children under 12 years	ask a doctor
-------------------------	--------------

Other information

- safety sealed: do not use if imprinted foil under bottle cap is opened or torn
- store between 20°–25°C (68°–77°F)

Inactive ingredients
croscarmellose sodium, dibasic calcium phosphate, FD&C red no. 40, hypromellose, indigo carmine lake, magnesium stearate, methacrylic acid polymer, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions?
Call 1-908-242-6108 Mon-Fri 8:00 AM to 5:00 PM EST

10011-03-DF

VALUMEDS NASAL DECONGESTANT PHENYLEPHRINE HCL

phenylephrine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82725-1111
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	3P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82725-1111-1	300 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2025	
2	NDC:82725-1111-2	100 in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2025	

Labeler - Cabinet Health P.B.C. (117102391)

Revised: 11/2025

Cabinet Health P.B.C.