

**SIDINOX TOENAIL FUNGUS TREATMENT LIQUID- tolnaftate, undecylenic acid liquid**

**Guangzhou Ruijiu Electronic Technology Co., Ltd.**

-----  
**SIDINOX TOENAIL FUNGUS TREATMENT Liquid**

SIDINOX TOENAIL FUNGUS TREATMENT Liquid

TOLNAFTATE 1%

UNDECYLENIC ACID 25%

Anti-fungal

Antifungal treatment for fingernails, toenails, and surrounding skin. Effective against fungal nails, athlete's foot, tinea manuum, and ringworm caused by fungi. Addresses nail fungus, discoloration, thickening, splitting, and crumbling.

Keep away from fire and flames.

Keep out of reach of children.

For external use on nails and the immediately adjacent skin only.

Do not use if you experience any signs of sensitivity or irritation

While using this product: Not for use in the eyes, mouth, or vaginal area.

Stop use and consult a doctor if:

If the area of application shows increased irritation

If there is no improvement within 8 weeks.

If pregnant or breastfeeding.

Keep out of reach of children:

If accidental ingestion occurs, seek medical assistance or contact a Poison Control Center immediately.

Use once daily, preferably before bedtime.

Unscrew the bottle cap and use the brush to apply the medicine directly to the nail. The medication will then penetrate deeply into the nail.

If the nail area is infected, spray the medication onto the affected area.

SHAKE WELL BEFORE USE.

Store at 5°C to 30°C (41°F to 86°F) in a cool dry place. Keep tightly sealed and away from sunlight.

ALCOHOL

DIMETHICONE

C12-15 ALKYL LACTATE

ETHYLHEXYLGLYCERIN

TOCOPHEROL

EDETATE DISODIUM

PHENOXYETHANOL

WATER

**ACTIVE INGREDIENT:**  
Tolnaftate 1% ----- Anti-fungal  
Undecylenic Acid 25% ----- Anti-fungal

**PURPOSE:**  
Antifungal treatment for fingernails, toenails, and surrounding skin. Effective against fungal nails, athlete's foot, tinea manuum, and ringworm caused by fungi. Addresses nail fungus, discoloration, thickening, splitting, and crumbling.

**USES:**  
Antifungal treatment for fingernails, toenails, and surrounding skin. Effective against fungal nails, athlete's foot, tinea manuum, and ringworm caused by fungi. Addresses nail fungus, discoloration, thickening, splitting, and crumbling.

**WARNINGS:**  
Keep away from fire and flames.  
Keep out of reach of children.  
For external use on nails and the immediately adjacent skin only.

**Do not use if you experience any signs of sensitivity or irritation.**

**While using this product:**  
Not for use in the eyes, mouth, or vaginal area.

**Stop use and consult a doctor if:**  
If the area of application shows increased irritation  
If there is no improvement within 8 weeks.  
If pregnant or breastfeeding.

**Keep out of reach of children:**  
If accidental ingestion occurs, seek medical assistance or contact a Poison Control Center immediately.

**Directions:**  
Use once daily, preferably before bedtime.  
Unscrew the bottle cap and use the brush to apply the medicine directly to the nail. The medication will then penetrate deeply into the nail.  
If the nail area is infected, spray the medication onto the affected area.

**Do not use if the seal is broken**

**MAXIMUM STRENGTH**

**INACTIVE INGREDIENT:**  
UNDECYLENIC ACID, ALCOHOL, DIMETHICONE, C12-15 ALKYL LACTATE, ETHYLHEXYLGLYCERIN, TOCOPHEROL, EDTATEDISODIUM, PHENOXYETHANOL, WATER

**Questions?**  
sidinoxservice@126.com

**Manufacturer:**  
Guangzhou Ruiju Electronic Technology Co., Ltd.

**Address:**  
6th Floor, No. 4, Lingshan East Road  
Tianhe District, Guangzhou

MADE IN PRC

**SIDINOX<sup>®</sup>**

**TOENAIL FUNGUS TREATMENT**

✓ For Discolored and Damaged Nails

✓ Proven Potent Nail Formula

✓ Helps Nails Grow Normally Again

**Tolnaftate 1% Undecylenic Acid 25%**





**1 fl oz (30 mL) x2**

**OTHER INFORMATION**

SHAKE WELL BEFORE USE.

Store at 5°C to 30°C (41°F to 86°F) in a cool dry place. Keep tightly closed and away from sunlight.



**Applicator**  
Apply directly to the nail

**Spray**  
Spray onto the surrounding skin

**Two Ways To Use 2-in-1**

MFD: 2024.08.27 EXP: 2027.08.27

SIDINOX TOENAIL FUNGUS TREATMENT LIQUID

tolnaftate, undecylenic acid liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83767-801
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
UNDECYLENIC ACID (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)		UNDECYLENIC ACID	25 g in 100 mL
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)		TOLNAFTATE	1 g in 100 mL
Inactive Ingredients			
Ingredient Name			Strength
ALCOHOL (UNII: 3K9958V90M)			
WATER (UNII: 059QF0KO0R)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)			
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)			
TOCOPHEROL (UNII: R0ZB2556P8)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83767-801-01	2 in 1 PACKAGE	09/06/2024	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	09/06/2024	

**Labeler** - Guangzhou Ruijiu Electronic Technology Co., Ltd. (631973699)

## Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Ruijiu Electronic Technology Co., Ltd.		631973699	manufacture(83767-801)

Revised: 9/2024

Guangzhou Ruijiu Electronic Technology Co., Ltd.