

GENTIAN VIOLET- gentian violet solution
Vitamex USA, Corp

Gentian Violet 1oz

Active Ingredients:

Active Ingredients: Purpose

Gentian Violet 1% First Aid Antiseptic

Uses:

Uses: First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings:

Warnings:

For External Use Only

Do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor, longer than 1 week unless directed by a doctor.

Stop use and ask a doctor

Stop use and ask a doctor: if the the conditions persist or get worse.

If pregnant or breastfeeding

If pregnant or breastfeeding, ask a health professional before use. Keep out of reach children. In case of ingestion, get medical help or contact a Poison Control Center right away.

Directions

Directions

Clean affected area. Apply a small amount of this product on the area 1 to 3 times daily. Supervise children in the use of this product.

Keep out of reach of children

Keep out of reach of children.

Other Information

°Store at controlled room temperature: 15-30°C (59-86F)

Tamper evident Feature: Do not use if cello-band cap is torn, broken or missing. Close tightly after use.

Inactive Ingredients:

Inactive Ingredients: Alcohol, Purified Water

Uses

Uses: First aid to help prevent infection in minor cuts, scrapes, and burns.

Violeta de Genciana

Violeta de Genciana
Gentian Violet
For External use only
Net Cont. 1 Fl. Oz (30ml)

OTC
Quality
Distribution Corp.

GUARANTEED QUALITY
SATISFACTION
MADE IN USA

Drug Facts	
Active Ingredients: Gentian Violet 1%	Purpose First Aid Antiseptic
Uses: First aid to help prevent infection in minor cuts, scrapes and burns.	
Warnings For External Use Only	

Distributed by: OTC & Quality Dist

tribution, Orlando FL 32837

www.otcqualitydistribution.com

For External Use Only.

Do not use: • in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. • longer than 1 week unless directed by a doctor.

Stop use and ask a doctor if the conditions persist or gets worse.

If pregnant or breastfeeding, ask a health professional before use. **Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away.**

Directions

Clean the affected area. Apply a small amount of this product on the area 1 to 3 times daily. Supervise children in the use of this product.

Other information

Store at controlled room temperature: 15–30 °C (59–86 °F).
Tamper Evident Feature: Do not use if cello-band over cap is torn, broken or missing. Close tightly after use.

Inactive ingredients: Alcohol, Purified water.



*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

Questions? OTC & Quality Distribution 1-877-325-7887

Violeta de

Geniana

Gentian Violet

For External use only

Net Cont. 1 Fl. Oz (30mL)

GENTIAN VIOLET

gentian violet solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69469-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GENTIAN VIOLET (UNII: J4Z741D6O5) (GENTIAN VIOLET CATION - UNII:3GVJ31T6YY)	GENTIAN VIOLET	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Product Characteristics

Color	purple	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69469-010-01	30 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	09/03/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	09/03/2024	

Labeler - Vitamex USA, Corp (054256676)