FIRST AID ANTIBIOTIC- bacitracin zinc ointment NINGBO TIANBO FIRST AID PRODUCT CO., LTD.

73288-005

Active Ingredient:

Bacitracin Zinc: 400 Units Neomycin Sulfate: 3.5 mg

Polymyxin B Sulfate: 5000 Units

Purpose: First Aid Antibiotic

Uses:

First aid to help prevent infections in minor cuts, scrapes, and burns

Warnings:

For external use only

Do not use

- in eyes
- over large areas of the bogy
- if you are allergic to any of the ingredients
- longer than one week

unless you are directed by the doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition persists ot gets worse
- a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions:

- Clean the affected area
- Apply a small amount of this product (the amount equal to the surface area of the tip
 of a finger) on the area one to three times daily
- May be covered with a sterile bandage

Other information

Store at room temperature

Inactive Ingredient

Mineral Oil, Petrplatum, Purified Water

Size: 32×65mm

First Aid Antibiotic
Ointment Bacitracin
Zinc, Neomycin Sulfate,
Polymyxin B Sulfate

First aid to help prevent infection in minor cuts, scrapes, and burns

Net Wt. 1/32 oz (0.9 g)

 ϵ

NINGBO TIANBO FIRST AID PRODUCT CO.,LTD Yushan Tou Industrial Area, Dongqiao Town, Haishu, Ningbo, China

MADE IN CHINA

Drug Facts Active ingredients (in each gram) Purpose Bacitracin zinc (bacitracin 400 units) Neomycin sulfate (neomycin 3.5 mg) ..First aid antibiotic Polymyxin B sulfate (polymyxin B 5,000 units) ■ First aid to help prevent infection in minor cuts, scrapes, and burns. Warnings ■ For external use only. Do not use **u** in the eyes **u** over large areas of the body **u** if you are allergic to any of the ingredients **u** longer than 1 week unless directed by a doctor. Ask a doctor before use if you have ■ deep or puncture wounds Stop use and ask a doctor if ■ the condition persists or gets worse a rash or other allergic reaction develops. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions ■ Clean the affected area. ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. ■ May be covered with a sterile bandage. Other information Store at room temperature Inactive ingredients LOT:

Basis of

FIRST AID ANTIBIOTIC

bacitracin zinc ointment

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73288-005	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				

ingredient Name	Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN	0.0035 g in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII: J2VZ 07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients			
Ingredient Name	Strength		
MINERAL OIL (UNII: T5L8T28FGP)			
WATER (UNII: 059QF0KO0R)			
PETROLATUM (UNII: 4T6H12BN9U)			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:73288-005- 01	2 in 1 PACKAGE	10/01/2019		
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M004	10/01/2019		

Labeler - NINGBO TIANBO FIRST AID PRODUCT CO., LTD. (413680615)

Registrant - NINGBO TIANBO FIRST AID PRODUCT CO., LTD. (413680615)

Revised: 11/2024 NINGBO TIANBO FIRST AID PRODUCT CO., LTD.