

**PREFERRED STOOL SOFTENER- docusate sodium capsule, liquid filled
Reese Pharmaceutical Co**

Docusate Sodium 100 mg..... Stool Softener

Drug Facts

Active ingredient (in each softgel)

Docusate Sodium 100 mg

Purpose

Stool softener

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 12 to 72 hours

Warnings

Do not use

- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel movements that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1 to 3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- each softgel contains: sodium 7 mg
- store at room temperature 15° to 30°C (59° to 86°F)

Inactive Ingredients

FD&C RED NO. 40, FD&C YELLOW NO. 6, GELATIN BOVINE, GLYCEROL, POLYETHYLENE GLYCOL, PURIFIED WATER, SORBITOL.

Preferred Stool Softener
Docusate Sodium, 100 mg | Laxative
100 SOFTGELS Actual Size

Compare to the active ingredient in Dulcolax® Liquid Gels*

Drug Facts
Active ingredient (in each softgel) Purpose
Docusate Sodium 100 mg..... Stool Softener

Uses ■ relieves occasional constipation ■ generally produces bowel movement within 12 to 72 hours

Warnings
Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks
Ask a doctor before use if ■ you are presently taking mineral oil

Stop use and ask a doctor if ■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week

If pregnant or breastfeeding, ask a health professional before use.
Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Distributed By: **Reese Pharmaceutical**
10617 Frank Ave., Cleveland, OH 44106
www.reese pharmaceutical.com
info@reese pharmaceutical.com
MADE IN ROMANIA
REV. 5/23 DS0T100R
*This product is not manufactured or distributed by Sanofi-Aventis, owner of the registered trademark Dulcolax®.

PEEL HERE 0 23513 88257 4

PREFERRED STOOL SOFTENER			
docusate sodium capsule, liquid filled			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10956-621
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII: M7P27195AG)	DOCUSATE SODIUM	100 mg	
Inactive Ingredients			
Ingredient Name	Strength		
FD&C RED NO. 40 (UNII: WZB9127XOA)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			

GELATIN (UNII: 2G86QN327L)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	red	Score	no score
Shape	CAPSULE (OVAL)	Size	12mm
Flavor		Imprint Code	SCU1
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10956-621-00	1 in 1 CARTON	05/11/2023	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	05/11/2023	

Labeler - Reese Pharmaceutical Co (004172052)

Registrant - Reese Pharmaceutical Co (004172052)

Revised: 12/2024

Reese Pharmaceutical Co