

**BOWEL SODE- ascaris lumbricoides, borrelia burgdorferi, colibacillinum cum natrum muriaticum, enterobius vermicularis, helicobacter pylori, proteus (vulgaris), trichinella spiralis, enterococcus faecalis, taenia saginata, taenia solium, adenoviren nosode, campylobacter jejuni, clostridium perfringens, dysentery bacillus, giardia lamblia, clostridium difficile, entamoeba histolytica spray**  
**Nutritional Specialties, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**DRUG FACTS**

**ACTIVE INGREDIENTS:**

**(in each spray)** Adenoviren Nosode 12C, Ascaris Lumbricoides 16X, Borrelia Burgdorferi 16X, Campylobacter Jejuni 12C, Clostridium Difficile 32C, Clostridium Perfringens 18C, Colibacillinum Cum Natrum Muriaticum (E Coli) 16X, Dysentery Bacillus 18C, Entamoeba Histolytica 32C, Enterobius Vermicularis 16X, Enterococcus Faecalis 20X, Giardia Lamblia 18C, Helicobacter Pylori 16X, Proteus 16X, Taenia Saginata 8C, Taenia Solium 8C, Trichinella Spiralis 16X

**PURPOSE:**

Adenoviren Nosode - Aids in Temporary Relief of Fatigue, † Ascaris Lumbricoides - Aids in Temporary Relief of Irregular Bowel Habits, Diarrhea, Abdominal Pain, Bloating and Nausea, † Borrelia Burgdorferi - Aids in Temporary Relief of Abdominal Pain and Fatigue, † Campylobacter Jejuni - Aids in Temporary Relief of Diarrhea, Abdominal Pain and Nausea, † Clostridium Difficile - Aids in Temporary Relief of Diarrhea and Abdominal Pain, † Clostridium Perfringens - Aids in Temporary Relief of Diarrhea, Abdominal Pain, Bloating and Nausea, † Colibacillinum Cum Natrum Muriaticum (E Coli) - Aids in Temporary Relief of Diarrhea, Constipation, Abdominal Pain, Bloating and Nausea, † Dysentery Bacillus - Aids in Temporary Relief of Irregular Bowel Habits, Diarrhea, Constipation, Abdominal Pain, Bloating, Nausea and Fatigue, † Entamoeba Histolytica - Aids in Temporary Relief of Diarrhea, Abdominal Pain and Nausea, † Enterobius Vermicularis - Aids in Temporary Relief of Abdominal Pain, Itching of Anus and Fatigue, † Enterococcus Faecalis - Aids in Temporary Relief of Diarrhea, Abdominal Pain, Nausea and Fatigue, † Giardia Lamblia - Aids in Temporary Relief of Diarrhea, Abdominal Pain and Nausea, † Helicobacter Pylori - Aids in Temporary Relief of Abdominal Pain, Bloating, Nausea and Fatigue, † Proteus - Aids in Temporary Relief of Diarrhea, Constipation, Abdominal Pain, Itching of the Anus and Fatigue, † Taenia Saginata - Aids in Temporary Relief of Diarrhea, Constipation, Abdominal Pain, Nausea and Fatigue, † Taenia Solium - Aids in Temporary Relief of Diarrhea, Constipation, Abdominal Pain and Nausea, † Trichinella Spiralis - Aids in Temporary Relief of Diarrhea, Constipation, Abdominal Pain, Nausea and Fatigue †

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**USES:**

Aids in temporary relief of symptoms including •irregular bowel habits, •diarrhea, • constipation, • abdominal pain, •bloating, •nausea, •itching of the anus and •fatigue.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**WARNINGS:**

**If pregnant or breast-feeding**, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If condition worsens, seek medical attention.

**KEEP OUT OF REACH OF CHILDREN**

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening

**KEEP OUT OF REACH OF CHILDREN:**

In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

- Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage.
- Do not take within 15 minutes of consuming food, beverage or brushing teeth.
- Consult a physician for use in children under 12 years of age.

**INACTIVE INGREDIENTS:**

Alcohol USP 20%, Purified Water USP.

**QUESTIONS:**

**MANUFACTURED EXCLUSIVELY FOR**

**NUTRITIONAL SPECIALTIES, INC.**

**PO BOX 97227**

**PITTSBURG, PA 15229**

**[www.phpltd.com](http://www.phpltd.com)**

**1-800-245-1313**

**PACKAGE LABEL DISPLAY:**

**Professional**

**Health Products**

**HOMEOPATHIC**

**NDC 83027-0147-1**

**BOWEL-SODE**

**2 FL. OZ (60 ml)**



HOMEOPATHIC

NDC 83027-0147-1

# BOWEL-SODE

N5 (reorder code)

2 FL. OZ. (60 ml) 20% Alcohol

Do not use if tamper evident seal is broken or missing.

## Drug Facts

### Active ingredients (in each teaspoon) Purposes

Adenoviren Nosode 12c... Aids in Temporary Relief of Fatigue†  
 Ascaris Lumbricoides 16x.....Aids in Temporary Relief of Irregular Bowel Habits, Diarrhea, Abdominal Pain, Bloating and Nausea†  
 Borrelia Burgdorferi 16x.....Aids in Temporary Relief of Abdominal Pain and Fatigue†  
 Campylobacter Jejuni 12c.....Aids in Temporary Relief of Diarrhea, Abdominal Pain and Nausea†  
 Clostridium Difficile 32c.....Aids in Temporary Relief of Diarrhea and Abdominal Pain†

Drug Facts (continued under label)



MANUFACTURED EXCLUSIVELY FOR NUTRITIONAL SPECIALTIES, INC. PO BOX 9727 PITTSBURGH, PA 15229 www.phpltd.com rev. 1.2 6 49818 01405 4

UNVARNISHED AREA

PEEL HERE

## Drug Facts (continued)

Clostridium Perfringens 18c..... Aids in Temporary Relief of Diarrhea, Abdominal Pain, Bloating and Nausea†  
 Colibacillinum Cum Natrum Muriaticum (E Coli) 16x...Aids in Temporary Relief of Diarrhea, Constipation, Abdominal Pain, Bloating and Nausea†  
 Dysentery Bacillus 18c..... Aids in Temporary Relief of Irregular Bowel Habits, Diarrhea, Constipation, Abdominal Pain, Bloating, Nausea and Fatigue†  
 Entamoeba Histolytica 32c..... Aids in Temporary Relief of Diarrhea, Abdominal Pain and Nausea†  
 Enterobius Vermicularis 16x..... Aids in Temporary Relief of Abdominal Pain, Itching of Anus and Fatigue†  
 Enterococcus Faecalis 20x..... Aids in Temporary Relief of Diarrhea, Abdominal Pain, Nausea and Fatigue†

## Drug Facts (continued)

Giardia Lamblia 18c..... Aids in Temporary Relief of Diarrhea, Abdominal Pain and Nausea†  
 Helicobacter Pylori 16x..... Aids in Temporary Relief of Abdominal Pain, Bloating, Nausea and Fatigue†  
 Proteus 16x..... Aids in Temporary Relief of Diarrhea, Constipation, Abdominal Pain, Itching of the Anus and Fatigue.†  
 Taenia Saginata 8c..... Aids in Temporary Relief of Diarrhea, Constipation, Abdominal Pain, Nausea and Fatigue†  
 Taenia Solium 8c..... Aids in Temporary Relief of Diarrhea, Constipation, Abdominal Pain and Nausea†  
 Trichinella Spiralis 16x..... Aids in Temporary Relief of Diarrhea, Constipation, Abdominal Pain, Nausea and Fatigue†

TIEDOWN AREA

TIEDOWN AREA

## Drug Facts (continued)

### Uses

Aids in temporary relief of symptoms including irregular bowel habits, \*diarrhea, \*constipation, \*abdominal pain, \*bloating, \*nausea, \*itching of the anus and \*fatigue.†

### Warnings

If pregnant or breast-feeding, ask a health professional before use.  
 In case of overdose, get medical help or contact a Poison Control Center right away. If condition worsens, seek medical attention.  
**KEEP OUT OF REACH OF CHILDREN.**

### Directions

• Adults: 2 to 3 sprays orally, three times daily.

## Drug Facts (continued)

Children under twelve one half adult dosage.  
 • Do not take within 15 minutes of consuming food, beverage or brushing teeth.  
 • Consult a physician for use in children under 12 years of age.

### Other information

Store in a cool place after opening.

### Inactive ingredients

Alcohol USP 20%, Purified Water USP.

### Questions? 1-800-245-1313

† Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

# BOWEL SODE

ascaris lumbricoides, borrelia burgdorferi, colibacillinum cum natrum muriaticum, enterobius vermicularis, helicobacter pylori, proteus (vulgaris), trichinella spiralis, enterococcus faecalis, taenia saginata, taenia solium, adenoviren nosode, campylobacter jejuni, clostridium perfringens, dysentery bacillus, giardia lamblia, clostridium difficile, entamoeba histolytica spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83027-0147
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ASCARIS LUMBRICOIDES</b> (UNII: 5694HE17ZQ) (ASCARIS LUMBRICOIDES - UNII:5694HE17ZQ)	ASCARIS LUMBRICOIDES	16 [hp_X] in 1 mL
<b>BORRELIA BURGENDORFERI</b> (UNII: 0J8NV9V5Q8) (BORRELIA BURGENDORFERI - UNII:0J8NV9V5Q8)	BORRELIA BURGENDORFERI	16 [hp_X] in 1 mL
<b>ESCHERICHIA COLI</b> (UNII: 514B9K0L10) (ESCHERICHIA COLI - UNII:514B9K0L10)	ESCHERICHIA COLI	16 [hp_X] in 1 mL
<b>ENTEROBIUS VERMICULARIS</b> (UNII: W1D68QW48M) (ENTEROBIUS VERMICULARIS - UNII:W1D68QW48M)	ENTEROBIUS VERMICULARIS	16 [hp_X] in 1 mL
<b>HELICOBACTER PYLORI</b> (UNII: U09W5JOL3Z) (HELICOBACTER PYLORI - UNII:U09W5JOL3Z)	HELICOBACTER PYLORI	16 [hp_X] in 1 mL
<b>PROTEUS VULGARIS</b> (UNII: 11T9HCO300) (PROTEUS VULGARIS - UNII:11T9HCO300)	PROTEUS VULGARIS	16 [hp_X] in 1 mL
<b>TRICHINELLA SPIRALIS</b> (UNII: 2PYI6D7HCQ) (TRICHINELLA SPIRALIS - UNII:2PYI6D7HCQ)	TRICHINELLA SPIRALIS	16 [hp_X] in 1 mL
<b>ENTEROCOCCUS FAECALIS</b> (UNII: 15E04LZ9CT) (ENTEROCOCCUS FAECALIS - UNII:15E04LZ9CT)	ENTEROCOCCUS FAECALIS	20 [hp_X] in 1 mL
<b>TAENIA SAGINATA</b> (UNII: O27XH54AIC) (TAENIA SAGINATA - UNII:O27XH54AIC)	TAENIA SAGINATA	8 [hp_C] in 1 mL
<b>TAENIA SOLIUM</b> (UNII: 80CZ5Z3WH3) (TAENIA SOLIUM - UNII:80CZ5Z3WH3)	TAENIA SOLIUM	8 [hp_C] in 1 mL
<b>HUMAN ADENOVIRUS E SEROTYPE 4 STRAIN CL-68578 ANTIGEN</b> (UNII: FKD3DUK39I) (HUMAN ADENOVIRUS E SEROTYPE 4 STRAIN CL-68578 - UNII:FKD3DUK39I)	HUMAN ADENOVIRUS E SEROTYPE 4 STRAIN CL-68578 ANTIGEN	12 [hp_C] in 1 mL
<b>CAMPYLOBACTER JEJUNI</b> (UNII: 5U38E02853) (CAMPYLOBACTER JEJUNI - UNII:5U38E02853)	CAMPYLOBACTER JEJUNI	12 [hp_C] in 1 mL
<b>CLOSTRIDIUM PERFRINGENS</b> (UNII: OVP6XX033E) (CLOSTRIDIUM PERFRINGENS - UNII:OVP6XX033E)	CLOSTRIDIUM PERFRINGENS	18 [hp_C] in 1 mL
<b>SHIGELLA DYSENTERIAE</b> (UNII: 1EP6R5562J) (SHIGELLA DYSENTERIAE - UNII:1EP6R5562J)	SHIGELLA DYSENTERIAE	18 [hp_C] in 1 mL
<b>GIARDIA LAMBLIA</b> (UNII: 89IEJ09R73) (GIARDIA LAMBLIA - UNII:89IEJ09R73)	GIARDIA LAMBLIA	18 [hp_C] in 1 mL
<b>CLOSTRIDIODES DIFFICILE</b> (UNII: PJX89V9R6N) (CLOSTRIDIODES DIFFICILE - UNII:PJX89V9R6N)	CLOSTRIDIODES DIFFICILE	32 [hp_C] in 1 mL
<b>ENTAMOEBIA HISTOLYTICA</b> (UNII: 2XC2HJ478W) (ENTAMOEBIA HISTOLYTICA - UNII:2XC2HJ478W)	ENTAMOEBIA HISTOLYTICA	32 [hp_C] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

**WATER** (UNII: 059QF0KO0R)

**ALCOHOL** (UNII: 3K9958V90M)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83027-0147-1	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	11/12/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		11/12/2024	

**Labeler** - Nutritional Specialties, Inc. (032744609)

Revised: 11/2024

Nutritional Specialties, Inc.