

**PAIN RELIEVER PM- acetaminophen, diphenhydramine hydrochloride tablet
Walmart Inc.**

Walmart Acetaminophen 500 mg and Diphenhydramine HCl 25 mg Tablets

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

Purpose

Pain reliever

Nighttime sleep aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions**Do not take more than directed.**

See overdose warning

adults and children 12 years and over

- take 2 caplets at bedtime
- do not take more than 2 caplets of this product in 24 hours

children under 12 years: do not use

Other information

- store between 20-25°C (68-77°F)

Inactive ingredients

carnauba wax, colloidal silicon dioxide, FD&C blue#1 aluminum lake, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, sodium starch glycolate**, stearic acid, talc, titanium dioxide

**may contain this ingredient

Questions or comments?

Call **1-888-287-1915**

<p>Drug Facts (continued)</p> <p>or any of its ingredients</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ liver disease ■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland or glaucoma <p>Ask a doctor or pharmacist before use if you are</p> <ul style="list-style-type: none"> ■ taking the blood thinning drug warfarin ■ taking sedatives or tranquilizers <p>When using this product</p> <ul style="list-style-type: none"> ■ drowsiness will occur ■ avoid alcoholic drinks ■ do not drive a motor vehicle or operate machinery <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ sleepiness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness. ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children.</p> <p>Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p>Directions</p> <p>Do not take more than directed. See overdose warning</p> <table border="1"> <tr> <td>adults and children 12 years and over</td> <td> <ul style="list-style-type: none"> ■ take 2 caplets at bedtime ■ do not take more than 2 caplets of this product in 24 hours </td> </tr> <tr> <td>children under 12 years</td> <td>do not use</td> </tr> </table> <p>Other information</p> <ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F) <p>Inactive ingredients</p> <p>carnauba wax, colloidal silicon dioxide, FD&C blue #1, aluminum lake, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, sodium starch glycolate **, stearic acid, talc, titanium dioxide</p> <p>** may contain this ingredient</p> <p>Questions or comments?</p> <p>Call 1-888-287-1915</p>		adults and children 12 years and over	<ul style="list-style-type: none"> ■ take 2 caplets at bedtime ■ do not take more than 2 caplets of this product in 24 hours 	children under 12 years	do not use
adults and children 12 years and over	<ul style="list-style-type: none"> ■ take 2 caplets at bedtime ■ do not take more than 2 caplets of this product in 24 hours 				
children under 12 years	do not use				

equate™

EXTRA STRENGTH

Pain Reliever PM

Acetaminophen 500 mg
Diphenhydramine HCl 25 mg

Pain Reliever/
Nighttime Sleep-Aid

Actual Size

Non-Habit Forming
(*Capsule-Shaped Tablets)

100 CAPLETS*

NDC 79903-298-10

Compare to Extra Strength Tylenol® PM active ingredients!

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredients (in each caplet)

Pain reliever: Acetaminophen
Nighttime sleep aid: Diphenhydramine HCl 25 mg

Uses temporary relief of pain, headaches and minor aches and pains with accompanying sleepiness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- rash
- hives
- blisters

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other product containing acetaminophen
- if you are taking any other prescription or over-the-counter drug (including pain relievers) whether a drug contains acetaminophen, ask a doctor or pharmacist
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product

Drug Facts (continued under label)

Satisfaction guaranteed - For questions or comments please call 1-888-287-1915

DISTRIBUTED BY: Wal-Mart, Bentonville, AR 72716

*This product is not manufactured or distributed by Johnson & Johnson, Johnson & Johnson, Inc., owner of the registered trademark Extra Strength Tylenol® PM.

430R 1024 80335

how2recycle.info

PLASTIC BOTTLE

LOT:
EXP:
1 94346 37710 7

PAIN RELIEVER PM

acetaminophen, diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-298
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z65AP)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	

Product Characteristics

Color	blue	Score	no score
Shape	CAPSULE (Capsule shaped tablet)	Size	18mm
Flavor		Imprint Code	TCL430
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-298-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/15/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/15/2025	

Labeler - Walmart Inc. (051957769)

Registrant - TIME CAP LABORATORIES INC (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES INC		037052099	manufacture(79903-298)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		677604129	manufacture(79903-298)

Revised: 7/2025

Walmart Inc.