ONELAX FIBER THERAPY ORIGINAL COARSE- psyllium husk powder Akron Pharma Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

OneLAX Fiber Therapy 100% Natural Psyllium Husk Multihealth Dairy Fiber Supplement

Drug Facts

Active ingredient: (in each teaspoon)

Psyllium husk approximately 3.4 g

Purpose

Bulk-forming Laxative

Uses:

- for relief of occasional constipation (irregularity)
- generally produces bowel movement in 12-72 hours

Warnings:

Choking

Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Allergy alert:

This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

Ask a doctor before use if you have

- a sudden change in bowel habits persisting for 2 weeks
- abdominal pain, nausea or vomiting

Stop use and ask a doctor if

- constipation lasts more than 7 days
- rectal bleeding occurs

These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions:

Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

	1 rounded teaspoon in 8 ounces of liquid at the first sign of irregularity. Can be taken up to 3 times daily.
Children 6 - 11 yrs:	$\frac{1}{2}$ adult dose in 8 ounces of liquid, up to 3 times daily
Children under 6 yrs:	Consult a doctor

Bulk forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine. As your body adjusts to increased fiber intake, you may experience changes in bowel habits or minor bloating.

New Users

Start with 1 serving per day; gradually increased to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information

- each teaspoon contains: potassium 35 mg; sodium 5 mg
- store at room temperature. Keep the container tightly closed to protect from humidity
- contains a 100% natural, therapeutic fiber

Inactive ingredients

citric acid, colloidal silicon dioxide, FD&C Yellow No.6, sucrose, orange flavor, sodium benzoate, sucralose.

Questions or comments ?

Call toll-free 1-877-225-6999.

Supplement Facts

Sunnlement Facts

Serving Size Servings Per Container	2 rounded Αboι		1 rounded Tbsp(12g) About 30	
Amount per Serving		%DV*		%DV*
Calories	90		45	
Total Carbohydrate	23 g	8%*	12 g	4%*
Dietary Fiber	6 g	21%*	3 g	11%*
Soluble Fiber	5 g	†	2 g	†
Total sugars	0 g	†	0 g	†
Iron	1.4 mg	8%	0.7 mg	4%
Sodium	10 mg	<1%	5 mg	<1%
Potassium	70 mg	1%	35 mg	1%

†Daily Value (DV) not established.

INGREDIENTS: citric acid, colloidal silicon dioxide, FD&C Yellow No.6, maltodextrin, orange flavor, psyllium husk, sodium benzoate, sucrolose.

Notice: Put 1 dose of product into an empty glass. Mix this product with at least 8 ounces (a full glass) of liquid. Stir briskly and drink promptly. Taking without enough liquid may cause choking. Do not take if you have difficulty swallowing.

Allergy alert: This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium. Contact your doctor BEFORE USING this dietary supplement if you have recently experienced a sudden change in bowel habits persisting for 2 weeks, abdominal pain, nausea or vomiting. STOP USING this dietary supplement and ask a doctor if constipation lasts more than 7 days or rectal bleeding occurs. These may be signs of a serious condition.

New Users: Start with 1 serving per day, gradually increase to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

When used as a daily fiber supplement:

Fiber Supplement Information


Uses & Directions: For feeling less hungry between meals**

Adults & children 12 yrs, and over: Two rounded tablespoons in 8 or more ounces of liquid with meals, up to 3 times daily.

For lowering cholesterol to promote heart health[†] Adults & children 12 vrs and over: One rounded tablespoon in 8 ounces of liquid 3 times daily [†]Diets low in saturated fat and cholesterol that include 7grams of soluble fiber per day from psyllium husk, as in this product, may reduce the risk of heart disease by lowering cholesterol. One serving of this product has 2.4 grams of this soluble fiber. Consult a doctor if you are considering use of this product as a part of a cholesterol-lowering program.

For maintaining healthy blood sugar levels as part of your diet** Adults & children 12 yrs, and over: One rounded tablespoon in 8 ounces of liquid, 3 times daily. Consult your doctor before use if you are currently using medication to control your blood sugar levels.

For promoting and maintaining digestive health** Adults & children 12 yrs, and over: One rounded tablespoon in 8 ounces of liquid up to 3 times daily for fiber supplementation. For occasional constipation and to help promote and maintain regularity. For children under 12 yrs: consult a doctor.



ONELAX FIBER THERAPY ORIGINAL COARSE

psyllium husk powder

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:71399-6585	
Route of Administration	ORAL				
Active Ingredient/Active	Moiety				
Ingre		Basis of S	trength	Strength	
PSYLLIUM HUSK (UNII: 0SH05340	7G) (PSYLLIUM HUSK - UNI	I:0SH053407G)	PSYLLIUM HUS	SK	3.4 g in 7 g

In	active Ingre	edients					
		Strength					
Cľ	TRIC ACID MON	IOHYDRATE (U	NII: 2968PHW8QP)				
SI	LICON DIOXIDE						
FC	O&C YELLOW N						
Su	Icrose (UNII: C15	51H8M554)					
	DDIUM BENZOA	-					
รเ	JCRALOSE (UNII:	96K6UQ3ZD4)					
Product Characteristics							
Color				Score			
Shape				Size			
Flavor			ORANGE	Imprint Code			
Contains							
Pa	ackaging						
#	ltem Code	Ρ	Package Description		Marketing Start Date	Marketing End Date	
1	NDC:71399- 6585-3	368 g in 1 BOT Combination P	TLE, PLASTIC; Type 0: Not roduct	а	01/01/2023		
Μ	larketing	Informat	tion				
	Marketing Category	Applica	ation Number or Mono Citation	ograph	Marketing Start Date	Marketing End Date	
OT fin	C monograph no al	part334			01/01/2023		

Labeler - Akron Pharma Inc. (067878881)

Revised: 3/2023

112

Akron Pharma Inc.