

SEBOBALANCE PURIFYING SEBO-ABSORBING MASK - salicylic acid paste
Laboratoire Dr. Renaud

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

ACTIVE INGREDIENT

Salicylic Acid 1% w/w.

INACTIVE INGREDIENTS

WATER/EAU • HECTORITE • BUTYLENE GLYCOL • SORBITOL • KAOLIN • MAGNESIUM ALUMINIUM SILICATE • ZINC OXIDE • PEG-40 HYDROGENATED CASTOR OIL • LACTIC ACID • XANTHAN GUM • ALMOND (PRUNUS AMYGDALUS DULCIS) OIL • ROSEMARY (ROSMARINUS OFFICINALIS) OIL • SAGE (SALVIA OFFICINALIS) OIL SPANISH • LAVANDIN (LAVANDULA LATIFOLIA) OIL • COLEUS FORSKOHLII OIL • GALANGAL (KAEMPFERIA GALANGA) EXTRACT • CHAMOMILE (ANTHEMIS NOBILIS) OIL • PEG-60 ALMOND GLYCERIDES • CAPRYLYL GLYCOL • CITRUS AURANTIUM DULCIS (ORANGE) PEEL OIL • NORDIHYDROGUAIARETIC ACID • OLEANOLIC ACID • ALLANTOIN • GLYCERIN • PHENOXYETHANOL • ETHYLHEXYLGLYCERIN • CARBOMER •

For the treatment of acne and allows skin to heal.

DIRECTIONS

Once or twice a week, after a thorough cleansing of the skin, apply evenly and sparingly to the face and the neck. Pause for 20 minutes. Rinse liberally first with lukewarm water, then with cold.

WARNINGS

For external use only.
Using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor. Avoid direct contact with the eyes. If product gets into the eyes, rinse liberally with water. Discontinue use if skin irritation develops or increases. If irritation persists, consult a doctor.

image of carton 60g label



Masque
sébo-absorbant
purifiant
SeboBalance
Purifying
Sebo-absorbing
Mask

60 g / NET WT. 2 OZ.



Laboratoire
Dr Renaud

INGRÉDIENT MÉDICINAL :
Acide salicylique à 1% p/p.

ACTIVE INGREDIENT:
Salicylic Acid 1% w/w.

**INGRÉDIENTS INACTIFS /
INACTIVE INGREDIENTS:**

WATER/EAU •
HECTORITE •
BUTYLENE GLYCOL •
SORBITOL •
KAOLIN •
MAGNESIUM ALUMINIUM SILICATE •
ZINC OXIDE •
PEG-40 HYDROGENATED CASTOR OIL •
LACTIC ACID •
XANTHAN GUM •
ALMOND (PRUNUS AMYGDALUS DULCIS) OIL •
ROSEMARY (ROSMARINUS OFFICINALIS) OIL •
SAGE (SALVIA OFFICINALIS) OIL SPANISH •
LAVANDIN (LAVANDULA LATIFOLIA) OIL •
COLEUS FORSKOHLII OIL •
GALANGAL (KAEMPFERIA GALANGA) EXTRACT •
CHAMOMILE (ANTHEMIS NOBILIS) OIL •
PEG-60 ALMOND GLYCERIDES •
CAPRYLYL GLYCOL •
CITRUS AURANTIUM DULCIS (ORANGE) PEEL OIL •
NORDIHYDROGUAIARETIC ACID •
OLEANOLIC ACID •
ALLANTOIN •
GLYCERIN •
PHENOXYETHANOL •
ETHYLHEXYLGLYCERIN •
CARBOMER •

**Aide à traiter
les boutons d'acné et facilite
la guérison de la peau.**

MODE D'EMPLOI : Une ou deux fois par semaine, après un nettoyage minutieux de la peau, appliquer uniformément et généreusement sur le visage et le cou. Laisser agir environ 20 minutes. Rincer abondamment avec de l'eau tiède, puis froide.



MISES EN GARDE : Pour usage externe seulement. L'emploi topique d'autres produits anti-acné utilisés simultanément ou appliqués immédiatement après l'usage de ce produit peut augmenter le dessèchement ou l'irritation de la peau. Dans ce cas, un seul produit devrait être employé, sauf indication contraire d'un praticien de soins de santé. Éviter tout contact avec les yeux; le cas échéant, rincer abondamment avec de l'eau. Cesser l'emploi si une irritation excessive de la peau apparaît ou si l'irritation s'aggrave. Si l'irritation persiste, consulter un praticien de soins de santé.

**For the treatment of acne
and allows skin to heal.**

DIRECTIONS: Once or twice a week, after a thorough cleansing of the skin, apply evenly and sparingly to the face and the neck. Pause for 20 minutes. Rinse liberally first with lukewarm water, then with cold.

WARNINGS: For external use only. Using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor. Avoid direct contact with the eyes. If product gets into the eyes, rinse liberally with water. Discontinue use if skin irritation develops or increases. If irritation persists, consult a doctor.

image of tube 200g label



Masque sébo-absorbant purifiant **SeboBalance**
Purifying Sebo-absorbing Mask

INGRÉDIENT MÉDICINAL : Acide salicylique à 1% p/p.

ACTIVE INGREDIENT : Salicylic Acid 1% w/w.

INGRÉDIENTS INACTIFS/INACTIVE INGREDIENTS:

WATER/EAU • HECTORITE • BUTYLENE GLYCOL •
SORBITOL • KAOLIN • MAGNESIUM ALUMINIUM
SILICATE • ZINC OXIDE • PEG-40 HYDROGENATED
CASTOR OIL • LACTIC ACID • XANTHAN GUM •
ALMOND (PRUNUS AMYGDALUS DULCIS) OIL •
ROSEMARY (ROSMARINUS OFFICINALIS) OIL • SAGE
(SALVIA OFFICINALIS) OIL SPANISH • LAVANDIN
(LAVANDULA LATIFOLIA) OIL • COLEUS FORSKOHLII
OIL • GALANGAL (KAEMPFERIA GALANGA) EXTRACT •
CHAMOMILE (ANTHEMIS NOBILIS) OIL • PEG-60
ALMOND GLYCERIDES • CAPRYLYL GLYCOL •
CITRUS AURANTIUM DULCIS (ORANGE) PEEL OIL •
NORDIHYDROGUAIARETIC ACID • OLEANOLIC ACID •
ALLANTOIN • GLYCERIN • PHENOXYETHANOL •
ETHYLHEXYLGLYCERIN • CARBOMER •

LABORATOIRE DR RENAUD INC.
Laval (Québec) Canada H7V 0A3
ldrenaud.com Made in Canada
U.S. Dist.: RENAUD SKIN CARE LABORATORIES
Plattsburgh, N.Y. 12901



Masque
sébo-absorbant
purifiant
SeboBalance
Purifying
Sebo-absorbing
Mask

60 g / Net Wt. 2 OZ.



Aide à traiter les boutons d'acné et facilite la guérison de la peau.

MODE D'EMPLOI : Une ou deux fois par semaine, après un nettoyage minutieux de la peau, appliquer uniformément et généreusement sur le visage et le cou. Laisser agir environ 20 minutes. Rincer abondamment avec de l'eau tiède, puis froide. **MISES EN GARDE :** Pour usage externe seulement. L'emploi topique d'autres produits anti-acné utilisés simultanément ou appliqués immédiatement après l'usage de ce produit peut augmenter le dessèchement ou l'irritation de la peau. Dans ce cas, un seul produit devrait être employé, sauf indication contraire d'un praticien de soins de santé. Éviter tout contact avec les yeux; le cas échéant, rincer abondamment avec de l'eau. Cesser l'emploi si une irritation excessive de la peau apparaît ou si l'irritation s'aggrave. Si l'irritation persiste, consulter un praticien de soins de santé.

Helps clear acne blemishes and allows skin to heal.

DIRECTIONS: Once or twice a week, after a thorough cleansing of the skin, apply evenly and sparingly to the face and the neck. Pause for 20 minutes. Rinse liberally first with lukewarm water, then with cold. **WARNINGS:** For external use only. Using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor. Avoid direct contact with the eyes. If product gets into the eyes, rinse liberally with water. Discontinue use if skin irritation develops or increases. If irritation persists, consult a doctor.

LABORATOIRE DR RENAUD INC.
Laval (Québec) Canada H7V 0A3
ldrenaud.com Made in Canada
U.S. Dist.: RENAUD SKIN CARE LABORATORIES
Plattsburgh, N.Y. 12901

INGRÉDIENT MÉDICINAL : Acide salicylique 3,1 % p/p. **INGRÉDIENTS INACTIFS/INACTIVE INGREDIENTS:** WATER/EAU • HECTORITE • BUTYLENE GLYCOL • SORBITOL • MAGNESIUM ALUMINUM SILICATE • ZINC OXIDE • PEG-40 HYDROGENATED CASTOR OIL • LACTIC ACID • XANTHAN GUM • ALMOND (PRUNUS AMYGDALUS DULCIS) OIL • ROSEMARY (ROSMARINUS OFFICINALIS) OIL • SAGE (SALVIA OFFICINALIS) OIL SPANISH • LAVANDIN (LAVANDULA LATIFOLIA) OIL • COLEUS FORSKÖHLII OIL • GALANGAL (KAEMFERIA GALANGA) EXTRACT • CHAMOMILE (ANTHEMIS NOBILIS) OIL • PEG-60ALMOND GLYCERIDES • CAPRYLYL GLYCOL • CITRUS AURANTIUM DULCIS (ORANGE) PEELOIL • NORDIHYDROQUAJECTIC ACID • OLEANOIC ACID • ALLANTOIN • GLYCERIN • PHENOXETHANOL • ETHYLHEXYLGLYCERIN • CARBOMER •

10535-tu-01_SBMask_60ml.indd 1

10-10-06 11:04

Enter section text here

Keep out of reach of children.

SEBOBALANCE PURIFYING SEBO-ABSORBING MASK

salicylic acid paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62499-535
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
HECTORITE (UNII: 08X4KI73EZ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SORBITOL (UNII: 506T60A25R)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)	
LACTIC ACID (UNII: 33X04XA5AT)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ALMOND OIL (UNII: 66YXD4DKO9)	
ROSEMARY OIL (UNII: 8LGU7VM393)	
SAGE OIL (UNII: U27K0H1H2O)	
LAVANDIN OIL (UNII: 9RES347CKG)	
GALANGAL OIL (UNII: K0951TAR6Z)	
CHAMOMILE FLOWER OIL (UNII: 60F80Z61A9)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ORANGE OIL (UNII: AKN3KSD11B)	
ALLANTOIN (UNII: 344S277G0Z)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CARBOMER 934 (UNII: Z135WT9208)	
MASOPROCOL (UNII: 7BO8G1BYQU)	
OLEANOLIC ACID (UNII: 6SMK8R7TGJ)	

Product Characteristics

Color	blue (dark bleu)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62499-535-11	1 in 1 CARTON		
1	NDC:62499-535-08	60 g in 1 TUBE		
2	NDC:62499-535-09	200 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358H	06/29/2010	

