# EL MATA CALLOS- salicylic acid solution Vitamex USA, Corp

-----

### El Mata Callos 0.5oz

## **Drug Facts**

**Drug Facts** 

Active Ingredients: Purpose:

Salicylic Acid 17% Wart Remover

#### Uses

Uses: For the removal of common wart. The common wart is easily recognized by the rough "cauliflower like" appearance of the surface.

## Warnings

Warnings:

For External Use Only. If product gets into eyes, flush with water for 15 minutes. Avoid inhailing vapors.

#### Do not use

Do not use: on irritated skin, on any area that is infected or reddened, if you are a diabeticm or if you have poor blood circulation, on moles, birth marks, warts with hair growing from them, genital warts or muccous membranes.

## If pregnant or breastfeeding

If pregnant or breastfeeding, ask a health professional before use.

## Keep out of reach of children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison control center right away.

#### **Directions**

Directions:

Wash the affected area. May soak wart in warm water for 5 minutes. Dry area throughly. Gently smooth wart surface. Apply a small amount of this product to sufficiently cover each wart. Let dry. Repeat this procedure once or twice dialy as needed (until wart is removed) for up to 12 weeks. Supervise children in the use of this

product,

### **Directions**

#### Directions:

Wash the affected area. May soak wart in warm water for 5 minutes. Dry area throughly. Gently smooth wart surface. Apply a small amount of this product to sufficiently cover each wart. Let dry. Repeat this procedure once or twice dialy as needed (until wart is removed) for up to 12 weeks. Supervise children in the use of this product,

#### Other information

Other information

Store at controlled room temperature: 15-30°C (59-86°F).

Tamper Evident Feature

## **Inactive Ingredients**

Inactive Ingredients: Flexible Collodion, Isopropyl Alcohol

## **Dosage**

#### Directions:

Wash the affected area. May soak wart in warm water for 5 minutes. Dry area throughly. Gently smooth wart surface. Apply a small amount of this product to sufficiently cover each wart. Let dry. Repeat this procedure once or twice dialy as needed (until wart is removed) for up to 12 weeks. Supervise children in the use of this product,

## **El Mata Callos**





## **Drug Facts**

**Uses:** For the removal of common wart. The common wart is easily recognized by the rough 'cauliflower like' appearance of the surface.

## Warnings

For External Use Only. If product gets into eyes, flush with water for 15 minutes. Avoid inhaling vapors.

**Do not use:** •on irritated skin, on any area that is infected or reddened, if you are a diabetic, or if you have poor blood circulation • on moles, birth marks, warts with hair growing from them, genital warts or mucous membranes.

Stop use and ask a doctor if the condition persists or gets worse.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

## **Directions**

Wash the affected area. May soak wart in warm water for 5 minutes. Dry area thoroughly. Gently smooth wart surface Apply a small amount of this product to sufficiently cover each wart. Let dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks. Supervise children in the use of this product.

## Other information

Store at controlled room temperature: 15 – 30 °C (59-86 °F). Tamper Evident Feature: Do not use if cello-band over cap is torn, broken or missing.

Inactive ingredients: Flexible collodion, isopropyl alcohol.



<sup>\*</sup> These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

Mata Callos Verrugas Y Mezquinos

Wart Remover

Net Contents: 0.5 Fl. Oz. (15mL)

## **EL MATA CALLOS**

salicylic acid solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69469-017
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 mL	

Inactive Ingredients			
Ingredient Name	Strength		
CASTOR OIL (UNII: D5340Y2I9G)			
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)			
ISOPROPYL ALCOHOL (UNII: ND2M416302)			
ALCOHOL (UNII: 3K9958V90M)			

Product Characteristics			
Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:69469- 017-05	15 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	09/09/2024	

Marketing In	arketing Information		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	09/05/2024	

## Labeler - Vitamex USA, Corp (054256676)

Revised: 6/2025 Vitamex USA, Corp