

5% MINOXIDIL FOAM- minoxidil aerosol, foam
Guangzhou Ruijiu Electronic Technology Co., Ltd.

5% Minoxidil Foam

5% Minoxidil Foam

Minoxidil 2%

Biotin 0.5%

Hair regrowth treatment

Use to regrow hair on the top of the scalp

For external use only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

your degree of hair loss is different than that shown on side of this carton because this product may not work for you.

You have no family history of hair loss.

Your hair loss is sudden and/or patchy.

You do not know the reason for your hair loss.

Your hair loss is associated with childbirth.

You are under 18 years of age. Do not use on babies and children.

You use other medicines on the scalp.

Your scalp is red, inflamed, infected, irritated, or painful.

Do not use more than directed.

Do not apply on other parts of the body.

Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

For some women, you may need to use this product once a day for at least 6 months before you see results.

The amount of hair regrowth is different for each person. This product will not work for all women.

if chest pain, rapid heartbeat, faintness, or dizziness occurs.

if sudden, unexplained weight gain occurs.

if your hands or feet swell.

if scalp irritation or redness occurs.

if unwanted facial hair growth occurs .

if you do not see hair regrowth in 6 months.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222) right away.

See enclosed leaflet for complete directions on how to use.

Apply half a capful twice daily directly to the scalp in the hair loss area.

Massage into scalp with fingers, then wash hands well.

Using more or more often will not improve results.

Continued use is necessary to increase and keep your hair regrowth or hair loss will begin again.

Before use,read all information on carton and enclosed leafletStore at contralled room temperature 20° to 25°C (68° to 77°F)Do not incinerate container, Do not expose to heat or store attemperature abowe 120°F(49°C).

ALCOHOL
GLYCERIN
CETYL ALCOHOL
STEARYL ALCOHOL
POLYSORBATE 80
ANHYDROUS CITRIC ACID
LACTIC ACID
CASTOR OIL
.ALPHA.-TOCOPHEROL
EDETATE DISODIUM
WATER

Drug Facts

Active Ingredient
Minoxidil 2% w/w
Biotin 0.5% w/w

Purpose
Hair regrowth treatment

Use to regrow hair on the top of the scalp

Warnings
For external use only.
Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you.
- you have no family history of hair loss.
- your hair loss is sudden and/or patchy.
- you do not know the reason for your hair loss.
- your hair loss is associated with childbirth.
- you are under 18 years of age. Do not use on babies and children.
- you use other medicines on the scalp.
- your scalp is red, inflamed, infected, irritated, or painful.

When Using

- Do not use more than directed.
- Do not apply on other parts of the body.
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- For some women, you may need to use this product once a day for at least 6 months before you see results.
- The amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if

- if chest pain, rapid heartbeat, faintness, or dizziness occurs.
- if sudden, unexplained weight gain occurs.
- if your hands or feet swell.
- if scalp irritation or redness occurs.
- if unwanted facial hair growth occurs.
- if you do not see hair regrowth in 6 months.

May be harmful if used when pregnant or breast-feeding.
Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222) right away.

Directions for use

- See enclosed leaflet for complete directions on how to use.
- Apply half a capful twice daily directly to the scalp in the hair loss area.
- Massage into scalp with fingers, then wash hands well.
- Using more or more often will not improve results.
- Continued use is necessary to increase and keep your hair regrowth or hair loss will begin again.

Other Information

- Before use, read all information on carton and enclosed leaflet.
- Store at controlled room temperature 20° to 25°C (68° to 77°F).
- Do not incinerate container. Do not expose to heat or store at temperature above 120°F (49°C).

Inactive Ingredients
ALCOHOL, GLYCERIN, CETYL ALCOHOL, STEARYL ALCOHOL, POLYSORBATE 80, ANHYDROUS CITRIC ACID, LACTIC ACID, CASTOR OIL, .ALPHA.-TOCOPHEROL, EDETATE DISODIUM, WATER

Questions?
support@pdmhealth.com

PDAM[®]

2% Minoxidil Foam For Hair Regrowth

To regrow hair on the top of the scalp. The 2% Minoxidil Foam is a hair regrowth treatment. The active ingredient works by increasing blood flow to the scalp and reactivating hair follicles, leading to thicker, fuller hair over time.

Easy-to-Use Use Twice Daily Foam for woman

Unscented

This package Contains

Two 60g(2.11 oz)Cans
Two months supply

Sold by: SOLARSPACE INC
Address:110 16TH St Ste 1400,
Denver CO, US
Manufacturer:Guangzhou Ruiju Electronic Technology Co., Ltd

Email: support@pdmhealth.com

PDAM[®]

2% Minoxidil Foam For Women

HAIR REGROWTH TREATMENT

Reactivates Hair Follicles to Stimulate Regrowth
Clinically Proven to Regrow Hair
Fast & Non-Irritating
Non-Greasy

#1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT

Easy-to-Use Use Twice Daily Foam for woman

Unscented

TWO Months Supply
TWO 60g(2.11 OZ)CANS

See information booklet with complete directions on how to use and obtain best results.

1. Wash hands with cold water.
2. Open the cap and shake the can.
3. Dispense vertically onto a cool surface.
4. Apply to scalp, not hair.
5. Close the cap and wash hands.

PDAM[®] Foam is for women who have a general thinning of hair on the top of the scalp (as shown below). PDAM[®] Foam has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.

If women have more hair loss than shown above PDAM[®] Foam may not work.

MFD: 2024.09.10 EXP: 2026.09.10

PDAM[®]

2% Minoxidil Foam For Women

HAIR REGROWTH TREATMENT

Reactivates Hair Follicles to Stimulate Regrowth
Clinically Proven to Regrow Hair

• Easy-to-Use
• Use Twice Daily
• Foam for woman

Unscented

One Month Supply
One 60g(2.11 oz)Can

Read and keep carton, It contains important information.

Active Ingredient
Minoxidil 2% w/w
Biotin 0.5% w/w

Use to regrow hair on the top of the scalp

Warnings
For external use only.
Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

When Using

- Do not use more than directed.
- Do not apply on other parts of the body.
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- For some women, you may need to use this product twice a day for at least 6 months before you see results.
- The amount of hair regrowth is different for each person. This product will not work for all women.

Stop Use And Ask A Doctor

- if chest pain, rapid heartbeat, faintness, or dizziness occurs.
- if sudden, unexplained weight gain occurs.
- if your hands or feet swell.
- if scalp irritation or redness occurs.
- if unwanted facial hair growth occurs.
- if you do not see hair regrowth in 6 months.

May be harmful if used when pregnant or breast-feeding.
Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Other Information

- Before use, read all information on carton and enclosed leaflet.
- Store at controlled room temperature 20° to 25°C (68° to 77°F).
- Do not incinerate container. Do not expose to heat or store at temperature above 120°F (49°C).

Inactive Ingredients
ALCOHOL, GLYCERIN, CETYL ALCOHOL, STEARYL ALCOHOL, POLYSORBATE 80, ANHYDROUS CITRIC ACID, LACTIC ACID, CASTOR OIL, .ALPHA.-TOCOPHEROL, EDETATE DISODIUM, WATER

Sold by: SOLARSPACE INC
Address:110 16TH St Ste 1400, Denver CO, US
Manufacturer:Guangzhou Ruiju Electronic Technology Co., Ltd
Email: support@pdmhealth.com

Directions

1. Wash hands with cold water:
Rinse your fingers in cold water and ensure their dryness. It is to be noted that the foam will instantly melt upon contact with warm surfaces.

2. Open the container:
Elevate the cap upwards to open it.

3. Dispense vertically onto a cold surface:
Completely invert the can, press the nozzle, and dispense half a capful of foam onto a cold surface (such as a dish or cold hands).

4. Apply to scalp, not hair:
Part your hair to expose the area of hair loss. Gently massage the foam into the scalp (rather than the hair). Repeat this process until all areas of hair loss have been covered.

5. Close the cap and wash hands:
Snap the cap back into place, and then thoroughly wash hands and the surface.

5% MINOXIDIL FOAM

minoxidil aerosol, foam

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83767-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	0.5 g in 100 g
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	2 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength

CASTOR OIL (UNII: D5340Y2I9G)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
WATER (UNII: 059QF0KO0R)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
LACTIC ACID (UNII: 33X04XA5AT)	
GLYCERIN (UNII: PDC6A3C0OX)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83767-002-01	2 in 1 PACKAGE	09/12/2024	
1		60 g in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:83767-002-02	3 in 1 PACKAGE	09/12/2024	
2		60 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	09/12/2024	

Labeler - Guangzhou Ruijiu Electronic Technology Co., Ltd. (631973699)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Ruijiu Electronic Technology Co., Ltd.		631973699	manufacture(83767-002)