

BLOOMEFFECTS TULIPSCREEN HYDRATING LIP OIL- zinc oxide lotion
Bloomeffects

Bloomeffects Tulipscreen Hydrating Lip Oil

Bloomeffects Tulipscreen Hydrating Lip Oil

Directions

- Apply liberally 15 minutes before sun exposure
- REAPPLY: at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months of age: ask a doctor.

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including: ▶

Drug Facts (continued)

- limit your time in the sun, especially from 10a.m. – 2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Inactive Ingredients:

Squalane, Isohexadecane,
Limnanthes Alba (Meadowfoam)
Seed Oil, Caprylic/Capric
Triglyceride, Butyloctyl Salicylate,
C12-15 Alkyl Benzoate, Ethylene/
Propylene/Styrene Copolymer,
Calcium Sodium Borosilicate,
Methylpropanediol, Iron Oxides,
Silica, Polyglyceryl-4
Diisostearate/Polyhydroxystearate
/Sebacate, Tulipa Gesneriana/
Kaurmanniana Meristem Cell
Lysate Filtrate Extract,
Butylene/Ethylene/Styrene
Copolymer, Caprylyl Glycol,
Bisabolol, Synthetic
Fluorphlogopite, Lecithin, Mica,
Aluminum Hydroxide, Red 40,
Water, Titanium Dioxide,
Phenylpropanol, Pentaerythryl
Tetra-di-t-butyl
Hydroxyhydrocinnamate, Tin
Oxide, Glycerin, Hydrogenated
Lecithin, Sodium Sulfate, Sodium
Chloride, Sodium Lactate, Sodium
Gluconate, Leuconostoc/Radish
Root Ferment Filtrate, Phenethyl
Alcohol, Sodium Hyaluronate,
Potassium Sorbate, Citric Acid,
Fragrance, Sodium Hydroxide.

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Bloomeffects Tulipscreen Hydrating Lip Oil

Drug Facts	
<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 12%.....	Sunscreen

Bloomeffects Tulipscreen Hydrating Lip Oil

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use & ask a doctor** if skin rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Bloomeffects Tulipscreen Hydrating Lip Oil

Drug Facts	
<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 12%.....	Sunscreen

Bloomeffects Tulipscreen Hydrating Lip Oil

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use & ask a doctor** if skin rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Bloomeffects Tulipscreen Hydrating Lip Oil

<p>Drug Facts</p> <p>Active Ingredient Purpose Zinc Oxide 12%.....Sunscreen</p>	<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> ■ limit your time in the sun, especially from 10a.m. – 2p.m. ■ wear long-sleeved shirts, pants, hats, & sunglasses
<p>Uses</p> <ul style="list-style-type: none"> ■ Helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer & early skin aging caused by the sun. 	<p>Other information</p> <ul style="list-style-type: none"> ■ Protect the product in this container from excessive heat and direct sun.
<p>Warnings</p> <ul style="list-style-type: none"> ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use & ask a doctor if skin rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. 	<p>Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Ethylene/Propylene/Styrene Copolymer, Calcium Sodium Borosilicate, Methylpropanediol, Iron Oxides, Silica, Polyglyceryl-4 Diisostearate/Polyhydroxystearate /Sebacate, Tulipa Gesneriana/ Kaurmanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Bisabolol, Synthetic Fluorophlogopite, Lecithin, Mica, Aluminum Hydroxide, Red 40, Water, Titanium Dioxide, Phenylpropanol, Pentaerythryl Tetra-di-t-butyl Hydroxyhydrocinnamate, Tin Oxide, Glycerin, Hydrogenated Lecithin, Sodium Sulfate, Sodium Chloride, Sodium Lactate, Sodium Gluconate, Leuconostoc/Radish Root Ferment Filtrate, Phenethyl Alcohol, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Fragrance, Sodium Hydroxide.</p>
<p>Directions</p> <ul style="list-style-type: none"> ■ Apply liberally 15 minutes before sun exposure ■ REAPPLY: at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Children under 6 months of age: ask a doctor. ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including: ▶ 	

BLOOMEFFECTS TULIPSCREEN HYDRATING LIP OIL

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82548-2341
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CALCIUM SODIUM BOROSILICATE (UNII: 4MM76N4WMY)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
SQUALANE (UNII: GW89575KF9)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PROPANEDIOL (UNII: 5965N8W85T)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LIMNANTHES ALBA WHOLE (UNII: DKY81513ER)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM SULFATE (UNII: 0YPR65R21J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Product Characteristics

Color	pink	Score	
--------------	------	--------------	--

Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82548-2341-2	1 in 1 CARTON	07/08/2024	
1	NDC:82548-2341-1	7 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/08/2024	

Labeler - Bloomeffects (096991853)

Revised: 10/2025

Bloomeffects