BLOOMEFFECTS TULIPSCREEN	HYDRATING L	.IP OIL-	zinc	oxide	lotion
Bloomeffects					

Bloomeffects Tulipscreen Hydrating Lip Oil

- Directions
 Apply liberally 15 minutes before sun exposure
 REAPPLY: at least every 2 hours Use a water-resistant sunscreen if swimming or sweating Children under 6 months of age: ask a doctor.
 Sun Protection Measures.
 Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection higher & other sun protection measures including:

Drug Facts (continued)

- limit your time in the sun,
- especially from 10a.m.-2p.m.
 wear long-sleeved shirts,
 pants, hats, & sunglasses

Inactive Ingredients:
Squalane, Isohexadecane,
Limnanthes Alba (Meadowfoam)
Seed Oil, Caprylic/Capric
Triglyceride, Butyloctyl Salicylate,
C12-15 Alkyl Benzoate, Ethylene/ Propylene/Styrene Copolymer, Calcium Sodium Borosilicate, Methylpropanediol, Iron Oxides, Silica, Polyglyceryl-4
Diisostearate/Polyhydroxystearate
/Sebacate, Tulipa Gesneriana/
Kaurmanniana Meristem Cell Lysate Filtrate Extract,
Butylene/Ethylene/Styrene
Copolymer, Caprylyl Glycol,
Bisabolol, Synthetic
Fluorphlogopite, Lecithin, Mica,
Aluminum Hydroxide, Red 40,
Motor, Theylon Disided Water, Titanium Dioxide, Phenylpropanol, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Tin Oxide, Glycerin, Hydrogenated Lecithin, Sodium Sulfate, Sodium Chloride, Sodium Lactate, Sodium Gluconate, Leuconostoc/Radish Root Ferment Filtrate, Phenethyl Alcohol, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Fragrance, Sodium Hydroxide.

Uses
■ Helps prevent sunburn if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer & early skin aging caused by the sun.



- Warnings
 For external use only.
 Do not use on damaged or broken skin.
 When using this product keep out of eyes. Rinse with water to remove.
 Stop use & ask a doctor
- water to remove.

 Stop use & ask a doctor
 if skin rash occurs.

 Keep out of reach of children.
 If swallowed, get medical help
 or contact a Poison Control
 Center right away.



- Warnings
 For external use only.
 Do not use on damaged or broken skin.
 When using this product keep out of eyes. Rinse with water to remove.
 Stop use & ask a doctor if skin rash occurs.
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts

Active Ingredient Purpose Zinc Oxide 12%......Sunscreen

Uses

■Helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer & early skin aging caused by the sun.

- Warnings
 For external use only.
 Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- ■Apply liberally 15 minutes before sun exposure
- REAPPLY: at least every 2 hours ■Use a water-resistant sunscreen if swimming or sweating ■Children under 6
- months of age: ask a doctor.

 Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.
 To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

Drug Facts (continued)

- limit your time in the sun, especially from 10a.m. - 2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients:

Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Ethylene/ Propylene/Styrene Copolymer, Calcium Sodium Borosilicate, Methylpropanediol, Iron Oxides, Silica, Polyglyceryl-4 Diisostearate/Polyhydroxystearate /Sebacate, Tulipa Gesneriana/ Kaurmanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Bisabolol, Synthetic Fluorphlogopite, Lecithin, Mica, Aluminum Hydroxide, Red 40, Water, Titanium Dioxide, Phenylpropanol, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Tin Oxide, Glycerin, Hydrogenated Lecithin, Sodium Sulfate, Sodium Chloride, Sodium Lactate, Sodium Gluconate, Leuconostoc/Radish Root Ferment Filtrate, Phenethyl Alcohol, Sodium Hyaluronate, Potassium Sorbate, Citric Acid,

Fragrance, Sodium Hydroxide.

BLOOMEFFECTS TULIPSCREEN HYDRATING LIP OIL

zinc oxide lotion

D	I	1	:
Proc	шст	Inform	ation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:82548-2341

Route of Administration TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

Inactive Ingredients	
Ingredient Name Str	ength
CALCIUM SODIUM BOROSILICATE (UNII: 4MM76N4WMY)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
SQUALANE (UNII: GW89575KF9)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PROPANEDIOL (UNII: 5965N8W85T)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LIMNANTHES ALBA WHOLE (UNII: DKY81513ER)	
.ALPHABISABOLOL, (+)- (UNII: 105S6I733Z)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM SULFATE (UNII: 0YPR65R21J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Product Characteristics

pink	Score	
-------------	-------	--

Shape	Size
Flavor	Imprint Code
Contains	

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:82548- 2341-2	1 in 1 CARTON	07/08/2024		
1	NDC:82548- 2341-1	7 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing In	formation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/08/2024	

Labeler - Bloomeffects (096991853)

Registrant - Nanophase Technologies Corporation (623502044)

Establishment			
Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		050383046	api manufacture(82548-2341)

Establishment			
Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		118812921	manufacture(82548-2341) , pack(82548-2341)

Establishment			
Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		623502044	api manufacture(82548-2341) , manufacture(82548-2341)

Revised: 9/2024 Bloomeffects