

**NEKVNRO CLOTRIMAZOLE- clotrimazole1%,  
miconazole1%clotrimazole ointment  
Jiangxi Hemei Pharmaceutical Co., Ltd**

-----

**84010-030**

**Active Ingredient**

Clotrimazole 1%  
Miconazole 1%

**Purpose**

Antifungal

**Use**

- cures most athlete's foot between the toes. Effectiveness on the bottom or sides of foot is unknown.
- cures most jock itch and ringworm
- relieves itching, burning, cracking, and scaling which accompany these conditions

**Warnings**

For external use only

**Do not use**

- on nails or scalp
- in or near the mouth or the eyes
- for vaginal yeast infections

**When Using**

do not get into the eyes. If eye contact occurs, rinse thoroughly with water

**Stop Use**

too much irritation occurs or irritation gets worse

**Ask Doctor**

Stop use and ask a doctor if too much irritation occurs or irritation gets worse

## **Keep Out Of Reach Of Children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

·adults and children 12 years and older:

- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- for athlete's foot between the toes:apply to affected skin between and around the toes twice a day for 1 week(morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
- for jock itch and ringworm: apply once a day to affected skin for 2 weeks or as directed by a doctor
- wash hands after each use
- children under 12 years: ask a doctor

## **Other information**

- do not use if seal on tube is broken or not visible
- store between 20°to 25°C(68° to 77°F)

## **Inactive ingredients**

Camphor (SYNTHETIC ),Gentiana, Glycerin,Methylparaben,Peppermint,Propylene Glycol, Silicone Oil,Triethanolamine,etc.

## **PRINCIPAL DISPLAY PANEL**





**Nekvno**

**Clotrimazole Cream** INSTRUCTIONS

**Drug Facts**  
**ACTIVE INGREDIENT** Clotrimazole 1%  
**PURPOSE** Antifungal  
**Clotrimazole 1%**  
**USES** Clotrimazole cream is used to treat the skin. Effectiveness on the bottom or sides of feet is greatest. Clotrimazole cream also treats and prevents athlete's foot, itching, burning, cracking, and scaling which accompany these conditions.  
**WARNINGS** For external use only. Do not use on cuts or sores. Do not use the product on the eyes. Do not use on genital areas.  
**When using this product** Do not get into the eyes. If eye contact occurs, rinse thoroughly with water. Stop use and ask a doctor if the rash or infection does not improve or if irritation gets worse.  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.  
**DIRECTIONS** Adults and children 12 years and older: Wash the top of the foot to clean the heel and edges of the toes. Soak the affected skin with soap and water and dry completely before applying. To achieve a foot between the toes, apply to affected skin between and around the toes twice a day for 1 week. For hand and foot, apply to affected skin for 4 weeks, or as directed by a doctor. Wear well fitting, ventilated shoes. Change shoes and socks at least once daily. For foot, hand and foot, apply once a day to affected skin for 2 weeks or as directed by a doctor. Wash hands after each use. Children under 12 years, ask a doctor.  
**OTHER INFORMATION** Do not use if seal on tube is broken or not visible. Store between 20° to 25°C (68° to 77°F).  
**INACTIVE INGREDIENTS** Cetylalcol (SFTX167C), Benzalkonium Chloride, Methylparaben, Propylparaben, Propylene Glycol, Stearic Acid, Triethylamine, etc. Shelf life: 24 months.

**Clotrimazole Cream** NET WT 50g (1.8 oz)  
**+ ANTI-FUNGAL** **Nekvno**

**PRESCRIPTION STRENGTH**  
 MANUFACTURED BY J. Janssen Pharmaceutica NV, Turnhout, Belgium  
 Janssen Pharmaceutica Inc., Kenilworth, NJ  
 Janssen Pharmaceutica Inc., Kenilworth, NJ

**Drug Facts**  
**ACTIVE INGREDIENT** Clotrimazole 1%  
**PURPOSE** Antifungal  
**Clotrimazole 1%**  
**USES** Clotrimazole cream is used to treat the skin. Effectiveness on the bottom or sides of feet is greatest. Clotrimazole cream also treats and prevents athlete's foot, itching, burning, cracking, and scaling which accompany these conditions.  
**WARNINGS** For external use only. Do not use on cuts or sores. Do not use the product on the eyes. Do not use on genital areas.  
**When using this product** Do not get into the eyes. If eye contact occurs, rinse thoroughly with water. Stop use and ask a doctor if the rash or infection does not improve or if irritation gets worse.  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.  
**DIRECTIONS** Adults and children 12 years and older: Wash the top of the foot to clean the heel and edges of the toes. Soak the affected skin with soap and water and dry completely before applying. To achieve a foot between the toes, apply to affected skin between and around the toes twice a day for 1 week. For hand and foot, apply to affected skin for 4 weeks, or as directed by a doctor. Wear well fitting, ventilated shoes. Change shoes and socks at least once daily. For foot, hand and foot, apply once a day to affected skin for 2 weeks or as directed by a doctor. Wash hands after each use. Children under 12 years, ask a doctor.  
**OTHER INFORMATION** Do not use if seal on tube is broken or not visible. Store between 20° to 25°C (68° to 77°F).  
**INACTIVE INGREDIENTS** Cetylalcol (SFTX167C), Benzalkonium Chloride, Methylparaben, Propylparaben, Propylene Glycol, Stearic Acid, Triethylamine, etc. Shelf life: 24 months.

**Nekvno**

**Clotrimazole Cream** INSTRUCTIONS

**Drug Facts**  
**ACTIVE INGREDIENT** Clotrimazole 1%  
**PURPOSE** Antifungal  
**Clotrimazole 1%**  
**USES** Clotrimazole cream is used to treat the skin. Effectiveness on the bottom or sides of feet is greatest. Clotrimazole cream also treats and prevents athlete's foot, itching, burning, cracking, and scaling which accompany these conditions.  
**WARNINGS** For external use only. Do not use on cuts or sores. Do not use the product on the eyes. Do not use on genital areas.  
**When using this product** Do not get into the eyes. If eye contact occurs, rinse thoroughly with water. Stop use and ask a doctor if the rash or infection does not improve or if irritation gets worse.  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.  
**DIRECTIONS** Adults and children 12 years and older: Wash the top of the foot to clean the heel and edges of the toes. Soak the affected skin with soap and water and dry completely before applying. To achieve a foot between the toes, apply to affected skin between and around the toes twice a day for 1 week. For hand and foot, apply to affected skin for 4 weeks, or as directed by a doctor. Wear well fitting, ventilated shoes. Change shoes and socks at least once daily. For foot, hand and foot, apply once a day to affected skin for 2 weeks or as directed by a doctor. Wash hands after each use. Children under 12 years, ask a doctor.  
**OTHER INFORMATION** Do not use if seal on tube is broken or not visible. Store between 20° to 25°C (68° to 77°F).  
**INACTIVE INGREDIENTS** Cetylalcol (SFTX167C), Benzalkonium Chloride, Methylparaben, Propylparaben, Propylene Glycol, Stearic Acid, Triethylamine, etc. Shelf life: 24 months.

**Clotrimazole Cream** NET WT 50g (1.8 oz)  
**+ ANTI-FUNGAL** **Nekvno**

**PRESCRIPTION STRENGTH**  
 MANUFACTURED BY J. Janssen Pharmaceutica NV, Turnhout, Belgium  
 Janssen Pharmaceutica Inc., Kenilworth, NJ  
 Janssen Pharmaceutica Inc., Kenilworth, NJ

**Drug Facts**  
**ACTIVE INGREDIENT** Clotrimazole 1%  
**PURPOSE** Antifungal  
**Clotrimazole 1%**  
**USES** Clotrimazole cream is used to treat the skin. Effectiveness on the bottom or sides of feet is greatest. Clotrimazole cream also treats and prevents athlete's foot, itching, burning, cracking, and scaling which accompany these conditions.  
**WARNINGS** For external use only. Do not use on cuts or sores. Do not use the product on the eyes. Do not use on genital areas.  
**When using this product** Do not get into the eyes. If eye contact occurs, rinse thoroughly with water. Stop use and ask a doctor if the rash or infection does not improve or if irritation gets worse.  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.  
**DIRECTIONS** Adults and children 12 years and older: Wash the top of the foot to clean the heel and edges of the toes. Soak the affected skin with soap and water and dry completely before applying. To achieve a foot between the toes, apply to affected skin between and around the toes twice a day for 1 week. For hand and foot, apply to affected skin for 4 weeks, or as directed by a doctor. Wear well fitting, ventilated shoes. Change shoes and socks at least once daily. For foot, hand and foot, apply once a day to affected skin for 2 weeks or as directed by a doctor. Wash hands after each use. Children under 12 years, ask a doctor.  
**OTHER INFORMATION** Do not use if seal on tube is broken or not visible. Store between 20° to 25°C (68° to 77°F).  
**INACTIVE INGREDIENTS** Cetylalcol (SFTX167C), Benzalkonium Chloride, Methylparaben, Propylparaben, Propylene Glycol, Stearic Acid, Triethylamine, etc. Shelf life: 24 months.

**Clotrimazole Cream** NET WT 50g (1.8 oz)  
**+ ANTI-FUNGAL** **Nekvno**

**Clotrimazole Cream** NET WT 50g (1.8 oz)  
**+ ANTI-FUNGAL** **Nekvno**

# NEKVNO CLOTRIMAZOLE

clotrimazole 1%, miconazole 1% clotrimazole ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84010-030
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MICONAZOLE</b> (UNII: 7NNO0D7S5M) (MICONAZOLE - UNII: 7NNO0D7S5M)	MICONAZOLE	1 g in 100 g

<b>CLOTRIMAZOLE</b> (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)		CLOTRIMAZOLE	1 g in 100 g	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
METHYLPARABEN (UNII: A2I8C7HI9T)				
PEPPERMINT (UNII: V95R5KMY2B)				
TROLAMINE (UNII: 9O3K93S3TK)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
GENTIANA MANSHURICA ROOT (UNII: C1F2NZ8U3L)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)				
GLYCERIN (UNII: PDC6A3C0OX)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-030-01	20 g in 1 TUBE; Type 0: Not a Combination Product	09/13/2024	
2	NDC:84010-030-02	30 g in 1 TUBE; Type 0: Not a Combination Product	09/13/2024	
3	NDC:84010-030-03	42.5 g in 1 TUBE; Type 0: Not a Combination Product	09/13/2024	
4	NDC:84010-030-04	50 g in 1 TUBE; Type 0: Not a Combination Product	09/13/2024	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M005	09/13/2024		

**Labeler** - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

### Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-030)

Revised: 9/2024

Jiangxi Hemei Pharmaceutical Co., Ltd