

**CIELE BRONZE AND PROTECT- zinc oxide lotion**  
**Ciele LLC**

-----

**Ciele Bronze and Protect**

**Ciele Bronze and Protect**

**Directions**  
• Shake well • apply liberally 15 minutes before sun exposure  
• Reapply • use a water-resistant sunscreen if swimming or sweating • at least every 2 hours • Children under 6 months of age: Ask a doctor • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit your time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive Ingredients**

Water, C12-15 Alkyl Benzoate, **Zinc Oxide**, Butyloctyl Salicylate, Lauryl PEG-8 Dimethicone, Isododecane, Propanediol, Iron Oxides CI77491, Synthetic Fluorphlogopite, Dimethicone, Niacinamide, Polymethylsilsesquioxane, Isohexadecane, Trilaureth-4 Phosphate, Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Mica, Caprylyl Methicone, Octyldodecyl Neopentanoate, Lauryl PEG-10 Tri(trimethylsilyloxy)silyethyl Dimethicone, Iron Oxides CI77492, Sodium Chloride, Phenoxethanol, Bisabolol, Disteardimonium Hectorite, Iron Oxides CI77499, Caprylyl Glycol, Allantoin, Titanium Dioxide, Ethylhexylglycerin, Hexylene Glycol, Propylene Carbonate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, PEG-10, Tetrasodium Glutamate Diacetate, Hydrogenated Lecithin, Tin Oxide, Sodium Hydroxide.

**Uses**

• Helps prevent sunburn.  used as directed with other sun protection measures (see [Directions](#)), decreases the risk of skin cancer and early skin aging caused by the sun.

# Ciele Bronze and Protect

<i>Drug Facts</i>	
<i>Active ingredient</i>	<i>Purpose</i>
Zinc Oxide 12%.....	Sunscreen

# Ciele Bronze and Protect

## Warnings

- For external use only. Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if skin rash occurs.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

# Ciele Bronze and Protect

<i>Drug Facts</i>	
<i>Active ingredient</i>	<i>Purpose</i>
Zinc Oxide 12%	Sunscreen

# Ciele Bronze and Protect

## Warnings

- For external use only • Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

# Ciele Bronze and Protect

Drug Facts	
<b>Active ingredient</b>	<b>Purpose</b>
Zinc Oxide 12%	Sunscreen
<b>Uses</b>	
• Helps prevent sunburn.  used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun.	
<b>Warnings</b>	
• For external use only • Do not use on damaged or broken skin. • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if skin rash occurs. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
• Shake well • apply liberally 15 minutes before sun exposure • Reapply: • use a water-resistant sunscreen if swimming or sweating. • at least  2 hours. • Children under 6 months of age: Ask a doctor. • <b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit your time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.	
<b>Other information</b>	
• Protect the product in this container from excessive heat and direct sun.	
<b>Inactive Ingredients</b>	
Water, C12-15 Alkyl Benzoate,  Zinc Oxide, Butylcetyl Salicylate, Lauryl PEG-8 Dimethicone, Isododecane, Propanediol, Iron Oxides CI77491, Synthetic Fluorophlogopite, Dimethicone, Niacinamide, Polymethylsilsesquioxane, Isohexadecane, Trilaureth-4 Phosphate, Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Mica, Caprylyl Methicone, Octyldodecyl Neopentanoate, Lauryl PEG-10 Tri[Trimethylsilyloxy]silyethyl Dimethicone, Iron Oxides CI77492, Sodium Chloride, Phenoxethanol, Bisabolol, Distearidimonium Hectorite, Iron Oxides CI77499, Caprylyl Glycol, Allantoin, Titanium Dioxide, Ethylhexylglycerin, Hexylene Glycol, Propylene Carbonate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, PEG-10, Tetrasodium Glutamate Diacetate, Hydrogenated Lecithin, Tin Oxide, Sodium Hydroxide.	
<b>Questions?</b>	
1-866-860-0811	

# CIELE BRONZE AND PROTECT

zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83103-2255
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>MICA</b> (UNII: V8A1AW0880)	
<b>LAURYL PEG-8 DIMETHICONE (300 CPS)</b> (UNII: ELL2U7K8T8)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>TRILAURETH-4 PHOSPHATE</b> (UNII: M96W2OLL2V)	
<b>DIMETHICONOL/PROPYLSILSESQUIOXANE/SILICATE CROSSPOLYMER (45000000 MW)</b> (UNII: 9KB5R958PB)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>TETRASODIUM GLUTAMATE DIACETATE</b> (UNII: 5EHL50I4MY)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-BISABOOL, (+)-</b> (UNII: 105S6I733Z)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	

## Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83103-2255-2	1 in 1 CARTON	05/02/2024	
1	NDC:83103-2255-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/02/2024	

**Labeler** - Ciele LLC (105041170)

Revised: 10/2025

Ciele LLC