PROCEUTICALS PRIVATE LABEL BY TIZO NON-TINTED REPLENISHING DAILY PROTECTION- zinc oxide cream Fallien Cosmeceuticals, Ltd

ACTIVE INGREDIENTS:

Zinc Oxide 16%

PURPOSE:Sunscreen

USES: Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

DIRECTIONS:

- Apply liberally 15 minutes before sun exposure
- Use a water resistant product if swimming or sweating.
- Reapply at least every 2 hours
- Children under 6 months: Ask a doctor

• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 am 2 pm
- Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:

Capric/Caprylic Triglyceride, Ceramide 3, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Hydrogen Dimethicone, PEG-10 Dimethicone, Polyhydroxystearic Acid, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

OTHER INFORMATION: • Protect this product from excessive heat and direct sun • May stain some fabrics

WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Keep out of the reach of children.

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. Apply liberally 15 minutes befor sun exposure.

Principal Display Panel - 50g Bottle Label

PROCEUTICALS

PRIVATE LABEL by TiZO

non-tinted replenishing daily protection

broad spectrum spf 40 with ceramides, zinc oxide & antioxidants C & E

net wt. 1.75 oz / 50 g

Graphic-Untitled

DRUG FACTS

ACTIVE INGREDIENT: Zinc Oxide 16% PURPOSE: Sunscreen

USES

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- · Apply liberally 15 minutes before sun exposure
- · Use a water resistant product if swimming or sweating.
- · Reapply at least every 2 hours
- · Children under 6 months: Ask a doctor

• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- · Limit time in the sun, especially from 10 am 2 pm
- · Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:

Capric/Caprylic Triglyceride, Ceramide 3, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Hydrogen Dimethicone, PEG-10 Dimethicone, Polyhydroxystearic Acid, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

OTHER INFORMATION:

Protect this product from excessive heat and direct sun

MANUFACTURED FOR: City, State, Zip NDC 58892-226-50



non-tinted replenishing daily protection

broad spectrum spf 40 with ceramides, zinc oxide & antioxidants C & E

net wt. 1.75 oz / 50 g

PROCEUTICALS PRIVATE LABEL BY TIZO NON-TINTED REPLENISHING DAILY PROTECTION

zinc oxide cream

Product Information

Product Type		HUMAN OTC DRUG	Item Code	e (Source)	NDC:588	392-226
Route of Admin	istration	TOPICAL				
Active Ingred		•				
	Ingred		Basis of Strength		Strength	
ZINC OXIDE (UNII:	SOI2LOH54Z)(ZINC OXIDE - UNII:SOI2LO	0H54Z)	ZINC OXIDE	160	0 mg in 1 g
Inactive Ingr	edients					
indecive mgr	calents	Ingredient Na	me			Strengt
PEG-10 DIMETHI	CONE (600 CS [.]	r) (UNII: 8PR7V1SVM0)				<u>-</u>
		(UNII: C9H2L21V7U)				
CYCLOMETHICO						
		NE SILSESQUIOXANE CR	ROSSPOLYME	R (UNII: 9NH1UDD2RF	२)	
		300 MW) (UNII: YXH47AC				
CYCLOMETHICO						
TETRAHEXYLDEC	YL ASCORBAT	E (UNII: 9LBV3F07AZ)				
		E (UNII: 9E8X80D2L0)				
DIMETHICONE CE	ROSSPOLYMER	(450000 MPA.S AT 12%	% IN CYCLOPE	ENTASILOXANE) (UN	NII:	
HYDROGEN DIME	THICONE (20 (CST) (UNII: 12Z59IF64N)				
CERAMIDE NP (UN	NII: 4370DF050B)				
DIMETHICONE/VI	NYL DIMETHIC	ONE CROSSPOLYMER (SOFT PARTIC	LE) (UNII: 9E4CO0W6	C5)	
DIMETHICONE 20) (UNII: H8YMB5)	QY0D)				
DIMETHICONOL (2000 CST) (UN	III: T74012AN6Y)				
Packaging						
# Item Code	Pa	ackage Description	r	Marketing Start Date		eting End Date
1 NDC:58892- 226-50	50 g in 1 BOTT Combination P	LE, PUMP; Type 0: Not a roduct	09	/13/2024		
	Informat	ion				
Marketing		tion Number or Mono	ograph l	Marketing Start	Marketing End Date	
Marketing Marketing Category	Applica	Citation	-	Date		

Labeler - Fallien Cosmeceuticals, Ltd (958388357)

Establishment									
Name	Address	ID/FEI	Business Operations						
Custom Analytics LLC		144949372	analysis(58892-226)						

Establishment

Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc. (FMI)		793406000	manufacture(58892-226)

Revised: 9/2024

Fallien Cosmeceuticals, Ltd